BLOCK DIAGRAM OF POLYLINE

Sheet no - 2/2

14/48/2022

SECTION C - C'



BASEMENT FLOOR POLY LINE PLAN

SCALE -1;200

Total Block Area- 8.99 x 8.81 =88.94		
Deduction	Size	Area
D1	2.60 x 1.80	4.81
D1	0.78 x 0.00	1.35
D2	1.53 x 1.70	3.60
D3	1.85 x 1.70	3.14
	Total	13.1
Total Block Area = 88.94 - 13.1=66.84		
Built-up Area Base,ent Floor =66.84 sq.m		

Total Block Area- 33.55 x 29.51 =989.97		
Deduction	Size	Area
D1	0.85 x 2.0	1.71
D1	2.60 x 1.85	4.81
D2	1.85 x 1.70	3.14
D3	1.61 x 1.70	2.73
D4	1.85 x 1.08	1.99
D5	2.60 x 1.85	4.81
D6	-	8.76
D7	0.85 x 1.85	1.59
D8	1.85 x 1.70	3.14
D9	-	2.76
D10	13.97 x 9.33	130.34
	Total	165.78
Total Block Area = 1148.88 - 165.78 =983.77		
Built-up Area of IV Floor = 983.77sq.m		

GROUND FLOOR POLY LINE PLAN

SCALE -1;200



Total Block Area- 37.05 x 31.0 =1148.55		
Deduction	Size	Area
D1	0.60 x 2.0	1.71
D1	2.60 x 1.85	4.81
D2	1.85 x 1.70	3.14
D3	1.61 x 1.70	2.73
D4	1.85 x 1.08	1.99
D5	2.60 x 1.85	4.81
D6	-	8.76
D7	0.85 x 1.85	1.59
D8	1.85 x 1.70	3.14
D9	-	2.76
	Total	35.44
Total Block Area = 1148.55 - 35.44=1113.11		
Built-up Area =1113.11 x 2 (floor) =2226.22 sq.m		

I TO III FLOOR POLY LINE PLAN

SCALE -1;200



LOCATION PLAN

Total Block Area- 37.05 x 31.0 =1148.55		
Deduction	Size	Area
D1	2.60 x 1.85	4.81
D2	1.85 x 1.70	3.14
D3	1.61 x 1.70	2.73
D4	1.85 x 1.08	1.99
D5	2.60 x 1.85	4.81
D6	-	8.76
D7	0.85 x 1.85	1.59
D8	1.85 x 1.70	3.14
D9	-	2.76
D10	13.97 x 9.33	130.34
	Total	165.78
Total Block Area = 1148.55 - 165.78 =983.77		
Built-up Area of IV Floor = 983.77sq.m		

IV FLOOR POLY LINE PLAN

SCALE -1;200



PARKING STATEMENT								
Sr No	Type	Carpet Acre	No of Shops / Offices / Hall	Parking Units Required	Parking Units Required - Visitor		Parking Units Required	
					Car	Scooter	Car	Scooter
1	Commercial	2247.80 Sq.Mtr	74	37	74	222	0	74.00 222.00
Total								74 222
Parking Required after Multiplying Factor (0.60)								45.4 133.2
Rounded to Nearest								45 133
PARKING PROVIDED								44 133
Loading Unloading Spaces								4

Total Block Area- 37.05 x 33.0 =1222.50		
Deduction	Size	Area
D	15.8 x 33.05	522.19
D1	21.3 x 24.6	524.17
D2	3.90 x 2.23	8.69
D3	2.78 x 1.70	4.72
-	-	9.76
D5	2.3 x 8.4	19.69
	Total	552.64
Total Block Area = 1222.50 - 552.64=670.39		
Built-up Area Fifth Floor =670.39 sq.m		

FIFTH FLOOR POLY LINE PLAN

SCALE -1;200



SITE PLAN

SCALE -1;200



SECOND FLOOR PLAN

PROPOSED THIRD FLOOR PLAN



PROPOSED FOURTH FLOOR PLAN



PROPOSED FIFTH FLOOR PLAN



SANCTIONING AUTHORITY

Proforma - I Area Statement

Proposed Revised Commercial Complex on Plot No. 59 & 60 on Survey No. 19+11 ,Mauje Umershed , Gorakshan Road , Tq. & Dist ; Akola

Drawing Sheet No.: 2/2

Stamps of Approval of Plans:

CARPET AREA STATEMENT

Shop / Office No.	Floor	Carpet Area (Sq.Mtrs)	Shop / Office No.	Floor	Carpet Area (Sq.Mtrs)
1	Ground	18.10	20	Ground	13.17
2	Ground	18.10	20A	Ground	21.13
3	Ground	18.10	21	Ground	21.13
4	Ground	18.10	21A	Ground	13.17
5	Ground	18.10	22	Ground	13.17
6	Ground	21.01	22A	Ground	21.62
7	Ground	21.01	23	Ground	21.62
8	Ground	18.10	23A	Ground	14.13
9	Ground	18.10	24	Ground	14.13
10	Ground	18.10	24A	Ground	21.62
4C	Ground	110.00	25	Ground	21.62
5	Ground	67.00	25A	Ground	14.13
6	Ground	52.50	26	Ground	14.13
7	Ground	52.50	26A	Ground	21.62
8	Ground	52.50	27	Ground	21.62
9	Ground	52.50	27A	Ground	14.13
10	Ground	52.50	28	Ground	14.13
11	Ground	52.50	28A	Ground	21.62
12	Ground	52.50	29	Ground	21.62
13	Ground	52.50	29A	Ground	14.13
14	Ground	52.50	29B	Ground	14.13
15	Ground	52.50	29C	Ground	21.62
16	Ground	52.50	29D	Ground	21.62
17	Ground	52.50	30	Ground	14.13
18	Ground	52.50	30A	Ground	21.62
19	Ground	52.50	31	Ground	21.62
19A	Ground	52.50	31A	Ground	14.13
19B	Ground	52.50	32	Ground	14.13
19C	Ground	52.50	32A	Ground	21.62
19D	Ground	52.50	33	Ground	21.62
19E	Ground	52.50	1	Second	21.62
19F	Ground	52.50	2	Second	21.62
19G	Ground	52.50	3	Second	14.13
19H	Ground	52.50	4	Second	14.13
19I	Ground	52.50	5	Second	21.62
19J	Ground	52.50	6	Second	21.62
19K	Ground	52.50	7	Second	14.13
19L	Ground	52.50	8	Second	14.13
19M	Ground	52.50	9	Second	21.62
19N	Ground	52.50	10	Second	21.62
19O	Ground	52.50	11	Second	14.13
19P	Ground	52.50	12	Second	14.13
19Q	Ground	52.50	13	Second	21.62
19R	Ground	52.50	14	Second	21.62
19S	Ground	52.50	15	Second	14.13
19T	Ground	52.50	16	Second	14.13
19U	Ground	52.50	17	Second	21.62
19V	Ground	52.50	18	Second	21.62
19W	Ground	52.50	19	Second	14.13
19X	Ground	52.50	19A	Second	14.13
19Y	Ground	52.50	19B	Second	21.62
19Z	Ground	52.50	19C	Second	21.62
19AA	Ground	52.50	19D	Second	14.13
19AB	Ground	52.50	19E	Second	14.13
19AC	Ground	52.50	19F	Second	21.62
19AD	Ground	52.50	19G	Second	21.62
19AE	Ground	52.50	19H	Second	14.13
19AF	Ground	52.50	19I	Second	14.13
19AG	Ground	52.50	19J	Second	21.62
19AH	Ground	52.50	19K	Second	21.62
19AI	Ground	52.50	19L	Second	14.13
19AJ	Ground	52.50	19M	Second	14.13
19AK	Ground	52.50	19N	Second	21.62
19AL	Ground	52.50	19O	Second	21.62
19AM	Ground	52.50	19P	Second	14.13
19AN	Ground	52.50	19Q	Second	14.13
19AO	Ground	52.50	19R	Second	21.62
19AP	Ground	52.50	19S	Second	21.62
19AQ	Ground	52.50	19T	Second	14.13
19AR	Ground	52.50	19U	Second	14.13
19AS	Ground	52.50	19V	Second	21.62
19AT	Ground	52.50	19W	Second	21.62
19AU	Ground	52.50	19X	Second	14.13
19AV	Ground	52.50	19Y	Second	14.13
19AW	Ground	52.50	19Z	Second	21.62
19AX	Ground	52.50	19AA	Second	21.62
19AY	Ground	52.50	19AB	Second	14.13
19AZ	Ground	52.50	19AC	Second	14.13
19BA	Ground	52.50	19AD	Second	21.62
19BB	Ground	52.50	19AE	Second	21.62
19BC	Ground	52.50	19AF	Second	14.13
19BD	Ground	52.50	19AG	Second	14.13
19BE	Ground	52.50	19AH	Second	21.62
19BF	Ground	52.50	19AI	Second	21.62
19BG	Ground	52.50	19AJ	Second	14.13
19BH	Ground	52.50	19AK	Second	14.13
19BI	Ground	52.50	19AL	Second	21.62
19BJ	Ground	52.50	19AM	Second	21.62
19BK	Ground	52.50	19AN	Second	14.13
19BL	Ground	52.50	19AO	Second	14.13
19BM	Ground	52.50	19AP	Second	21.62
19BN	Ground	52.50	19AQ	Second	21.62
19BO	Ground	52.50	19AR	Second	14.13
19BP	Ground	52.50	19AS	Second	14.13
19BQ	Ground	52.50	19AT	Second	21.62
19BR	Ground	52.50	19AU	Second	21.62
19BS	Ground	52.50	19AV	Second	14.13
19BT	Ground	52.50	19AW	Second	14.13
19BU	Ground	52.50	19AX	Second	21.62
19BV	Ground	52.50	19AY	Second	21.62
19BW	Ground	52.50	19AZ	Second	14.13
19BX	Ground	52.50	19BA	Second	14.13
19BY	Ground	52.50	19BB	Second	21.62
19BZ	Ground	52.50	19BC	Second	21.62
19CA	Ground	52.50	19BD	Second	14.13
19CB	Ground	52.50	19BE	Second	14.13
19CC	Ground	52.50	19BF	Second	21.62
19CD	Ground	52.50	19BG	Second	21.62
19CE	Ground	52.50	19BH	Second	14.13
19CF	Ground	52.50	19BI	Second	14.13
19CG	Ground	52.50	19BJ	Second	21.62
19CH	Ground	52.50	19BK	Second	21.62
19CI	Ground	52.50	19BL	Second	14.13
19CJ	Ground	52.50	19BM	Second	14.13
19CK	Ground	52.50	19BN	Second	21.62
19CL	Ground	52.50	19BO	Second	21.62
19CM	Ground	52.50	19BP	Second	14.13
19CN	Ground	52.50	19BQ	Second	14.13
19CO	Ground	52.50	19BR	Second	21.62
19CP	Ground	52.50	19BS	Second	21.62
19CQ	Ground	52.50	19BT	Second	14.13
19CR	Ground	52.50	19BU	Second	14.13
19CS	Ground	52.50	19BV	Second	21.62
19CT	Ground	52.50	19BW	Second	21.62
19CU	Ground	52.50	19BX	Second	14.13
19CV	Ground	52.50	19BY	Second	14.13
19CW	Ground	52.50	19BZ	Second	21.62
19CX	Ground	52.50	19CA	Second	21.62
19CY	Ground	52.50	19CB	Second	14.13
19CZ	Ground	52.50	19CC	Second	14.13
19DA	Ground	52.50	19CD	Second	21.62
19DB	Ground	52.50	19CE	Second	21.62
19DC	Ground	52.50	19CF	Second	14.13
19DD	Ground	52.50	19CG	Second	14.13
19DE	Ground	52.50	19CH	Second	21.62
19DF	Ground	52.50	19CI	Second	21.62
19DG	Ground	52.50	19CJ	Second	14.13
19DH	Ground	52.50	19CK	Second	14.13
19DI	Ground	52.50	19CL	Second	21.62
19DJ	Ground	52.50	19CM	Second	21.62
19DK	Ground	52.50	19CN	Second	14.13
19DL	Ground	52.50	19CO	Second	14.13
19DM	Ground	52.50	19CP	Second	21.62
19DN	Ground	52.50	19CQ	Second	21.62
19DO	Ground	52.50	19CR	Second	14.13
19DP	Ground	52.50	19CS	Second	14.13
19DQ	Ground	52.50	19CT	Second	21.62
19DR	Ground	52.50	19CU	Second	21.62
19DS	Ground	52.50	19CV	Second	14.13
19DT	Ground	52.50	19CW	Second	14.13
19DU	Ground	52.50	19CX	Second	21.62
19DV	Ground	52.50	19CY	Second	21.62
19DW	Ground	52.50	19CZ	Second	14.13
19DX	Ground	52.50	19DA	Second	14.13
19DY	Ground	52.50	19DB	Second	21.62
19DZ	Ground	52.50	19DC	Second	21.62
19EA	Ground	52.50	19DD	Second	14.13
19EB	Ground	52.50	19DE	Second	14.13
19EC	Ground	52.50	19DF	Second	21.62
19ED	Ground	52.50	19DG	Second	21.62
19EE	Ground	52.50	19DH	Second	14.13
19EF	Ground	52.50	19DI	Second	14.13
19EG	Ground	52.50	19DJ	Second	21.62
19EH	Ground	52.50	19DK	Second	21.62
19EI	Ground	52.50	19DL	Second	14.13
19EJ	Ground	52.50	19DM	Second	14.13
19EK	Ground	52.50	19DN	Second	21.62
19EL	Ground	52.50	19DO	Second	21.62
19EM	Ground	52.50	19DP	Second	14.13
19EN	Ground	52.50	19DQ	Second	14.13
19EO	Ground	52.50	19DR	Second	21.62
19EP	Ground	52.50	19DS	Second	21.62
19EQ	Ground	52.50	19DT	Second	14.13
19ER	Ground	52.50	19DU	Second	14.13
19ES	Ground	52.50	19DV	Second	21.62
19ET	Ground	52.50	19DW	Second	21.62
19EU	Ground	52.50	19DX	Second	14.13
19EV	Ground	52.50	19DY	Second	14.13
19EW	Ground	52.50	19DZ	Second	21.62
19EX	Ground	52.50	19EA	Second	21.62
19EY	Ground	52.50	19EB	Second	14.13
19EZ	Ground	52.50	19EC	Second	14.13
19FA	Ground	52.50	19ED	Second	21.62
19FB	Ground	52.50	19EE	Second	21.62
19FC	Ground	52.50	19EF	Second	14.13
19FD	Ground	52.50	19EG	Second	14.13
19FE	Ground	52.50	19EH	Second	21.62
19FF	Ground	52.50	19EI	Second	21.62
19FG	Ground	52.50	19EJ	Second	14.13
19FH	Ground	52.50	19EK	Second	14.13
19FI	Ground	52.50	19EL	Second	21.62
19FJ	Ground	52.50	19EM	Second	21.62
19FK	Ground	52.50	19EN	Second	14.13
19FL	Ground	52.50	19EO	Second	14.13
19FM	Ground	52.50	19EP	Second	21.62
19FN	Ground	52.50	19EQ	Second	21.62
19FO	Ground	52.50	19ER	Second	14.13
19FP	Ground	52.50	19ES	Second	14.13
19FQ	Ground	52.50	19ET	Second	21.62
19FR	Ground	52.50	19EU	Second	21.62
19FS	Ground	52.50	19EV	Second	14.13
19FT	Ground	52.50	19EW	Second	14.13
19FU	Ground	52.50	19EX	Second	21.62
19FV	Ground	52.50	19EY	Second	21.62
19FW	Ground	52.50	19EZ	Second	14.13
19FX	Ground	52.50	19FA	Second	14.13
19FY	Ground	52.50	19FB	Second	21.62
19FZ	Ground	52.50	19FC	Second	21.62
19GA	Ground	52.50	19FD	Second	14.13
19GB	Ground	52.50	19FE	Second	14.13
19GC	Ground	52.50	19FF	Second	21.62
19GD	Ground	52.50	19FG	Second	21.62
19GE	Ground	52.50	19FH	Second	14.13
19GF	Ground	52.50	19FI	Second	14.13
19GG	Ground	52.50	19FJ	Second	21.62
19GH	Ground	52.50	19FK	Second	21.62
19GI	Ground	52.50	19FL	Second	14.13
19GJ	Ground	52.50	19FM	Second	14.13
19GK	Ground	52.50	19FN	Second	21.62
19GL	Ground	52.50	19FO	Second	21.62
19GM	Ground	52.50	19FP	Second	14.13
19GN	Ground	52.50	19FQ	Second	14.13
19GO	Ground	52.50	19FR	Second	21.62
19GP	Ground	52.50	19FS	Second	21.62
19GQ	Ground	52.50	19FT	Second	14.13
19GR	Ground	52.50	19FU	Second	14.13
19GS	Ground	52.50	19FV	Second	21.62
19GT	Ground	52.50	19FW	Second	21.62
19GU	Ground	52.50	19FX	Second	14.13
19GV	Ground	52.50	19FY	Second	14.13
19GW	Ground	52.50	19FZ	Second	21.62
19GX	Ground	52.50	19GA	Second	21.62
19GY	Ground	52.50	19GB	Second	14.13
19GZ	Ground	52.50	19GC	Second	14.13
19HA	Ground	52.50	19GD	Second	21.62
19HB	Ground	52.50	19GE	Second	21.62
19HC	Ground	52.50	19GF	Second	14.13
19HD	Ground	52.50	19GG	Second	14.13
19HE	Ground	52.50	19GH	Second	21.62
19HF	Ground	52.50	19GI	Second	21.62
19HG	Ground	52.50	19GJ	Second	14.13
19HH	Ground	52.50	19GK	Second	14.13
19HI	Ground	52.50	19GL	Second	21.62
19HJ	Ground	52.50	19GM	Second	21.62
19HK	Ground	52.50	19GN	Second	14.13
19HL	Ground	52.50	19GO	Second	14.13
19HM	Ground	52.50	19GP	Second	21.62
19HN	Ground	52.50	19GQ	Second	21.62
19HO	Ground	52.50	19GR	Second	14.13
19HP	Ground	52.50	19GS	Second	14.13
19HQ	Ground	52.50	19GT	Second	21.62
19HR	Ground	52.50	19GU	Second	21.62
19HS	Ground	52.50	19GV	Second	14.13
19HT	Ground	52.50	19GW	Second	14.13
19HU	Ground	52.50	19GX	Second	21.62
19HV	Ground	52.50	19GY	Second	21.62
19HW	Ground	52.50	19GZ	Second	14.13
19HX	Ground	52.50	19HA	Second	14.13
19HY	Ground	52.50	19HB	Second	21.62
19HZ	Ground	52.50	19HC	Second	21.62
19IA	Ground	52.50	19HD	Second	14.13
19IB	Ground	52.50	19HE	Second	14.13
19IC	Ground	52.50	19HF	Second	21.62
19ID	Ground	52.50	19HG	Second	21.62
19IE	Ground	52.50	19HH	Second	14.13
19IF	Ground	52.50	19HI	Second	14.13
19IG	Ground	52.50	19HJ	Second	21.62
19IH	Ground	52.50	19HK	Second	21.62
19II	Ground	52.50	19HL	Second	14.13
19IJ	Ground	52.50	19HM	Second	14.13
19IK	Ground	52.50	19HN	Second	21.62
19IL	Ground	52.50	19HO	Second	21.62
19IM	Ground	52.50	19HP	Second	14.13
19IN	Ground	52.50	19HQ	Second	14.13
19IO	Ground	52.50	19HR	Second	21.62
19IP	Ground	52.50	19HS	Second	21.62
19IQ	Ground	52.50	19HT	Second	14.13
19IR	Ground	52.50	19HU	Second	14.13
19IS	Ground	52.50	19HV	Second	21.62
19IT	Ground	52.50	19HW	Second	21.62
19IU	Ground	52.50	19HX	Second	14.13
19IV	Ground	52.50	19HY	Second	14.13
19IW	Ground	52.50	19HZ	Second	21.62
19IX	Ground	52.50	19IA	Second	21.62
19IY	Ground	52.50	19IB	Second	14.13
19IZ	Ground	52.50	19IC	Second	14.13
19JA	Ground	52.50	19ID	Second	21.62
19JB	Ground	52.50	19IE	Second	21.62
19JC	Ground	52.50	19IF	Second	14.13
19JD	Ground	52.50	19IG	Second	14.13
19JE	Ground	52.50	19IH	Second	21.62
19JF	Ground	52.50	19II	Second	21.62
19JG	Ground	52.50	19IJ	Second	14.13
19JH	Ground	52.50	19IK	Second	14.13
19JI	Ground	52.50	19IL	Second	21.62
19JJ	Ground	52.50	19IM	Second	21.62
19JK	Ground	52.50	19IN	Second	14.13
19JL	Ground	52.50	19IO	Second	14.13
19JM	Ground	52.50	19IP	Second	21.62
19JN	Ground	52.50	19IQ	Second	21.62
19JO	Ground	52.50	19IR	Second	14.13
19JP	Ground	52.50	19IS	Second	14.13
19JQ	Ground	52.50	19IT	Second	21.62
19JR	Ground	52.50	19IU	Second	21.62
19JS	Ground	52.50	19IV	Second	14.13
19JT	Ground	52.50	19IW	Second	14.13
19JU	Ground	52.50	19IX	Second	21.62
19JV	Ground	52.50	19IY	Second	21.62
19JW	Ground	52.50	19IZ	Second	14.13
19JX	Ground	52.50	19JA	Second	14.13
19JY	Ground	52.50	19JB	Second	21.62
19JZ	Ground	52.50	19JC	Second	21.62
19KA	Ground	52.50	19JD	Second	14.13
19KB	Ground	52.50	19JE	Second	14.13
19KC	Ground	52.50	19JF	Second	21.62
19KD	Ground	52.50	19JG	Second	21.62
19KE	Ground	52.50	19JH	Second	14.13
19KF	Ground	52.50	19JI	Second	14.13
19KG	Ground	52.50	19JJ	Second	21.62
19KH	Ground	52.50	19JK	Second	21.62
19KI	Ground	52.50	19JL	Second	14.13
19KJ	Ground	52.50	19JM	Second	14.13
19KK	Ground	52.50	19JN	Second	21.62
19KL	Ground	52.50	19JO	Second	21.62
19KM	Ground	52.50	19JP	Second	14.13
19KN	Ground	52.50	19JQ	Second	14.13
19KO	Ground	52.50	19JR	Second	21.62
19KP	Ground	52.50	19JS	Second	21.62
19KQ	Ground	52.50	19JT	Second	14.13
19KR	Ground	52.50	19JU	Second	14.13
19KS	Ground	52.50	19JV	Second	21.62
19KT	Ground	52.50	19JW	Second	21.62
19KU	Ground	52.50	19JX	Second	14.13
19KV	Ground	52.50	19JY	Second	14.13
19KW	Ground	52.50	19JZ	Second	21.62
19KX	Ground	52.50	19KA	Second	21.62
19KY	Ground	52.50	19KB	Second	14.13
19KZ	Ground	52.50	19KC	Second	14.13
19LA	Ground	52.50	19KD	Second	21.62
19LB	Ground	52.50	19KE	Second	21.62
19LC	Ground	52.50	19KF	Second	14.13
19LD	Ground	52.50	19KG	Second	14.13
19LE	Ground	52.50	19KH	Second	21.62
19LF	Ground	52.50	19KI	Second	21.62
19LG	Ground	52.50	19KJ	Second	14.13
19LH	Ground	52.50	19KK	Second	14.13
19LI	Ground	52.50	19KL	Second	21.62
19LJ	Ground	52.50	19KM	Second	21.62
19LK	Ground	52.50	19KN	Second	14.13
19LL	Ground	52.50	19KO	Second	14.13
19LM	Ground	52.50	19KP	Second	21.62
19LN	Ground	52.50	19KQ	Second	21.62
19LO	Ground	52.50	19KR	Second	14.13
19LP	Ground	52.50	19KS	Second	14.13
19LQ	Ground	52.50	19KT	Second	21.62
19LR	Ground	52.50	19KU	Second	21.62
19LS	Ground	52.50	19KV	Second	14.13
19LT	Ground	52.50	19KW	Second	14.13
19LU	Ground	52.50	19KX	Second	21.62
19LV	Ground	52.50	19KY	Second	21.62
19LW	Ground	52.50	19KZ	Second	14.13
19LX	Ground	52.50	19LA	Second	14.13
19LY	Ground	52.50	19LB	Second	21.62
19LZ