PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

GROUND FLOOR PLAN



TYPICAL FLOOR PLAN
(1ST TO 7TH FLOOR PLAN)

Approved for Construction, with all Terms and Conditions mentioned in Order Ref. Case No. 01/MRC-81/(M.R.T.P/Special Township) /2009-2010, Dated 27/1/2014

For Collector, Nagpur.

Recommended for approval as amended in.....colour subject to the conditions Mentioned in this office letter No. 624 ..... Dt. 6/5/17

Joint Director of Town Planning
Nagpur Division, Nagpur.

REVISED BUILDING PLAN FOR DAFFODIL HIGH TYPE - E 2-3 BHK

INCLUDING FIRE HYDRANT PLAN

SCHEDULE OF DOOR/WINDOW

NO	OPENING SIZES	SILL/SOFIT LVL.	LINTEL LVL.	LOCATION
D1	1.05 X 2.10	0.00	2.10	ENTRY TO FLAT
D2	0.900 X 2.10	0.00	2.10	BED R00M - 1, 2, 3 & BAL. - 2
D3	0.75 X 2.10	0.00	2.10	TOILET - 1, 2
SD1	2.40 X 2.1	0.00 / 2.1	2.1	BALCONY-1
W1	1.25 X 1.20	0.900 / 2.10	2.10	BED R00M
W2	1.550 X 1.20	0.900 / 2.10	2.10	BED R00M
W3	1.920 X 1.20	0.900 / 2.10	2.10	BED R00M
W4	0.900 X 1.20	0.900 / 2.10	2.10	DINING
W5	0.650 X 1.20	0.900 / 2.10	2.10	DINING
W6	2.849 X 1.5	0.90 / 2.10	2.40	LIFT LOBBYWINDOW
W7	0.900 X 1.20	0.900 / 2.10	2.10	KITCHEN
W8	0.600 X 0.90	1.20 / 2.10	2.10	TOILET - 1, 2

MOUZA - KOTHEWADA
TAL. - HINGNA
GROUP HOUSING PLOT R-2.7

PREVIOUS DEVELOPMENT PERMISSION NO. 01/MRC-81/(M.R.T.P./SPECIAL TOWNSHIP)/2009-2010,DATED 27/01/2014

OWNERS SIGNATURE

FOR FIRE ARCOR INFRASTRUCTURE PVT LTD
MANAGING DIRECTOR

Choudhary Consultants
Architects, Engineers & Project Management Consultants
RENUKAI 36, CHITNAVIS LAYOUT, BYRAMJI TOWN,
NAGPUR - 440013,(M.S) INDIA. Ph.0712-2580360
EMAIL- choudharyconsultants@gmail.com

SIGNATURE OF ARCHITECT

FIRE CONSULTANT

ALERT MULTIPURPOSE SERVICES
202, Agrawal Mansion,
Rani Durgavati Square
Nagpur- 440017
Contact No: 9372252186
Office: 0712- 3201027
email: ams.fire.protection@gmail.com

INDEX

- FIRE DOOR
- ABC FIRE EXTINGUISERS
- FIRE PUMP
- FIRE CONTROL PANEL
- FIRE MANUAL CALL POINT
- FIRE HOOTER
- FIRE HYDRANT VALVE
- HP = HYDRANT PIPE
- HR = HOSE REEL
- HB = HOSE BOX
- FIRE SERVICE INLET
- BUTTERFLY VALVE
- NON RETURN VALVE
- YARD HYDRANT STAND POST
- 0.100M DIA PIPE LINE

CLIENTS :
FIRE ARCOR INFRASTRUCTURE PVT.LTD.,

PROJECT :
RESIDENTIAL DEVELOPMENT FOR FIRE ARCOR INFRASTRUCTURE PVT.LTD., NAGPUR

DRAWING TITLE :
GROUND & TYPICAL FLOOR PLAN (19 - X)
(3/2 BHK STD. MID RISE) (BLOCK E)

DATE-30-08-16	SCALE : 1:100
DRAWN BY-PRAVIN	DRAWING NO. A/E- 01
CHECKED-Ar. DILIP. P.	REV. NO.

FILE: AZAZ/E/DWG/NAGPUR/ (3/2 BHK STD. HIGH RISE)

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT
PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT
PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT