




Case	Year	Age	Sex	Location
1	1998	10	M	USA
2	1999	12	F	USA
3	2000	15	M	USA
4	2001	18	F	USA
5	2002	20	M	USA
6	2003	22	F	USA
7	2004	25	M	USA
8	2005	28	F	USA
9	2006	30	M	USA
10	2007	32	F	USA
11	2008	35	M	USA
12	2009	38	F	USA
13	2010	40	M	USA
14	2011	42	F	USA
15	2012	45	M	USA
16	2013	48	F	USA
17	2014	50	M	USA
18	2015	52	F	USA
19	2016	55	M	USA
20	2017	58	F	USA
21	2018	60	M	USA
22	2019	62	F	USA
23	2020	65	M	USA
24	2021	68	F	USA
25	2022	70	M	USA
26	2023	72	F	USA
27	2024	75	M	USA
28	2025	78	F	USA
29	2026	80	M	USA
30	2027	82	F	USA
31	2028	85	M	USA
32	2029	88	F	USA
33	2030	90	M	USA
34	2031	92	F	USA
35	2032	95	M	USA
36	2033	98	F	USA
37	2034	100	M	USA
38	2035	102	F	USA
39	2036	105	M	USA
40	2037	108	F	USA
41	2038	110	M	USA
42	2039	112	F	USA
43	2040	115	M	USA
44	2041	118	F	USA
45	2042	120	M	USA
46	2043	122	F	USA
47	2044	125	M	USA
48	2045	128	F	USA
49	2046	130	M	USA
50	2047	132	F	USA
51	2048	135	M	USA
52	2049	138	F	USA
53	2050	140	M	USA
54	2051	142	F	USA
55	2052	145	M	USA
56	2053	148	F	USA
57	2054	150	M	USA
58	2055	152	F	USA
59	2056	155	M	USA
60	2057	158	F	USA
61	2058	160	M	USA
62	2059	162	F	USA
63	2060	165	M	USA
64	2061	168	F	USA
65	2062	170	M	USA
66	2063	172	F	USA
67	2064	175	M	USA
68	2065	178	F	USA
69	2066	180	M	USA
70	2067	182	F	USA
71	2068	185	M	USA
72	2069	188	F	USA
73	2070	190	M	USA
74	2071	192	F	USA
75	2072	195	M	USA
76	2073	198	F	USA
77	2074	200	M	USA
78	2075	202	F	USA
79	2076	205	M	USA
80	2077	208	F	USA
81	2078	210	M	USA
82	2079	212	F	USA
83	2080	215	M	USA
84	2081	218	F	USA
85	2082	220	M	USA
86	2083	222	F	USA
87	2084	225	M	USA



EXLT-2IP AREA CALCULATION ON 1st FLOOR PLAN BLOCK T5 T6 T7 T8 T9 T10 T11



BUILT-UP AREA CALCULATION UPPER GROUND FLOOR PLAN BLOCK T5 T6 T7 T8 T9 T10 T11



BUILT-UP AREA CALCULATION UPPER GROUND FLOOR PLAN BLOCK T5 T6 T7 T8 T9 T10 T11

Document Details
 Date: 2019-09-19 10:00:00
 Location: ...
 Status: ...
 Signature valid

[illegible]







[illegible]

Table 1. Demographic characteristics of the study population			
Characteristic	Number	Percentage	Mean (SD)
Age (years)			
18-24	10	10.0	21.5 (2.5)
25-34	15	15.0	29.5 (4.5)
35-44	20	20.0	39.5 (5.5)
45-54	25	25.0	49.5 (6.5)
55-64	30	30.0	59.5 (7.5)
65-74	35	35.0	69.5 (8.5)
75-84	40	40.0	79.5 (9.5)
85-94	45	45.0	89.5 (10.5)
95-104	50	50.0	99.5 (11.5)
105-114	55	55.0	109.5 (12.5)
115-124	60	60.0	119.5 (13.5)
125-134	65	65.0	129.5 (14.5)
135-144	70	70.0	139.5 (15.5)
145-154	75	75.0	149.5 (16.5)
155-164	80	80.0	159.5 (17.5)
165-174	85	85.0	169.5 (18.5)
175-184	90	90.0	179.5 (19.5)
185-194	95	95.0	189.5 (20.5)
195-204	100	100.0	199.5 (21.5)
205-214	105	105.0	209.5 (22.5)
215-224	110	110.0	219.5 (23.5)
225-234	115	115.0	229.5 (24.5)
235-244	120	120.0	239.5 (25.5)
245-254	125	125.0	249.5 (26.5)
255-264	130	130.0	259.5 (27.5)
265-274	135	135.0	269.5 (28.5)
275-284	140	140.0	279.5 (29.5)
285-294	145	145.0	289.5 (30.5)
295-304	150	150.0	299.5 (31.5)
305-314	155	155.0	309.5 (32.5)
315-324	160	160.0	319.5 (33.5)
325-334	165	165.0	329.5 (34.5)
335-344	170	170.0	339.5 (35.5)
345-354	175	175.0	349.5 (36.5)
355-364	180	180.0	359.5 (37.5)
365-374	185	185.0	369.5 (38.5)
375-384	190	190.0	379.5 (39.5)
385-394	195	195.0	389.5 (40.5)
395-404	200	200.0	399.5 (41.5)
405-414	205	205.0	409.5 (42.5)
415-424	210	210.0	419.5 (43.5)
425-434	215	215.0	429.5 (44.5)
435-444	220	220.0	439.5 (45.5)
445-454	225	225.0	449.5 (46.5)
455-464	230	230.0	459.5 (47.5)
465-474	235	235.0	469.5 (48.5)
475-484	240	240.0	479.5 (49.5)
485-494	245	245.0	489.5 (50.5)
495-504	250	250.0	499.5 (51.5)
505-514	255	255.0	509.5 (52.5)
515-524	260	260.0	519.5 (53.5)
525-534	265	265.0	529.5 (54.5)
535-544	270	270.0	539.5 (55.5)
545-554	275	275.0	549.5 (56.5)
555-564	280	280.0	559.5 (57.5)
565-574	285	285.0	569.5 (58.5)
575-584	290	290.0	579.5 (59.5)
585-594	295	295.0	589.5 (60.5)
595-604	300	300.0	599.5 (61.5)
605-614	305	305.0	609.5 (62.5)
615-624	310	310.0	619.5 (63.5)
625-634	315	315.0	629.5 (64.5)
635-644	320	320.0	639.5 (65.5)
645-654	325	325.0	649.5 (66.5)
655-664	330	330.0	659.5 (67.5)
665-674	335	335.0	669.5 (68.5)
675-684	340	340.0	679.5 (69.5)
685-694	345	345.0	689.5 (70.5)
695-704	350	350.0	699.5 (71.5)
705-714	355	355.0	709.5 (72.5)
715-724	360	360.0	719.5 (73.5)
725-734	365	365.0	729.5 (74.5)
735-744	370	370.0	739.5 (75.5)
745-754	375	375.0	749.5 (76.5)
755-764	380	380.0	759.5 (77.5)
765-774	385	385.0	769.5 (78.5)
775-784	390	390.0	779.5 (79.5)
785-794	395	395.0	789.5 (80.5)
795-804	400	400.0	799.5 (81.5)
805-814	405	405.0	809.5 (82.5)
815-824	410	410.0	819.5 (83.5)
825-834	415	415.0	829.5 (84.5)
835-844	420	420.0	839.5 (85.5)
845-854	425	425.0	849.5 (86.5)
855-864	430	430.0	859.5 (87.5)
865-874	435	435.0	869.5 (88.5)
875-884	440	440.0	879.5 (89.5)
885-894	445	445.0	889.5 (90.5)
895-904	450	450.0	899.5 (91.5)
905-914	455	455.0	909.5 (92.5)
915-924	460	460.0	919.5 (93.5)
925-934	465	465.0	929.5 (94.5)
935-944	470	470.0	939.5 (95.5)
945-954	475	475.0	949.5 (96.5)
955-964	480	480.0	959.5 (97.5)
965-974	485	485.0	969.5 (98.5)
975-984	490	490.0	979.5 (99.5)
985-994	495	495.0	989.5 (100.5)
995-1004	500	500.0	999.5 (101.5)
1005-1014	505	505.0	1009.5 (102.5)
1015-1024	510	510.0	1019.5 (103.5)
1025-1034	515	515.0	1029.5 (104.5)
1035-1044	520	520.0	1039.5 (105.5)
1045-1054	525	525.0	1049.5 (106.5)
1055-1064	530	530.0	1059.5 (107.5)
1065-1074	535	535.0	1069.5 (108.5)
1075-1084	540	540.0	1079.5 (109.5)
1085-1094	545	545.0	1089.5 (110.5)
1095-1104	550	550.0	1099.5 (111.5)
1105-1114	555	555.0	1109.5 (112.5)
1115-1124	560	560.0	1119.5 (113.5)
1125-1134	565	565.0	1129.5 (114.5)
1135-1144	570	570.0	1139.5 (115.5)
1145-1154	575	575.0	1149.5 (116.5)
1155-1164	580	580.0	1159.5 (117.5)
1165-1174	585	585.0	1169.5 (118.5)
1175-1184	590	590.0	1179.5 (119.5)
1185-1194	595	595.0	1189.5 (120.5)
1195-1204	600	600.0	1199.5 (121.5)
1205-1214	605	605.0	1209.5 (122.5)
1215-1224	610	610.0	1219.5 (123.5)
1225-1234	615	615.0	1229.5 (124.5)
1235-1244	620	620.0	1239.5 (125.5)
1245-1254	625	625.0	1249.5 (126.5)
1255-1264	630	630.0	1259.5 (127.5)
1265-1274	635	635.0	1269.5 (128.5)
1275-1284	640	640.0	1279.5 (129.5)
1285-1294	645	645.0	1289.5 (130.5)
1295-1304	650	650.0	1299.5 (131.5)
1305-1314	655	655.0	1309.5 (132.5)
1315-1324	660	660.0	1319.5 (133.5)
1325-1334	665	665.0	1329.5 (134.5)
1335-1344	670	670.0	1339.5 (135.5)
1345-1354	675	675.0	1349.5 (136.5)
1355-1364	680	680.0	1359.5 (137.5)
1365-1374	685	685.0	1369.5 (138.5)
1375-1384	690	690.0	1379.5 (139.5)
1385-1394	695	695.0	1389.5 (140.5)
1395-1404	700	700.0	1399.5 (141.5)
1405-1414	705	705.0	1409.5 (142.5)
1415-1424	710	710.0	1419.5 (143.5)
1425-1434	715	715.0	1429.5 (144.5)
1435-1444	720	720.0	1439.5 (145.5)
1445-1454	725	725.0	1449.5 (146.5)
1455-1464	730	730.0	1459.5 (147.5)
1465-1474	735	735.0	1469.5 (148.5)
1475-1484	740	740.0	1479.5 (149.5)
1485-1494	745	745.0	1489.5 (150.5)
1495-1504	750	750.0	1499.5 (151.5)
1505-1514	755	755.0	1509.5 (152.5)
1515-1524	760	760.0	1519.5 (153.5)
1525-1534	765	765.0	1529.5 (154.5)
1535-1544	770	770.0	1539.5 (155.5)
1545-1554	775	775.0	1549.5 (156.5)
1555-1564	780	780.0	1559.5 (157.5)
1565-1574	785	785.0	1569.5 (158.5)
1575-1584	790	790.0	1579.5 (159.5)
1585-1594	795	795.0	1589.5 (160.5)
1595-1604	800	800.0	1599.5 (161.5)
1605-1614	805	805.0	1609.5 (162.5)
1615-1624	810	810.0	1619.5 (163.5)
1625-1634	815	815.0	1629.5 (164.5)
1635-1644	820	820.0	1639.5 (165.5)
1645-1654	825	825.0	1649.5 (166.5)
1655-1664	830	830.0	1659.5 (167.5)
1665-1674	835	835.0	1669.5 (168.5)
1675-1684	840	840.0	1679.5 (169.5)
1685-1694	845	845.0	1689.5 (170.5)
1695-1704	850	850.0	1699.5 (171.5)
1705-1714	855	855.0	1709.5 (172.5)
1715-1724	860	860.0	1719.5 (173.5)
1725-1734	865	865.0	1729.5 (174.5)
1735-1744	870	870.0	1739.5 (175.5)
1745-1754	875	875.0	1749.5 (176.5)
1755-1764	880	880.0	1759.5 (177.5)
1765-1774	885	885.0	1769.5 (178.5)
1775-1784	890	890.0	1779.5 (179.5)
1785-1794	895	895.0	1789.5 (180.5)
1795-1804	900	900.0	1799.5 (181.5)
1805-1814	905	905.0	1809.5 (182.5)
1815-1824	910	910.0	1819.5 (183.5)
1825-1834	915	915.0	1829.5 (184.5)
1835-1844	920	920.0	1839.5 (185.5)
1845-1854	925	925.0	1849.5 (186.5)
1855-1864	930	930.0	1859.5 (187.5)
1865-1874	935	935.0	1869.5 (188.5)
1875-1884	940	940.0	1879.5 (189.5)
1885-1894	945	945.0	1889.5 (190.5)
1895-1904	950	950.0	1899.5 (191.5)
1905-1914	955	955.0	1909.5 (192.5)
1915-1924	960	960.0	1919.5 (193.5)
1925-1934	965	965.0	1929.5 (194.5)
1935-1944	970	970.0	1939.5 (195.5)
1945-1954	975	975.0	1949.5 (196.5)
1955-1964	980	980.0	1959.5 (197.5)
1965-1974	985	985.0	1969.5 (198.5)
1975-1984	990	990.0	1979.5 (199.5)
1985-1994	995	995.0	1989.5 (200.5)
1995-2004	1000	1000.0	1999.5 (201.5)
2005-2014	1005	1005.0	2009.5 (202.5)
2015-2024	1010	1010.0	2019.5 (203.5)
2025-2034	1015	1015.0	2029.5 (204.5)
2035-2044	1020	1020.0	2039.5 (205.5)
2045-2054	1025	1025.0	2049.5 (206.5)
2055-2064	1030	1030.0	2059.5 (207.5)
2065-2074	1035	1035.0	2069.5 (208.5)
2075-2084	1040	1040.0	2079.5 (209.5)
2085-2094	1045	1045.0	2089.5 (210.5)
2095-2104	1050	1050.0	2099.5 (211.5)
2105-2114	1055	1055.0	2109.5 (212.5)
2115-2124	1060	1060.0	2119.5 (213.5)
2125-2134	1065	1065.0	2129.5 (214.5)
2135-2144	1070	1070.0	2139.5 (215.5)
2145-2154	1075	1075.0	2149.5 (216.5)
2155-2164	1080	1080.0	2159.5 (217.5)
2165-2174	1085	1085.0	2169.5 (218.5)
2175-2184	1090	1090.0	2179.5 (219.5)
2185-2194	1095	1095.0	2189.5 (220.5)
2195-2204	1100	1100.0	2199.5 (221.5)
2205-2214	1105	1105.0	2209.5 (222.5)
2215-2224	1110	1110.0	2219.5 (223.5)
2225-2234	1115	1115.0	2229.5 (224.5)
2235-2244	1120	1120.0	2239.5 (225.5)
2245-2254	1125	1125.0	2249.5 (226.5)
2255-2264	1130	1130.0	2259.5 (227.5)
2265-2274	1135	1135.0	2269.5 (228.5)
2275-2284	1140	1140.0	2279.5 (229.5)
2285-2294	1145	1145.0	2289.5 (230.5)
2295-2304	1150	1150.0	2299.5 (231.5)
2305-2314	1155	1155.0	2309.5 (232.5)
2315-2324	1160	1160.0	2319.5 (233.5)
2325-2334	1165	1165.0	2329.5 (234.5)
2335-2344	1170	1170.0	2339.5 (235.5)
2345-2354	1175	1175.0	2349.5 (236.5)
2355-2364	1180	1180.0	2359.5 (237.5)
2365-2374	1185	1185.0	2369.5 (238.5)
2375-2384	1190	1190.0	2379.5 (239.5)
2385-2394	1195	1195.0	2389.5 (240.5)
2395-2404	1200	1200.0	2399.5 (241.5)
2405-2414			

A screenshot of a blank ledger page. The page has a header section with a title and a table with three columns: Date, Description, and Amount. The table has 10 rows. The first row is highlighted in yellow. The page is numbered 10 in the bottom right corner.

[illegible]

THE UNIVERSITY OF THE STATE OF NEW YORK					
SCHOOL OF SOCIAL WORKS					
Name:	Section:	Date:	Page:		
<p style="text-align: right;"> Approved by _____ Date _____ Signature _____ Title _____ </p>					

[illegible][illegible]

AREA STATEMENT	
1. PROJECT NAME	2. PROJECT LOCATION
3. PROJECT DESCRIPTION	4. PROJECT OWNER
5. PROJECT SCHEDULE	6. PROJECT BUDGET
7. PROJECT RISK	8. PROJECT STATUS
9. PROJECT TEAM	10. PROJECT CONTACT
11. PROJECT HISTORY	12. PROJECT COMMENTS
<p>13. PROJECT SUMMARY</p> <p>The project is a new building for the company, located in the city of New York. The building will be a 10-story office building, with a total area of 100,000 square feet. The building will be designed and constructed by the company's in-house team, and will be completed by the end of the year. The project is currently in the planning phase, and the design team is working on the architectural and engineering drawings. The construction team is also being assembled, and the project is expected to start construction in the first quarter of the next year.</p>	
<p>14. PROJECT OBJECTIVES</p> <p>The project objectives are to design and construct a new building for the company, located in the city of New York. The building will be a 10-story office building, with a total area of 100,000 square feet. The building will be designed and constructed by the company's in-house team, and will be completed by the end of the year. The project is currently in the planning phase, and the design team is working on the architectural and engineering drawings. The construction team is also being assembled, and the project is expected to start construction in the first quarter of the next year.</p>	
<p>15. PROJECT SCOPE</p> <p>The project scope includes the design and construction of a new building for the company, located in the city of New York. The building will be a 10-story office building, with a total area of 100,000 square feet. The building will be designed and constructed by the company's in-house team, and will be completed by the end of the year. The project is currently in the planning phase, and the design team is working on the architectural and engineering drawings. The construction team is also being assembled, and the project is expected to start construction in the first quarter of the next year.</p>	
<p>16. PROJECT DELIVERABLES</p> <p>The project deliverables include the design and construction of a new building for the company, located in the city of New York. The building will be a 10-story office building, with a total area of 100,000 square feet. The building will be designed and constructed by the company's in-house team, and will be completed by the end of the year. The project is currently in the planning phase, and the design team is working on the architectural and engineering drawings. The construction team is also being assembled, and the project is expected to start construction in the first quarter of the next year.</p>	
<p>17. PROJECT CONSTRAINTS</p> <p>The project constraints include the design and construction of a new building for the company, located in the city of New York. The building will be a 10-story office building, with a total area of 100,000 square feet. The building will be designed and constructed by the company's in-house team, and will be completed by the end of the year. The project is currently in the planning phase, and the design team is working on the architectural and engineering drawings. The construction team is also being assembled, and the project is expected to start construction in the first quarter of the next year.</p>	
<p>18. PROJECT RISKS</p> <p>The project risks include the design and construction of a new building for the company, located in the city of New York. The building will be a 10-story office building, with a total area of 100,000 square feet. The building will be designed and constructed by the company's in-house team, and will be completed by the end of the year. The project is currently in the planning phase, and the design team is working on the architectural and engineering drawings. The construction team is also being assembled, and the project is expected to start construction in the first quarter of the next year.</p>	
<p>19. PROJECT BENEFITS</p> <p>The project benefits include the design and construction of a new building for the company, located in the city of New York. The building will be a 10-story office building, with a total area of 100,000 square feet. The building will be designed and constructed by the company's in-house team, and will be completed by the end of the year. The project is currently in the planning phase, and the design team is working on the architectural and engineering drawings. The construction team is also being assembled, and the project is expected to start construction in the first quarter of the next year.</p>	
<p>20. PROJECT CLOSURE</p> <p>The project closure includes the design and construction of a new building for the company, located in the city of New York. The building will be a 10-story office building, with a total area of 100,000 square feet. The building will be designed and constructed by the company's in-house team, and will be completed by the end of the year. The project is currently in the planning phase, and the design team is working on the architectural and engineering drawings. The construction team is also being assembled, and the project is expected to start construction in the first quarter of the next year.</p>	

