FORM -2A
ENGINEER'S CERTIFICATE FOR QUALITY ASSURANCE
(Site supervisor's certificate)

MILIND RATHI
M.E.(Struct) M.I.E.,F.I.V.

CONSULTING
STRUCTURAL
DESIGNER
&
CHARTERED
ENGINEER

A-17/18, Sahakari Audhyogik
Vasahat, Old M.I.D.C.,
Ajanta Road, Jalgaon (M.S.)
Tel.: (O) 0257-2210979
Mob. : 98230 29679
E-mail : milindrathi@rediffmail.com

To,
Tezved Buildcon LLP,
TRUKONS BUSINESS PARK
1st Floor, Murlalidhar Niwas, Panchavati
Karanja, PanchavatiDist: Nashik, 422002

Quality Assurance Certificate

(Certificate no._____for the quarter ending 31/03/2022**)**

Subject:- Certificate for quality of materials used and quality of Construction and workmanship for Development of Trukons Business Parkfor Construction of 01 (One) building (Maha RERA Registration Number P 51600023208 situated on the Plot bearing S. NO.– 5/2 Plot No. 34+35+36 & Plot No : 87/1 at Indiranagar, Nashik., demarcated by its boundaries Adj. Plot No 37 and Open Space to the north, 30 Meters Wide D P Road to the south, 9 Meters wide Road to the east, Adj. Plot No 2 to the west of Indiranagar village Nashik District, Admeasuring 1494.49 SQMTS area being developed by Tezved Buildcon LLP.

Ref: MahaRERA Registration Number: P5160023208

Sir,

I **Milind Rathi** have undertaken an assignment of this real estateproject.

1. **Our Responsibility: -**
   To carry out the work in accordance with the development permission and as per the approved plan and submit certificate ofsupervision of work and to carry out material testing in-situ or in theauthorized laboratory and to ensure quality of work and workmanship as per prescribed specifications, and as per NBC and or other relevant code of practice.

MILIND RATHI
M.E.(Struct) M.I.E.,F.I.V.

CONSULTING
STRUCTURAL
DESIGNER
&
CHARTERED
ENGINEER

A-17/18, Sahakari Audhyogik
Vasahat, Old M.I.D.C.,
Ajanta Road, Jalgaon (M.S.)
Tel.: (O) 0257-2210979
Mob. : 98230 29679
E-mail : milindrathi@rediffmail.com

I) Material Testing:-

I have applied following mandatory checks on the basicmaterials, used in the construction.

i) Cement-

It has been tested for its fineness, soundness, setting time, compressive strength etc. as per IS code 3535:1986 or as per other relevant IS/85/NBC code, or as per industry standards and its results are within the permissible limits.

ii) Coarse aggregate -

It has been tested, for deleterious materials, clay lumps, crushing value, impact value as per IS 243011986 or as perother relevant IS/BS/NBC code or as per industry standards and its results are within the permissible limits.

iii) Bricks/ blocks –

They have been tested for water absorption, crushing strength etc. as per IS 5454:1978 or as per other relevant IS/85/NBC code or as per industry standards and its resultsare within permissible limits.

iv) Concrete / Ready-mix Concrete-

It has been tested for compressive strength for various periods as per 15 456:2000 and IS 1199 or as per otherrelevant IS/BS/NBC codes, as per industry standards and its results are within permissible limits.

v) Steel for concrete-

It has been tested as per IS 2062:2011 or as per other relevant Is/Bs/NBC code or as per industry standards for tensile strength, elongation and gauge length etc. and its results are within permissible limits.

vi) Testing of Other materials –

Other materials like sand, crushed sand, floor tiles, fixturesand {fittings, pipes and sanitary fittings etc. (List out allitems) used in this project conform to relevant IS/BS/NBC code or as per standards laid down by the industry for aparticular material.

MILIND RATHI
M.E.(Struct) M.I.E.,F.I.V.

CONSULTING
STRUCTURAL
DESIGNER
&
CHARTERED
ENGINEER

A-17/18, Sahakari Audhyogik
Vasahat, Old M.I.D.C.,
Ajanta Road, Jalgaon (M.S.)
Tel.: (O) 0257-2210979
Mob. : 98230 29679
E-mail : milindrathi@rediffmail.com

2. **Workmanship: -**
   I hereby certify that work has been carried out under our supervision. We further certify that workmanship and quality is satisfactory and up to the mark and the work has been acceptable within the permissible limits of deviations as per relevant code ofpractice.
3. **Electrical Materials and workmanship; -**
   Works of all the electrical wiring/ connections / lift installation / otherelectrical installations have been carried out under authorized/registered electrical engineer and its .records have been maintained. The materials used conform to the relevant I.S/ B.S/ National Buildin8codes or as per industry standards.
4. **Structural engineer:-**
   Promoters have engaged structural engineer **Mr. Milind Rathi** havingLicenses no. **M-125145-1** having office no. 0257-2210979.

   The structural design of buildings in this project has been done under his supervision. He has checked the soil report before laying PCC for foundation in consultation with soil consultant. The formwork andconcrete mix design has been done as per IS 10262:2009 or as per other relevant codes as applicable. His periodic checks and certificates for STABILITY and SAFETY have been kept on record.
5. **Preservation of records: -**
   Record of all test results of this project have been properly kept in the prescribed formats and will be preserved at least up to the defect liability period or for the period as required by any other provision of law.

6. No materials or any other item of works which was not conformingto the standard specifications and which were not rejected.

Yours Faithfully,

CHARTERED ENGINEER
R.No. M-125145-1
M.I.E.

MILIND RATHI
(Structures)
M. L. No. - SELR128
Valid Up to 31/12/2023