

AMBIANCE DESIGN PVT LTD

Architects • Urban Designers & Planners • Interior Designers
Project Management Consultants (PMC)

Date: 03/11/2021

TO WHOM SO EVER IT MAY CONCERN

This is to confirm that, for the Redevelopment of "Shree Apartment" situated on the land bearing C.T.S. No.200, Bhaskar Colony Naupada, Thane-(W), the maximum permissible B/U area including Basic FSI of 1.10, 0.50 Premium FSI and 60% Ancillary area FSI as per Prevailing Unified Development Control and Promotion Regulations for Maharashtra State, is 1275.65 Sq.Mtrs.

Area Statement for the same is as given below :-

Sr. No.	Description	Area In Sq.mtrs.
1.	Area of plot as per P.R. Card	498.30
2.	Approx. Area under Road	NIL
3.	Balance Plot Area (1-2)	498.30
4.	Permissible FSI	1.10
5.	Permissible B/U Area (3 x 4)	548.13
6.	0.50 Premium FSI on payment of Premium on gross plot (on 1)	249.15
7.	Total B/U Area (5 + 6)	797.28
8.	60% Ancillary Area FSI (on 7)	478.37
9.	Total B/U Area including Ancillary Area FSI (7 + 8)	1275.65

The above information is given on request and documents made available by the owners for registration purpose only.

For M/s. Ambiance Design Pvt. Ltd.

(Signature)

Ar. Makarand Thoraskar

(Director)

ट न न १२

दस्त क्र. १३४५७ २०२१

४६ ७०



AMENITIES SPECIFICATION FOR SHREE APARTMENT			
COMMON AMENITIES			
LOCATION	ITEM	SPECIFICATION	MAKE
Building	Structure Design Mix concrete & Reinforcement	RCC frame structure consisting of concrete & MS bars designed with earthquake resistance. Cement OPC 43/53 GR.	AC.C. Birla, Ultratech, Ambuja
	Curing	As specified in IS 516	
	Masonry	External walls to be 6" thk Internal wall 4" thk	AAC Block
	Internal Plaster	Plaster to the internal surface of the walls and ceiling will be 12-15mm thk. The junctions between the masonry and concrete members will be provided with galvanised chicken mesh / 24 gauge of 12mm size projecting 50mm on either side of junctions	Gujrat River Sand
	External Paint	External Paint (Texture Paint)	Asian / Snocem
	External Plaster	25 MM thk applied in two coats with water proofing compound. Two coats of cement plaster on west side.	Gujrat River Sand
	Waterproofing	All wet areas like toilets, sunken portions, terraces and exposed roof surfaces will be waterproofed with brick bat coba plus china mosaic laid to slop including waterproofing compound on terraces. Waterproofing with wata at junction and water mound plaster above wata. 10 YEARS WATERPROOFING WARRANTY.	Krishna conchem / Asian Paint / Sunanda Speciality Coatings / Choksy chemicals / Dr. Fixit
	Electrical Meter Room.	Well, designed and well organised.	As per National Building Code
	Electric Meter.	Single phase Electric Meter.	MSEB
Entrance Lobby	Flooring	32" x 32" Vitrified Tiles, scratch proof & stain resistance of approved shade and design.	KAJARIA, JOHNSON, ASIAN GRANITO LTD., RAK
	Skirting	4" Thk same tile as used for flooring flushed with the wall	Same as above.
	Walls	Vetrified Tiles approved shade and design.	Same as above.
	Paint	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Ceiling	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Electrical	Copper wires	Polycab, Anchor
		Switches & Plugs	Anchor, Anchor woods, Myrils Legrand
		Light points and fittings as per architects design	Anchor, Phillips
Other Amenities	Diesel Generator	The developer will provide Silent Genset to provide power back up to lift, Parking & common passages, staircase etc. The developer will provide the Generator Point in each flat - 1 light point & 1 fan point, in each room & door bell.	Kirlosker / Ashok leyland / Perfect
	Solar Heater	There should be an arrangement of solar heater with hot water pipelines to each flats as per the TMC rules. (Provision in Master Bathroom only).	
	Mahanagar Gas	Provision for gas connection from MGL Mahanagar gas provision till Building premises only (Subject to availability of Mahanagar gas connection in Project area) no liasoning	
	Intercom	Intercom facilities with all members and security and society office with Instruments.	
	Letter box,	Will be provided in entrance lobby.	
	Name and flat no. board.	Will be provided in entrance lobby and Number to each Unit.	

ट न न १२

दस्त क्र. १३५७ २०२१

४७ ७०



External Site development	Anti termite treatment	Anti termite treatment for entire plinth area including footings, foundations, plinth beams, UG Tank pit.	
	Pavement	Stilt and surrounding open space will be finished with good quality heavy duty Tiles 30x30 cm . 28mm thk Surrounding and 10mm thk in Stilt.	
	Compound Wall	Brick /Concrete Block Masonry along the periphery of the plot of 5' ht. from the grd lvl plastered on both the sides . As per design provided by architect .	
	Main Gate	M.S. Decorative gate with paint finish and light lamp on top of the gates pillar . As per design provided by architect.	
	External Signage Board	Signage board for society name	
	Borewell	Borewell with pump . Subject to availability of ground water . Separate connection for toilets.	
	Fire fighting	As specified by TMC and Fire NOC	

AMENITIES FOR RESIDENTIAL UNITS

Living Room & Dinning Area	Flooring	Vitrified Tiles Toilet: 32" x 32" (Wall & Floor) Kitchen: 32" x 32" (Wall & Floor) Over all Flooring : 3' x 3' Passages: 2' x 2'/3' x 3' (as per design.)	KAJARIA, JOHNSON, ASIAN GRANITO LTD., RAK.	
	Skirting	4" Thk same tile as used for flooring flushed with the wall	As above	
	POP Punning on walls	POP on surface of walls . All corners / sharp edges of Beam , Column or walls should be smooth rounded off with POP.		
	Paint	3 coats of premium emulsion paint	Asian Paint or Nerolac	
	Ceiling	3 coats of premium emulsion paint	Asian Paint or Nerolac	
	Main Door	Solid core phenol bounded flush door in teakwood frame with both side laminate finish (1mm) , with heavy duty brass hinges fitted with S.S Screws and all other necessary fittings such as Tower Bolt, aldrops, hinges , night latch , decorative handle from both side etc.	Fittings - Godrej , Europa	
	French window	3 track heavy section Aluminium sliding window with 5mm clear brown shade clear glass with interlocking arrangement resting on 18mm thk Granite frame on all 4 sides. Mosquito net provided.	Aluminium anodised - Jindal Glass- Saint Gobain	
	M.S Railing	MS Railing per design painted with red oxide and thereafter final coat of black colour oil paint.		
	Electrical	Only ISI approved copper wire of appropriate size through PVC Conduit .	Finolex Polycab	
		Sufficient No of Modular switches (White Colour) as specified in Drawings.	Anchor , Anchor woods , Myris Legrand	
		MCB & ELCB	Siemens OR Legrand	
	Electrical	Copper wires	Polycab , Anchor	
		Switches & Plugs	Anchor , Anchor woods , Myris Legrand	
		PVC conduit 20 or require thick	Anchor , Precision	
	1	MCB & ELCB	Siemens , Legrand	
	1	Intercom	YUKAY SYSTEM	
	1(2 way)	Intercom facilities with all members and security and society office, main entrance area with instruments.		
		fans points only with regulator **	Anchor woods , Legrand Myris	
	2	Light points only**		
	2	Hanging lights point**		
	2	Extra points for hanging lights		
	2	point for Air Conditioner		
	2	point for TV		
	2	point for point with RG6 cable		
	2	Telephone point (RG6 Cable)		
	2	5 Amps plug point		

ट न न १२

दस्त क्र. १३४५०



	1	15 amp points**	
	1	Internet connection & Video Door Phone in CAT 6 Wire	
	1	Lattern Light point (Chajja Area)	
	1	Bell point**	
	**(Not providing any fixtures/electronic appliances)		
Kitchen	Flooring	Vitrified Tiles Kitchen:32" x 32" (Wall & Floor)	KAJARIA, JOHNSON, ASIAN GRANITO LTD., RAK.
	Skirting	4" Thk same tile as used for flooring flushed with the wall	As above
	POP Punning on walls	Same as living room	
	Paint	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Ceiling	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Platform	2'3" wide platform base with 1" cuddpad and on top of it 18 mm thk mirror polished black granite . 4" front side patti of mirror polished granite half round moulded. 1'6" wide service platform (As per design) Vertical patties of same mirror polished granite frame work. Wall ceramic tile 12" x 8" upto full helght.	
		12" x 8" white colour ceramic tiles below kitchen platform on all the periphery of platform.	
		S.S. sink of 22" x 18" with all the ancillary fittings such as bottle trap, jall etc.	NIRALI
		Sink water tap all chromium plated	KOHLER or TOTO
	Loft	2'0" loft in Kitchen (Loft will be provided if In architects design)	
	Window	3 track heavy section Aluminium slidding window with 5mm clear brown shade clear glass with interlocking arrangement resting on 18mm thk Granite frame on all 4 sides. Mosquito net provided	Aluminium Anodised - Jindal Glass- Saint Gobain
	M.S Railing	MS Railing per design painted with red oxide and thereafter final coat of black colour oil paint.	
	M.G.L Gas connection	The Contractor shall install	
	Electrical	Copper wires	Polycab , Anchor
		Switches & Plugs	Anchor , Anchor woods , Myris Legrand
		PVC conduit 20 or require thick	Anchor , Precision
		MCB & ELCB	Siemens , Legrand
	1	Fans points only with regulator **	Anchor woods , Legrand Myris
	2	Light points only**	
	2	Extra points for hanging fixtures**	
	2	5 Amps plug point**	
	3	15 amp points** (Dishwasher, Refrigerator & Microwave)	
	1	5Amp Exhaust Fan Point	
	1	5Amp Aquaguard Point	
	**(Not providing any fixtures/electronic appliances)		
All Bec rooms	Flooring	Vitrified Tiles Kitchen:32" x 32" (Wall & Floor)	KAJARIA, JOHNSON, ASIAN GRANITO LTD., RAK.
	Skirting	4" Thk same tile as used for flooring flushed with the wall	As above
	POP Punning on walls	Same as living room	
	Paint	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Ceiling	3 coats of premium emulsion paint	Asian Paint or Nerolac

ट न न १२	
दस्त क्र. १३९५५	२०२१
४९	५०



Door	Solid core phenol bounded flush door in teakwood frame with both side laminate finish (1mm) , with heavy duty brass hinges fitted with S.S Screws and all other necessary fittings such as Tower Bolt, aldrops , hinges , night latch , decorative handle from both side etc.	Fittings - Godrej , Europa
Window	3 track heavy section Aluminium sliding window with 5mm clear brown shade clear glass with Interlocking arrangement resting on 18mm thk Granite frame on all 4 sides. Mosquito net provided	Aluminium anodised - Jindal Glass- Saint Gobain
M.S Railing	MS Railing per design painted with red oxide and thereafter final coat of black colour oil paint.	
Electrical	Copper wires	Polycab , Anchor
	Switches & Plugs	Anchor , Anchor woods , Myrils Legrand
	PVC conduit 20 or require thiek	Anchor , Precision
	MCB & ELCB	Siemens , Legrand
	Intercom	Intercom facilities with all members and security and society office with Instruments.
1(2 way)	1 fan points only with regulator**	Anchor woods , Legrand Myrils
2	Light points only**	
1	Foot lights**	
3	5 amp points	
2	5 amp points** (Computer & Printer & TV)	
1	15 Amp point for Air Conditioner**	
1	T.V. cable point (RG6 cable)**	
1	Telephone point (RG6 Cable)**	
	**(Not providing any fixtures/electronic appliances)	

All Toilets	Flooring	2' x 2' Vetrified Tiles , scratch proof, stain resistance & antiskid	KAJARIA , JOHNSON , ASIAN GRANITO L'D. , RAK
	Dado	12" x 18" Ceramic Tile upto ceiling level	As above
	Ceiling	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Door	Solid core phenol bounded flush door in 20mm thk black granite frame with both side laminate finish (1mm) with brass hinges fitted with S.S Screws and all other necessary fittings such as lock, hinges , decorative handle from both side etc.	Fittings - Godrej , Europa
	Window	Frosted Glass louvered window with alluminium frame . 20 mm thk granite sill on all Four sides with moulding and polishing.	Aluminium anodised - Jindal Glass- Saint Gobain
	Loft	2'0" loft in Toilet (Loft will be provided if in architects design)	
	Sanitary ware	W.C. , Washbasin , washbasin counter	TOTO OR KOHLER
	Sanitary fittings	Shower , 3in 1 water mixer faucet , tap , lavatory faucet etc in chromlum colour.	TOTO OR KOHLER
	Plumbing	Concealed plumbing with CPVC & PVC pipes. Bathroom and common toilets to have hot and cold water piping . Drainage soil , waste and rainwater and vent pipe line with junction , bends etc . Shall be in ultra violet rays resisting .	Prince or Ashlrwad
	Geyser	Instant geyser	RACOLD
<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>ट न स १२</p> <p>दस्तावेज क्र. १३३५०</p> <p>२०२४</p> <p>५०</p> </div>  </div>		Copper wires	Polycab , Anchor
		Switches	ANCHOR WOODS / LEGRAND MYRIS
		PVC conduit 20 or require thiek	Anchor , Precision
		MCB & ELCB	SEIMENS / LEGRAND
		Light points	ANCHOR WOODS / LEGRAND MYRIS
		Exhaust fan point	
		Provisions for washing machine well.	
		Provision for washing machine inlet and outlet with electric points in common toilet Service area**	
		Plug point	
		**(Not providing any fixtures/electronic appliances)	

Passages	Flooring	Vitrified Tiles Passages: 2'x 2'3/4'x 3' (as per design.)	KAJARIA, JOHNSON, ASIAN GRANITO LTD., RAK
	Skirting	4" Thk same tile as used for flooring flushed with the wall	As above
	POP Punning on walls	Same as living room	
	Paint	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Ceiling	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Electrical	Copper wires	Polycab, Anchor
		Switches & Plugs	Anchor, Anchor woods, Myrils Legrand
	1	Light point for night lamp**	
	1	Wash basin area** (As per design)	
	2	2 extra no. of light point**	
	1	Bell Point	
	1	5 amp point.	
	1	Foot lamp point	
		** (Not providing any fixtures/electronic appliances)	
Lift Lobby	Flooring	32" x 32" Vitrified Tiles, scratch proof & stain resistance	KAJARIA, JOHNSON, ASIAN GRANITO LTD., RAK
	Skirting	4" Thk same tile as used for flooring flushed with the wall	As above
	POP Punning on walls	POP on surface of walls. All corners / sharp edges of Beam, Column or walls should be smooth rounded off with POP.	
	Paint	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Ceiling	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Electrical	Copper wires	Polycab, Anchor
		Switches & Plugs	Anchor, Anchor woods, Myrils Legrand
		Light points and fittings as per architects design	Anchor, Phillips
	Intercom	Intercom facilities with all members and security and society office with instruments.	
	Elevator	Elevator having 8 person capacity shall be provided with necessary arrangements.	OTIS/ KONE/ THYSSENKRUPP/Johanson
Staircase	Flooring	Precast Tread & Risers	
	Skirting	4" Thk same tile as used for flooring flushed with the wall	
	Handrail	M.S. Railing over all.	
	POP Punning on walls	POP on surface of walls. All corners / sharp edges of Beam, Column or walls should be smooth rounded off with POP.	
	Paint	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Ceiling	3 coats of premium emulsion paint	Asian Paint or Nerolac
	Electrical	Copper wires	Polycab, Anchor
		Switches & Plugs	Anchor, Anchor woods, Myrils Legrand
		Light points and fittings as per architects design	Anchor, Phillips
	Windows	Specifications As per architects design.	

टन न १२	
दस्त क्र. १३९५५	२०२१
५९	७०



कोरे
पृष्ठ

ट न न १२	
दस्त क्र. १३३५५	२०२१
५२	७०



महाराष्ट्र शासन

मालमत्ता पत्रक

5788

माहिती : नोंदक	सामुदायिक मूल्यांकन : न.मू.अ. ठाणे			जिल्हा : ठाणे
मालमत्ता नोंदक	सिद्धांत नोंदक	क्षेत्र वी.पी.	वारमाधिकार	शासनाला दिलेल्या आकारमावा किंवा वाढवावा तराशित आणि रकबावा केरतवागरीची निवट वेळ
२०२१	-	१०३.१०	८	ता. १८-११ ते ३१-१२-२०२१ पर्यंत ठाणे जिल्हा १६-१०-१९८६ त नं. २००० ते २२००००

सुविधाधिकार	
संस्थापक मूळ कारक	
मालमत्ता	सी. दामन सिताराम लोकरकरे]
संस्थापक	
संस्थापक	
संस्थापक	

दिनांक	व्यवहार	खंड क्रमांक	नविन वारक(या) पट्टेदार(प) किंवा माल	साक्षात्करण
१०/०८/१९८९	चनेदीने दामन सिताराम लोकरकरे अजित मत्तार तांबे इ.पांके र.र. १,८०,०००/- चनेदी घेतले तब नोंद दाखल रसीद क्र. ४९८.३		M अजित मत्तार तांबे विदुला विलास घेते रविंद्र मधुसूदन नाटमकर सुरेश बळवंत पोर्नोनेस पुष्पलता रमाकांत ममू	तहसी- ०८/०८/१९८९ वि.मि.मू.अ. न.मू.अ. ठाणे
११/०८/१९८९	अजय सुत / न.मू.अ. ठाणे आदेश क्र. ३०८/१५/८९ क्र. ३०८५६ पी.मि.		M पी.विलीय पंढरीनाथ सेलपणे	तहसी- ०८/०८/१९८९ वि.मि.मू.अ. न.मू.अ. ठाणे
०५/०८/१९८९	वारकाने अजय, जबाब मृत्युका दाखला व न. मू.अ. ठाणे याचे आदेशाने मयत पुष्पलता ममू यांचे नाव रसीद केले व मृत्युपत्र नोंद दाखल केले.		M अजित रमाकांत ममू	तहसी- ०८/०८/१९८९ वि.मि.मू.अ. न.मू.अ. ठाणे
२९/१२/२००९	वारकाने दामन सिताराम लोकरकरे दि. २८/१०/०३ मयत मृत्युका दाखला प्रतिज्ञापत्र वारकाने नाव दाखल केले.		M इंदिरा वामन सोनटकरे	फेरकार क्र. १७६ प्रमाणे तहसी- २९/१२/२००९ न.मू.अ. ठाणे
२९/१२/२००९	इंदिरा वामन सोनटकरे दि. २९/१२/०९ मयत मृत्युपुत्री मृत्युपत्र दि. २९/१२/०९ नोंदणी दस्त क्र. १८९५ दि. ७/८/०९ लाभात दिलेले : ये दाखल केले.		M अशोक शंकर सोनटकरे रसी.अंजली अशोक सोनटकरे प्रमयकुमार अशोक सोनटकरे अनंतप्रसाद अशोक सोनटकरे	फेरकार क्र. १७६ प्रमाणे तहसी- २९/१२/२००९ न.मू.अ. ठाणे
२८/०८/२०१५	मा.जमा रीदी आयुक्त आणि संचालक भूमि अभिलेख (न.राज्य) पुणे यांचेकडील परिपत्रक क्र. न.मू.४/मि.प./अक्षरी नोंद/२०१५ पुणे दि. १६/२/२०१५ व इकडील आदेश क्र. न.मू.नीपाड/के.क्र.१७९७ दिनांक २८/०८/२०१५ अन्वये केवळ घाकशी नोंदवह वरील क्षेत्र व मिळकत पत्रिकेवरील क्षेत्र मेळात असलेले मिळकत पत्रिकेवर नमूद अली क्षेत्राक्षरी सातशे व्याहतर पुर्णक : ७ दशरा पी.मि दाखल केले.			फेरकार क्र. १७९७ प्रमाणे तहसी- २८/०८/२०१५ न.मू.अ. ठाणे

हे मिळकत पत्रिका (नं. १/२४/२०२१ १२:००:०० AM रोजी) डिजिटल स्वाक्षरीत केली असल्यामुळे त्यावर कोणत्याही सही शिक्काची आवश्यकता नाही.
मिळकत पत्रिका डाऊनलोड दिनांक १/२२/२०२१ ४:२४:४२ PM
वेबसाईट वर साईट <http://eapleabhiilekh.mahabhumi.gov.in/DSUR/propertycard> या संकेत स्थळावर जाऊन २१९६९००००२०४२०५० हा क्रमांक वापरावा.



ट न न १२

दस्त क्र. १३५५ २०२१

५३

५०



कारे
पृष्ठ

ट न न १२	
दस्त क्र. १३३५५	२०२१
५४	५६

ट न न १२	
दस्त क्र. १३३५५	२०२१
५४	५६

ट न न १२	
दस्त क्र. १३३५५	२०२१
५४	५६



A No. 712

THANE MUNICIPAL CORPORATION

OCCUPATION CERTIFICATE 332 (A)

Date 11-6-83

Architect's Name & Address:

M/S. DESAI & SONS. (ARCHT.)

1st BUILDING, CINEMA ROAD.

APART BOMBAY NO. 400005.

Owner's Name & Address:

SRI. W.S. SONTAKE.

NAIRPADA, THANE.

Commence Certificate & Building Permit

No. 131 (A) Date 26-3-83.

Plot. 9, C.B. NO. 80070890 T.P. II.
M.C. ROAD, THANE.

Permission is hereby granted to occupy the Building as mentioned above.
"Property tax will be levied from the date of actual occupation or from the date of occupation certificate whichever is earlier."

GR. FLOOR.

- 1) LIV. ROOMS 1 NO. X 16'0" X 11'6" 3'6" X 3'0"
- 2) " 1 NO. X 16'6" X 10'6" "
- 3) " 1 NO. X 16'6" X 8'6" "
- 4) BED ROOMS 1 NO. X 12'0" X 10'0" "
- 5) " 1 NO. X 10'0" X 10'0" "
- 6) KIT. ROOMS 1 NO. X 13'6" X 10'0" "
- 7) " 1 NO. X 16'6" X 8'6" "
- 8) " 1 NO. X 10'6" X 9'6" "
- 9) BATH ROOMS 3 NO. X 6'6" X 4'0" "
- 10) W.C.S. 5 NO. X 4'0" X 3'0" "
- 11) PASSAGES 3 NO. X 4'0" X 3'0" "
- 12) " 3 NO. X 8'0" X 3'6" "
- 13) OTLAS 1 NO. X 20'3" X 4'0" "
- 14) " 1 NO. X 11'3" X 4'0" "
- 15) ST. CASE 1 NO. X 18'6" X 7'6" "
- 16) STILT 1 NO. X 21'3" X 13'0" "

DIMENSIONS

FIRST FLOOR

- 1) LIV. ROOMS 1 NO. X 16'6" X 10'6" "
- 2) " 1 NO. X 13'6" X 12'6" "
- 3) " 1 NO. X 16'6" X 10'0" "
- 4) BED ROOMS 1 NO. X 17'6" X 10'0" "
- 5) " 1 NO. X 16'0" X 10'0" "
- 6) " 1 NO. X 12'6" X 10'0" "
- 7) " 1 NO. X 12'0" X 10'0" "
- 8) " 1 NO. X 10'0" X 10'0" "
- 9) KIT. ROOMS 1 NO. X 16'6" X 8'6" "
- 10) " 1 NO. X 13'0" X 10'6" "
- 11) BATH ROOMS 3 NO. X 6'6" X 4'0" "
- 12) W.C.S. 3 NO. X 4'0" X 3'0" "
- 13) BAL. 1 NO. X 20'3" X 4'0" "
- 14) " 1 NO. X 11'3" X 4'0" "
- 15) " 1 NO. X 21'6" X 4'0" "
- 16) PASSAGES 3 NO. X 4'0" X 3'0" "
- 17) " 3 NO. X 8'0" X 3'6" "
- 18) " 1 NO. X 18'6" X 7'6" "
- 19) ST. CASE 1 NO. X 12'6" X 7'6" "

SECOND FLOOR

- 1) LIV. ROOMS 1 NO. X 16'6" X 10'6" "
- 2) " 1 NO. X 13'6" X 12'6" "
- 3) " 1 NO. X 16'6" X 10'0" "
- 4) BED ROOMS 1 NO. X 17'6" X 10'0" "
- 5) " 1 NO. X 16'0" X 10'0" "
- 6) " 1 NO. X 12'6" X 10'0" "
- 7) " 1 NO. X 12'0" X 10'0" "
- 8) KIT. ROOMS 1 NO. X 16'6" X 8'6" "
- 9) " 1 NO. X 13'0" X 10'6" "
- 10) TOILETS 3 NO. X 7'6" X 6" "
- 11) BALCONIES 1 NO. X 20'3" X 4" "
- 12) " 1 NO. X 11'3" X 4" "
- 13) OPEN TERRACE 1 NO. X 21'3" X 7" "
- 14) ST. CASE 1 NO. X 12'6" X 7" "
- 15) PASSAGES 3 NO. X 8'0" X 3'6" "
- 16) " 3 NO. X 18'6" X 7'6" "
- 17) " 1 NO. X 12'6" X 7'6" "
- 18) " 1 NO. X 12'6" X 7'6" "
- 19) " 1 NO. X 12'6" X 7'6" "
- 20) " 1 NO. X 12'6" X 7'6" "
- 21) " 1 NO. X 12'6" X 7'6" "
- 22) " 1 NO. X 12'6" X 7'6" "
- 23) " 1 NO. X 12'6" X 7'6" "
- 24) " 1 NO. X 12'6" X 7'6" "
- 25) " 1 NO. X 12'6" X 7'6" "
- 26) " 1 NO. X 12'6" X 7'6" "
- 27) " 1 NO. X 12'6" X 7'6" "
- 28) " 1 NO. X 12'6" X 7'6" "
- 29) " 1 NO. X 12'6" X 7'6" "
- 30) " 1 NO. X 12'6" X 7'6" "
- 31) " 1 NO. X 12'6" X 7'6" "
- 32) " 1 NO. X 12'6" X 7'6" "
- 33) " 1 NO. X 12'6" X 7'6" "
- 34) " 1 NO. X 12'6" X 7'6" "
- 35) " 1 NO. X 12'6" X 7'6" "
- 36) " 1 NO. X 12'6" X 7'6" "
- 37) " 1 NO. X 12'6" X 7'6" "
- 38) " 1 NO. X 12'6" X 7'6" "
- 39) " 1 NO. X 12'6" X 7'6" "
- 40) " 1 NO. X 12'6" X 7'6" "
- 41) " 1 NO. X 12'6" X 7'6" "
- 42) " 1 NO. X 12'6" X 7'6" "
- 43) " 1 NO. X 12'6" X 7'6" "
- 44) " 1 NO. X 12'6" X 7'6" "
- 45) " 1 NO. X 12'6" X 7'6" "
- 46) " 1 NO. X 12'6" X 7'6" "
- 47) " 1 NO. X 12'6" X 7'6" "
- 48) " 1 NO. X 12'6" X 7'6" "
- 49) " 1 NO. X 12'6" X 7'6" "
- 50) " 1 NO. X 12'6" X 7'6" "
- 51) " 1 NO. X 12'6" X 7'6" "
- 52) " 1 NO. X 12'6" X 7'6" "
- 53) " 1 NO. X 12'6" X 7'6" "
- 54) " 1 NO. X 12'6" X 7'6" "
- 55) " 1 NO. X 12'6" X 7'6" "
- 56) " 1 NO. X 12'6" X 7'6" "
- 57) " 1 NO. X 12'6" X 7'6" "
- 58) " 1 NO. X 12'6" X 7'6" "
- 59) " 1 NO. X 12'6" X 7'6" "
- 60) " 1 NO. X 12'6" X 7'6" "
- 61) " 1 NO. X 12'6" X 7'6" "
- 62) " 1 NO. X 12'6" X 7'6" "
- 63) " 1 NO. X 12'6" X 7'6" "
- 64) " 1 NO. X 12'6" X 7'6" "
- 65) " 1 NO. X 12'6" X 7'6" "
- 66) " 1 NO. X 12'6" X 7'6" "
- 67) " 1 NO. X 12'6" X 7'6" "
- 68) " 1 NO. X 12'6" X 7'6" "
- 69) " 1 NO. X 12'6" X 7'6" "
- 70) " 1 NO. X 12'6" X 7'6" "
- 71) " 1 NO. X 12'6" X 7'6" "
- 72) " 1 NO. X 12'6" X 7'6" "
- 73) " 1 NO. X 12'6" X 7'6" "
- 74) " 1 NO. X 12'6" X 7'6" "
- 75) " 1 NO. X 12'6" X 7'6" "
- 76) " 1 NO. X 12'6" X 7'6" "
- 77) " 1 NO. X 12'6" X 7'6" "
- 78) " 1 NO. X 12'6" X 7'6" "
- 79) " 1 NO. X 12'6" X 7'6" "
- 80) " 1 NO. X 12'6" X 7'6" "
- 81) " 1 NO. X 12'6" X 7'6" "
- 82) " 1 NO. X 12'6" X 7'6" "
- 83) " 1 NO. X 12'6" X 7'6" "
- 84) " 1 NO. X 12'6" X 7'6" "
- 85) " 1 NO. X 12'6" X 7'6" "
- 86) " 1 NO. X 12'6" X 7'6" "
- 87) " 1 NO. X 12'6" X 7'6" "
- 88) " 1 NO. X 12'6" X 7'6" "
- 89) " 1 NO. X 12'6" X 7'6" "
- 90) " 1 NO. X 12'6" X 7'6" "
- 91) " 1 NO. X 12'6" X 7'6" "
- 92) " 1 NO. X 12'6" X 7'6" "
- 93) " 1 NO. X 12'6" X 7'6" "
- 94) " 1 NO. X 12'6" X 7'6" "
- 95) " 1 NO. X 12'6" X 7'6" "
- 96) " 1 NO. X 12'6" X 7'6" "
- 97) " 1 NO. X 12'6" X 7'6" "
- 98) " 1 NO. X 12'6" X 7'6" "
- 99) " 1 NO. X 12'6" X 7'6" "
- 100) " 1 NO. X 12'6" X 7'6" "



THANE MUNICIPAL CORPORATION

THANE MUNICIPAL CORPORATION

02 55

कोर
पृष्ठ

ट न न १२	
दस्त क्र. ३५५७	२०२१
५६	७०



530/8724

Monday, October 19, 2020

11:33 AM

पावती

Original/Duplicate

नोंदणी क्र.: 39म

Regn.: 39M

पावती क्र.: 9102 दिनांक: 19/10/2020

गावाचे नाव: ठाणे

दस्तावेजाचा अनुक्रमांक: टनन 12-8724-2020

दस्तावेजाचा प्रकार: कुलमुखत्यारपत्र

सादर करणाऱ्याचे नाव: कौस्तुभ गजानन कळके - -

नोंदणी फी

रु. 100.00

दस्त हाताळणी फी

रु. 140.00

पृष्ठांची संख्या: 7

एकूण:

रु. 240.00

आपणास मूळ दस्त, थंबनेल प्रिंट, सूची-२ अंदाजे

11:52 AM ह्या वेळेस मिळेल.

बाजार मूल्य: रु. 1/-

मोबदला रु. 0/-

भरलेले मुद्रांक शुल्क : रु. 500/-

1) देयकाचा प्रकार: By Cash रकम: रु 140/-

2) देयकाचा प्रकार: eChallan रकम: रु. 100/-

डीडी/धनादेश/पे ऑर्डर क्रमांक: MH005745501202021E दिनांक: 19/10/2020

बँकेचे नाव व पत्ता:

मुख्य दस्तावेज परत मिळाला
 तारी - 19.10.2020
 जाण - कौस्तुभ कळके

ट न न १२

दस्त क्र. ३५५७ २०२१

५७ ७०

