















LOS AN GELES AREA EARTHQUAKES					
1	12/25	5.86	1.86	1.40	4.69 (10.04)
2	12/25	5.58	2.20	1.90	6.92 (10.04)
3	1/25	5.38	2.30	1.90	6.70 (10.04)
4	1/25	5.32	2.52	1.80	7.48 (10.04)
5	1/25	5.33	3.17	1.40	8.85 (10.04)
6	2/26	5.80	2.22	1.48	5.76 (10.04)
7	3/18	5.73	2.50	1.50	4.62 (10.04)
8	1/18	5.83	2.72	1.98	5.16 (10.04)
9	1/30	5.93	2.72	1.54	5.18 (10.04)
10	2/26	5.80	2.52	1.48	5.76 (10.04)
11	5/20	5.84	2.22	1.30	3.90 (10.04)
12	1/27	5.74	2.84	1.80	5.74 (10.04)
13	6/24	6.01	2.92	2.38	3.52 (10.04)
14	1/25	4.84	3.26	1.90	6.82 (10.04)
15	1/25	5.38	3.26	1.90	6.82 (10.04)
16	1/25	5.30	3.58	1.90	6.78 (10.04)
17	1/25	5.33	3.02	1.40	5.12 (10.04)
18	1/27	5.24	3.70	0.70	4.28 (10.04)
					17.91 (10.04)
DEDUCTIONS					
A	1.90 + 6.67 (2)	5.36			10.56 (10.04)
B	1.90 + 6.67 (2)	5.36			10.56 (10.04)
TOTAL DEDUCTIONS					21.12 (10.04)
TOTAL BUILD UP AREA (E - V)					175.63 (10.04)






LOS AREA SUMMARY

15% LOS REQUIRED =	2322.27 X 15%
	= 348.34 SQ.MT
LOS PROPOSED =	348.78 SQ.MT
PROPOSED LOS AREA ON MOTHER EARTH =	175.63 SQ.MT (50.35%)
PROPOSED PAVED LOS AREA	= 173.13 SQ.MT (49.64%)

PAVED LOS									
1		9.41	X	5.79	X	180	=	54.34	SQ.MT.
2		3.15	X	6.70	X	180	=	20.97	SQ.MT.
3		3.76	X	6.25	X	180	=	23.35	SQ.MT.
4		3.14	X	6.55	X	180	=	20.42	SQ.MT.
5		2.24	X	6.70	X	180	=	14.86	SQ.MT.
6		2.84	X	6.25	X	180	=	17.60	SQ.MT.
7		2.24	X	9.70	X	180	=	21.59	SQ.MT.
TOTAL ASSESSON							=	175.13	SQ.MT.




GROUND FLOOR PLAN

1ST FLOOR PLAN
SCALE = 1:100

FITNESS CENTRE AREA PERMISSIBLE = 2% OF B.U.A.
GROSS BUA = 5177.13 SQ.MT
FITNESS CENTRE AREA PERMISSIBLE = 103.54 SQ.M
FITNESS CENTRE AREA PROPOSED = 124.57 SQ.M
FITNESS CENTRE AREA EXCESS = 21.03 SQ.M

FITNESS CENTER AREA CALCULATION		
TYPICAL FLOOR		
FC1	5.41 X 4.80 X 1 NO	= 26.51 SQ.MT
FC2	5.34 X 3.85 X 1 NO	= 20.50 SQ.MT
FC3	7.30 X 5.86 X 1 NO	= 42.78 SQ.MT
FC4	7.76 X 3.44 X 1 NO	= 26.69 SQ.MT
FC5	0.90 X 1.61 X 1 NO	= 1.45 SQ.MT
FC6	4.51 X 1.46 X 1 NO	= 6.58 SQ.MT
TOTAL FITNESS CENTER AREA PER FL (TYPICAL FLOOR)		= 124.57 SQ.MT



BUA OF SOCIETY OFFICE		
S01	2.35 X 3.44 X 1 NO	= 8.08 SQ.MT
S02	1.96 X 3.85 X 1 NO	= 7.55 SQ.MT
TOTAL SOCIETY OFFICE AREA PER FL (1ST FLOOR)		= 15.63 SQ.MT



BUILT UP AREA CALCULATION

1ST FLOOR		
A	22.83 X 75.39 X 1 NO	= 1721.15 SQ.MT
TOTAL ADDITION		= 1721.15 SQ.MT

DEDUCTIONS		
1	11.28 X 5.91 X 1 NO	= 66.66 SQ.MT
2	1.50 X 7.05 X 1 NO	= 10.58 SQ.MT
3	3.20 X 2.46 X 1 NO	= 7.87 SQ.MT
4	3.20 X 1.80 X 1 NO	= 5.76 SQ.MT
5	2.76 X 2.53 X 1 NO	= 6.98 SQ.MT
6	3.75 X 3.04 X 1 NO	= 11.40 SQ.MT
7	0.63 X 2.53 X 1 NO	= 1.59 SQ.MT
8	2.12 X 0.64 X 1 NO	= 1.36 SQ.MT
9	12.69 X 2.00 X 1 NO	= 25.38 SQ.MT
10	7.83 X 5.95 X 1 NO	= 46.59 SQ.MT
11	7.96 X 1.69 X 1 NO	= 13.45 SQ.MT
12	4.51 X 4.21 X 1 NO	= 18.99 SQ.MT
13	7.93 X 5.80 X 1 NO	= 45.99 SQ.MT
14	1.67 X 19.50 X 1 NO	= 32.57 SQ.MT
15	0.77 X 20.28 X 1 NO	= 15.62 SQ.MT
16	5.16 X 0.63 X 1 NO	= 3.25 SQ.MT
17	5.27 X 0.63 X 1 NO	= 3.32 SQ.MT
18	1.06 X 19.80 X 1 NO	= 20.99 SQ.MT
19	2.35 X 3.35 X 1 NO	= 7.87 SQ.MT
20	4.06 X 3.20 X 1 NO	= 12.99 SQ.MT
21	6.54 X 3.35 X 1 NO	= 21.91 SQ.MT
22	2.35 X 0.96 X 1 NO	= 2.26 SQ.MT
23	6.93 X 4.40 X 1 NO	= 30.49 SQ.MT
24	0.85 X 4.00 X 1 NO	= 3.40 SQ.MT
25	1.04 X 0.55 X 1 NO	= 0.57 SQ.MT
26	2.12 X 4.26 X 1 NO	= 9.04 SQ.MT
27	4.46 X 0.65 X 1 NO	= 2.90 SQ.MT
28	0.51 X 0.95 X 1 NO	= 0.48 SQ.MT
29	1.50 X 2.53 X 1 NO	= 3.80 SQ.MT
30	6.35 X 0.87 X 1 NO	= 5.52 SQ.MT
31	5.43 X 3.44 X 1 NO	= 18.68 SQ.MT
32	1.88 X 6.36 X 1 NO	= 11.92 SQ.MT
33	2.20 X 8.77 X 1 NO	= 19.29 SQ.MT
34	4.59 X 5.66 X 1 NO	= 26.00 SQ.MT
35	1.45 X 1.61 X 1 NO	= 2.34 SQ.MT
36	2.35 X 0.96 X 1 NO	= 2.26 SQ.MT
37	0.74 X 0.95 X 1 NO	= 0.70 SQ.MT
38	1.03 X 0.55 X 1 NO	= 0.56 SQ.MT
39	1.49 X 4.05 X 1 NO	= 6.03 SQ.MT
40	2.40 X 3.64 X 1 NO	= 8.74 SQ.MT
TOTAL DEDUCTION		= 523.29 SQ.MT
TOTAL BUILT UP AREA [X = Y]		= 1197.86 SQ.MT

STAIRCASE AREA CALCULATION

TYPICAL FLOOR		
ST1	1.50 X 1.97 X 1 NO	= 2.96 SQ.MT
ST2	3.35 X 1.82 X 1 NO	= 6.09 SQ.MT
ST3	4.41 X 4.26 X 1 NO	= 18.79 SQ.MT
ST4	0.63 X 4.41 X 1 NO	= 2.78 SQ.MT
ST5	3.87 X 3.90 X 1 NO	= 15.09 SQ.MT
ST6	5.52 X 5.60 X 1 NO	= 30.91 SQ.MT
ST7	0.87 X 1.69 X 1 NO	= 1.47 SQ.MT
ST8	3.42 X 4.21 X 1 NO	= 14.40 SQ.MT
ST9	4.23 X 0.30 X 1 NO	= 1.27 SQ.MT
ST10	4.09 X 3.25 X 1 NO	= 13.29 SQ.MT
ST11	2.43 X 4.06 X 1 NO	= 9.88 SQ.MT
ST12	1.50 X 2.45 X 1 NO	= 3.68 SQ.MT
ST13	3.56 X 1.11 X 1 NO	= 3.95 SQ.MT
ST14	3.41 X 3.29 X 1 NO	= 11.22 SQ.MT
ST15	4.90 X 0.15 X 1 NO	= 0.74 SQ.MT
ST16	2.43 X 4.63 X 1 NO	= 11.25 SQ.MT
ST17	2.40 X 2.40 X 1 NO	= 5.76 SQ.MT
ST18	2.43 X 4.63 X 1 NO	= 11.25 SQ.MT
TOTAL STAIRCASE AREA PER FL (TYPICAL FLOOR)		= 178.82 SQ.MT

SOCIETY OFFICE AREA CALCULATION

TYPICAL FLOOR		
S01	2.35 X 3.44 X 1 NO	= 8.08 SQ.MT
S02	1.96 X 3.85 X 1 NO	= 7.55 SQ.MT
TOTAL SOCIETY OFFICE AREA PER FL (TYPICAL FLOOR)		= 15.63 SQ.MT

FITNESS CENTER AREA CALCULATION

TYPICAL FLOOR		
FC1	5.41 X 4.80 X 1 NO	= 26.51 SQ.MT
FC2	5.34 X 3.85 X 1 NO	= 20.50 SQ.MT
FC3	7.30 X 5.86 X 1 NO	= 42.78 SQ.MT
FC4	7.76 X 3.44 X 1 NO	= 26.69 SQ.MT
FC5	0.90 X 1.61 X 1 NO	= 1.45 SQ.MT
FC6	4.51 X 1.46 X 1 NO	= 6.58 SQ.MT
TOTAL FITNESS CENTER AREA PER FL (TYPICAL FLOOR)		= 124.57 SQ.MT

NET BUILT UP AREA [X = Y] = 877.84 SQ.MT

1ST FLOOR PLAN
SCALE = 1:1001ST FLOOR PLAN
SCALE = 1:100

FORM 'H			
---------	--	--	--

Architectural floor plan of the 6th floor of a building. The plan shows a central 'CHOWK' area with dimensions 11.28 SQ.MT. and a perimeter of 92.58 SQ.MT. The floor is divided into several rooms including bedrooms, living rooms, dining areas, and a kitchen. There are also terraces at the 6th floor level, open to sky. The plan includes detailed dimensions for walls, doors, and furniture placement. A scale bar at the bottom indicates 0 to 3.30 meters.

[illegible]

Architectural floor plan of a 6-story residential building. The plan shows a symmetrical layout with a central staircase and two wings of apartments. Each floor (1st to 6th) contains two identical apartment units. Each unit consists of a Bed Room, Kitchen, Toilet, and Pass. The ground floor features a carport with three parking spaces and a central entrance area. The building is surrounded by a terrace. Dimensions and elevations are provided for various levels and components.

FLOOR LEVELS AND ELEVATIONS:

- TERRACE FLOOR: +22.28M
- 6th FLOOR: +13.28M
- 5th FLOOR: +12.28M
- 4th FLOOR: +11.28M
- 3RD FLOOR: +10.28M
- 2ND FLOOR: +9.28M
- 1ST FLOOR: +8.28M
- GROUND FLOOR: +0.00M LVL

Room Layouts:

- 6th Floor:** TERRACE, BED ROOM, PASS, TOILET, KITCHEN, TOILET, PASS, BED ROOM.
- 5th Floor:** BED ROOM, PASS, TOILET, KITCHEN, TOILET, PASS, BED ROOM.
- 4th Floor:** BED ROOM, PASS, TOILET, KITCHEN, TOILET, PASS, BED ROOM.
- 3rd Floor:** BED ROOM, PASS, TOILET, KITCHEN, TOILET, PASS, BED ROOM.
- 2nd Floor:** BED ROOM, PASS, TOILET, KITCHEN, TOILET, PASS, BED ROOM.
- 1st Floor:** BED ROOM, PASS, TOILET, KITCHEN, TOILET, PASS, BED ROOM.

Ground Floor Details:

- Carport with three parking spaces (each 3.0m x 5.0m).
- Central entrance area with a staircase leading to the 1st floor.
- Dimensions: 1.0m, 1.5m, 2.0m, 2.5m, 3.0m, 3.5m, 4.0m, 4.5m, 5.0m, 5.5m, 6.0m, 6.5m, 7.0m, 7.5m, 8.0m, 8.5m, 9.0m, 9.5m, 10.0m, 10.5m, 11.0m, 11.5m, 12.0m, 12.5m, 13.0m, 13.5m, 14.0m, 14.5m, 15.0m, 15.5m, 16.0m, 16.5m, 17.0m, 17.5m, 18.0m, 18.5m, 19.0m, 19.5m, 20.0m, 20.5m, 21.0m, 21.5m, 22.0m, 22.5m, 23.0m, 23.5m, 24.0m, 24.5m, 25.0m, 25.5m, 26.0m, 26.5m, 27.0m, 27.5m, 28.0m, 28.5m, 29.0m, 29.5m, 30.0m, 30.5m, 31.0m, 31.5m, 32.0m, 32.5m, 33.0m, 33.5m, 34.0m, 34.5m, 35.0m, 35.5m, 36.0m, 36.5m, 37.0m, 37.5m, 38.0m, 38.5m, 39.0m, 39.5m, 40.0m, 40.5m, 41.0m, 41.5m, 42.0m, 42.5m, 43.0m, 43.5m, 44.0m, 44.5m, 45.0m, 45.5m, 46.0m, 46.5m, 47.0m, 47.5m, 48.0m, 48.5m, 49.0m, 49.5m, 50.0m, 50.5m, 51.0m, 51.5m, 52.0m, 52.5m, 53.0m, 53.5m, 54.0m, 54.5m, 55.0m, 55.5m, 56.0m, 56.5m, 57.0m, 57.5m, 58.0m, 58.5m, 59.0m, 59.5m, 60.0m, 60.5m, 61.0m, 61.5m, 62.0m, 62.5m, 63.0m, 63.5m, 64.0m, 64.5m, 65.0m, 65.5m, 66.0m, 66.5m, 67.0m, 67.5m, 68.0m, 68.5m, 69.0m, 69.5m, 70.0m, 70.5m, 71.0m, 71.5m, 72.0m, 72.5m, 73.0m, 73.5m, 74.0m, 74.5m, 75.0m, 75.5m, 76.0m, 76.5m, 77.0m, 77.5m, 78.0m, 78.5m, 79.0m, 79.5m, 80.0m, 80.5m, 81.0m, 81.5m, 82.0m, 82.5m, 83.0m, 83.5m, 84.0m, 84.5m, 85.0m, 85.5m, 86.0m, 86.5m, 87.0m, 87.5m, 88.0m, 88.5m, 89.0m, 89.5m, 90.0m, 90.5m, 91.0m, 91.5m, 92.0m, 92.5m, 93.0m, 93.5m, 94.0m, 94.5m, 95.0m, 95.5m, 96.0m, 96.5m, 97.0m, 97.5m, 98.0m, 98.5m, 99.0m, 99.5m, 100.0m, 100.5m, 101.0m, 101.5m, 102.0m, 102.5m, 103.0m, 103.5m, 104.0m, 104.5m, 105.0m, 105.5m, 106.0m, 106.5m, 107.0m, 107.5m, 108.0m, 108.5m, 109.0m, 109.5m, 110.0m, 110.5m, 111.0m, 111.5m, 112.0m, 112.5m, 113.0m, 113.5m, 114.0m, 114.5m, 115.0m, 115.5m, 116.0m, 116.5m, 117.0m, 117.5m, 118.0m, 118.5m, 119.0m, 119.5m, 120.0m, 120.5m, 121.0m, 121.5m, 122.0m, 122.5m, 123.0m, 123.5m, 124.0m, 124.5m, 125.0m, 125.5m, 126.0m, 126.5m, 127.0m, 127.5m, 128.0m, 128.5m, 129.0m, 129.5m, 130.0m, 130.5m, 131.0m, 131.5m, 132.0m, 132.5m, 133.0m, 133.5m, 134.0m, 134.5m, 135.0m, 135.5m, 136.0m, 136.5m, 137.0m, 137.5m, 138.0m, 138.5m, 139.0m, 139.5m, 140.0m, 140.5m, 141.0m, 141.5m, 142.0m, 142.5m, 143.0m, 143.5m, 144.0m, 144.5m, 145.0m, 145.5m, 146.0m, 146.5m, 147.0m, 147.5m, 148.0m, 148.5m, 149.0m, 149.5m, 150.0m, 150.5m, 151.0m, 151.5m, 152.0m, 152.5m, 153.0m, 153.5m, 154.0m, 154.5m, 155.0m, 155.5m, 156.0m, 156.5m, 157.0m, 157.5m, 158.0m, 158.5m, 159.0m, 159.5m, 160.0m, 160.5m, 161.0m, 161.5m, 162.0m, 162.5m, 163.0m, 163.5m, 164.0m, 164.5m, 165.0m, 165.5m, 166.0m, 166.5m, 167.0m, 167.5m, 168.0m, 168.5m, 169.0m, 169.5m, 170.0m, 170.5m, 171.0m, 171.5m, 172.0m, 172.5m, 173.0m, 173.5m, 174.0m, 174.5m, 175.0m, 175.5m, 176.0m, 176.5m, 177.0m, 177.5m, 178.0m, 178.5m, 179.0m, 179.5m, 180.0m, 180.5m, 181.0m, 181.5m, 182.0m, 182.5m, 183.0m, 183.5m, 184.0m, 184.5m, 185.0m, 185.5m, 186.0m, 186.5m, 187.0m, 187.5m, 188.0m, 188.5m, 189.0m, 189.5m, 190.0m, 190.5m, 191.0m, 191.5m, 192.0m, 192.5m, 193.0m, 193.5m, 194.0m, 194.5m, 195.0m, 195.5m, 196.0m, 196.5m, 197.0m, 197.5m, 198.0m, 198.5m, 199.0m, 199.5m, 200.0m, 200.5m, 201.0m, 201.5m, 202.0m, 202.5m, 203.0m, 203.5m, 204.0m, 204.5m, 205.0m, 205.5m, 206.0m, 206.5m, 207.0m, 207.5m, 208.0m, 208.5m, 209.0m, 209.5m, 210.0m, 210.5m, 211.0m, 211.5m, 212.0m, 212.5m, 213.0m, 213.5m, 214.0m, 214.5m, 215.0m, 215.5m, 216.0m, 216.5m, 217.0m, 217.5m, 218.0m, 218.5m, 219.0m, 219.5m, 220.0m, 220.5m, 221.0m, 221.5m, 222.0m, 222.5m, 223.0m, 223.5m, 224.0m, 224.5m, 225.0m, 225.5m, 226.0m, 226.5m, 227.0m, 227.5m, 228.0m, 22

Architectural section drawing of a building, labeled "SECTION A-A" at the bottom. The drawing shows a cross-section of a multi-story building with a central core and two wings. The left wing contains a lobby and five living rooms, while the right wing contains five living rooms and a parking area with three cars. The building is shown in a pinkish-purple color. Dimensions are provided for various parts of the building, including floor heights and room widths. The drawing is oriented with the ground floor at the bottom and the terrace floor at the top.

FLOOR LEVELS (from top to bottom):

- TERACE FLOOR +19.20M
- 5TH FLOOR +15.20M
- 4TH FLOOR +11.20M
- 3RD FLOOR +7.20M
- 2ND FLOOR +3.20M
- 1ST FLOOR +0.20M
- GROUND FLOOR

ROOMS AND AREAS:

- LIVING ROOM (5 on each side of the central core)
- LOBBY (on the ground floor of the left wing)
- PARKING (3 cars on the ground floor of the right wing)
- CL. (Closets)
- W.C. (Water Closet)
- BATH (Bathroom)
- KITCHEN (on the ground floor of the right wing)

Dimensions (from top to bottom):

- 3.00 (between 5th and 4th floor)
- 3.00 (between 4th and 3rd floor)
- 3.00 (between 3rd and 2nd floor)
- 3.00 (between 2nd and 1st floor)
- 4.20 (between 1st floor and ground floor)
- 1.50 (between terrace floor and 5th floor)
- 1.50 (between 5th and 4th floor)
- 1.50 (between 4th and 3rd floor)
- 1.50 (between 3rd and 2nd floor)
- 1.50 (between 2nd and 1st floor)
- 1.50 (between 1st floor and ground floor)
- 1.50 (between ground floor and parking area)
- 1.50 (between parking area and ground floor)

Other Labels:

- LIFT PIT (on the ground floor of the central core)
- LIFT (on the ground floor of the central core)
- LIFT PIT (on the ground floor of the right wing)
- LIFT (on the ground floor of the right wing)

STATEMENT SHOWING PROXY OF DEDUCTION OF COMPENSATORY FUGELIN FISH WITHOUT CHARGING PREMIUM TO FISHING MEMBERS ON FLOOT PLANT (NO.10-18-75) OF DISTRICT SATEK N-75-175-6 OF VILLAGE VILPATI (NO.1) AT SATEK (NO.3) NEW WARD, MEMBAL															
SR NO.	EXISTING/NEW PLAT NO	EXISTING FUGELIN FISH NO SQUITS	PERSONAL FUGELIN FISH NO SQUITS (ONLY OWN SQUITS)	PERSONAL FUGELIN FISH NO SQUITS (ONLY OWN SQUITS)	REIMBURSEMENT PLAT NO				FUGELIN FISH NO SQUITS	TOTAL FUGELIN FISH NO SQUITS	DIFFERENCE		REMARKS		
					PERSONAL FUGELIN FISH NO SQUITS	PERSONAL FUGELIN FISH NO SQUITS	BUILT UP AREA SQUITS	PERSONAL FUGELIN FISH NO SQUITS			+/-	+/-			
1		138	4	215-0	4	0	0	0	0	0	0	0	0	0	
	RESIDENCE														
2	A1	58-47	26-46	78-93	157	102	82-37	0	0	0	82-37	0	0	0	
3	A2	58-47	26-46	78-93	157	101	81-94	0	0	0	81-94	0	0	0	
4	A3	56-31	18-71	76-02	280	202	81-94	0	0	0	81-94	0	0	0	
5	A4	56-31	18-71	76-02	280	202	82-37	0	0	0	82-37	0	0	0	
6	A5	58-47	26-46	78-93	157	102	82-37	0	0	0	82-37	0	0	0	
7	A6	58-47	26-46	78-93	157	301	81-94	0	0	0	81-94	0	0	0	
8	A7	56-31	18-71	76-02	4781	401	81-94	0	0	0	81-94	0	0	0	
9	A8	56-31	18-71	76-02	4781	402	82-37	0	0	0	82-37	0	0	0	
10	A9	58-47	26-46	78-93	157	102	82-37	0	0	0	82-37	0	0	0	
11	A10	58-47	26-46	78-93	157	501	81-94	0	0	0	81-94	0	0	0	
12	A11	56-31	18-71	76-02	6781	601	81-94	0	0	0	81-94	0	0	0	
13	A12	56-31	18-71	76-02	6781	602	82-37	0	0	0	82-37	0	0	0	
14	B1	80-57	28-20	108-77	357	301	108-77	0	0	0	108-77	0	0	0	
15	B2	80-57	28-20	108-77	280	301	108-77	0	0	0	108-77	0	0	0	
16	B3	80-57	28-20	108-77	383	301	108-77	0	0	0	108-77	0	0	0	
17	B4	80-57	28-20	108-77	4781	401	108-77	0	0	0	108-77	0	0	0	
18	B5	80-57	28-20	108-77	5781	501	108-77	0	0	0	108-77	0	0	0	
19	B6	80-57	28-20	108-77	6781	601	108-77	0	0	0	108-77	0	0	0	
20	B7	80-57	28-20	108-77	7781	701	108-77	0	0	0	108-77	0	0	0	
21	B8	80-57	28-20	108-77	8781	801	108-77	0	0	0	108-77	0	0	0	
22	C1	80-57	28-20	108-77	9781	901	108-77	0	0	0	108-77	0	0	0	
23	C2	80-57	28-20	108-77	280	204	108-77	0	0	0	108-77	0	0	0	
24	C3	80-57	28-20	108-77	383	304	108-77	0	0	0	108-77	0	0	0	
25	C4	80-57	28-20	108-77	4781	404	108-77	0	0						

FORSETT II		
CONTENTS OF SHEET		
6TH FLOOR PLAN, TERRACE FLOOR PLAN, SECTION A-A,B-B		
START OF DATE OF RECEIPT OF PLANS	START OF APPROVAL OF PLANS	
APPROVED SUBJECT TO CONDITIONS MENTIONED IN THIS OFFICE LETTER ON REF NO-112022027 OF DT. 16.10.19 TO 31.01.2024 ON ENR DATE 18.07.2023		
THIS PLAN IS DIGITALLY SIGNED & DOES NOT REQUIRE SIGNATURE.		
PRAKASH LALHANJIA AKARE S.E.B. K/W/NG	SURESH MOHAND AS AHUJA A.E.B. HYWARD	SHIVADAS KRISHNA GUWANE E.E.B. HYWARD
REVISION	DESCRIPTION	DATE
NORTH PROPOSED REDEVELOPMENT OF BUILDING ON PLOT BEARING FPO NO-18-179-181, OF SANCTUARY NO. C.T. 5 NO. 16108, OF VILLAGE, VALE PARLE (W), SECTION A-A, (W) NW, WARD, MUNICIPAL		
NAME OF OWNER: SHRI VIJAY P. MANDKAR, SECRETARY OF 'SHINING STAR' INTERNATIONAL HOUSING SOCIETY,		
ADDRESS: 78.80.81 DAILAT NAGAR, SANTACRISTINA, MUMBAI		
Vidya Prabhat gah		
SIGNATURE OF OWNER/DEVELOPER		
JOB NO. 1945	DRAWING DATE 1945	CHECKED BY KBH
SIGNATURE, NAME & ADDRESS OF LICENSED ARCHITECT		
Rask Prabhat as Himgoo		
RAJEEV P. HINGOO ASSOCIATES		