


WING - 1




29th, 36TH, 43rd TYPICAL REFUGE FLOOR . (WING 1)
SCALE - 1:100



LINE AREA DIA. FOR 29th, 36TH, 43rd TYPICAL REFUGE FLOOR . (WING 1)
SCALE - 1:100



15th, 22nd TYPICAL REFUGE FLOOR . (WING 1)
SCALE - 1:100



LINE AREA DIA. FOR 15th, 22nd TYPICAL REFUGE FLOOR . (WING 1)
SCALE - 1:100

TYPICAL FLOOR									
A	60.85	X	42.93	X	1 NO	=	2612.29	SQ.MT.	
				TOTAL ADDITION		=	2612.29	SQ.MT.	X
DEDUCTIONS									
1	9.50	X	1.45	X	1 NO	=	13.78	SQ.MT.	
2	3.97	X	3.07	X	2 NOS	=	24.38	SQ.MT.	
3	0.65	X	1.72	X	1 NO	=	1.12	SQ.MT.	
4	18.79	X	5.43	X	1 NO	=	102.03	SQ.MT.	
5	16.67	X	4.25	X	2 NOS	=	141.70	SQ.MT.	
6	17.10	X	6.15	X	1 NO	=	105.17	SQ.MT.	
7	4.85	X	2.08	X	1 NO	=	10.09	SQ.MT.	
9	3.88	X	0.80	X	2 NOS	=	6.21	SQ.MT.	
10	0.30	X	0.70	X	2 NOS	=	0.42	SQ.MT.	
11	3.87	X	0.80	X	1 NO	=	3.10	SQ.MT.	
12	4.85	X	2.08	X	1 NO	=	10.09	SQ.MT.	
13	17.10	X	6.15	X	2 NOS	=	210.33	SQ.MT.	
14	16.68	X	4.25	X	2 NOS	=	141.78	SQ.MT.	
15	18.70	X	5.43	X	1 NO	=	101.54	SQ.MT.	
16	0.45	X	4.73	X	1 NO	=	2.13	SQ.MT.	
17	4.53	X	2.60	X	1 NO	=	11.78	SQ.MT.	
18	2.50	X	0.98	X	1 NO	=	2.45	SQ.MT.	
19	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT.	
20	0.33	X	0.53	X	1 NO	=	0.17	SQ.MT.	
21	7.03	X	0.45	X	1 NO	=	3.16	SQ.MT.	
22	5.35	X	1.23	X	1 NO	=	6.58	SQ.MT.	
23	4.58	X	0.35	X	1 NO	=	1.60	SQ.MT.	
24	4.85	X	1.82	X	1 NO	=	8.83	SQ.MT.	
25	0.35	X	1.37	X	1 NO	=	0.48	SQ.MT.	
26	4.40	X	1.82	X	1 NO	=	8.01	SQ.MT.	
27	0.15	X	1.37	X	1 NO	=	0.21	SQ.MT.	
28	0.65	X	1.72	X	1 NO	=	1.12	SQ.MT.	
29	9.50	X	1.45	X	1 NO	=	13.78	SQ.MT.	
30	3.58	X	3.20	X	1 NO	=	11.46	SQ.MT.	
31	5.63	X	1.68	X	1 NO	=	9.46	SQ.MT.	
32	0.15	X	0.85	X	2 NOS	=	0.26	SQ.MT.	
33	0.15	X	0.85	X	1 NO	=	0.13	SQ.MT.	
34	3.48	X	1.67	X	1 NO	=	5.81	SQ.MT.	
35	1.52	X	2.90	X	1 NO	=	4.41	SQ.MT.	
36	0.45	X	3.57	X	1 NO	=	1.61	SQ.MT.	
37	5.35	X	1.67	X	1 NO	=	8.93	SQ.MT.	
38	1.68	X	0.45	X	2 NOS	=	1.51	SQ.MT.	
39	4.53	X	2.60	X	1 NO	=	11.78	SQ.MT.	
40	2.50	X	0.98	X	1 NO	=	2.45	SQ.MT.	
41	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT.	
42	0.33	X	0.53	X	1 NO	=	0.17	SQ.MT.	
43	18.78	X	3.60	X	1 NO	=	67.61	SQ.MT.	
44	4.85	X	2.08	X	2 NOS	=	20.18	SQ.MT.	
45	3.87	X	0.80	X	1 NO	=	3.10	SQ.MT.	
46	17.10	X	6.15	X	1 NO	=	105.17	SQ.MT.	
47	18.77	X	3.60	X	1 NO	=	67.57	SQ.MT.	
48	0.45	X	3.75	X	1 NO	=	1.69	SQ.MT.	
49	4.52	X	2.60	X	1 NO	=	11.75	SQ.MT.	
50	2.50	X	0.98	X	1 NO	=	2.45	SQ.MT.	
51	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT.	
52	0.33	X	0.53	X	1 NO	=	0.17	SQ.MT.	
53	5.35	X	1.68	X	1 NO	=	8.99	SQ.MT.	
54	4.57	X	0.35	X	1 NO	=	1.60	SQ.MT.	
55	4.40	X	1.83	X	1 NO	=	8.05	SQ.MT.	
56	0.35	X	1.38	X	1 NO	=	0.48	SQ.MT.	
57	4.85	X	1.83	X	1 NO	=	8.88	SQ.MT.	
58	1.52	X	2.90	X	1 NO	=	4.41	SQ.MT.	
59	3.48	X	1.68	X	1 NO	=	5.85	SQ.MT.	
60	0.15	X	0.85	X	1 NO	=	0.13	SQ.MT.	
61	5.62	X	1.68	X	1 NO	=	9.44	SQ.MT.	
62	3.58	X	3.20	X	1 NO	=	11.46	SQ.MT.	
63	0.44	X	4.72	X	1 NO	=	2.08	SQ.MT.	
64	2.72	X	5.22	X	1 NO	=	14.20	SQ.MT.	
65	5.35	X	1.23	X	1 NO	=	6.58	SQ.MT.	
66	7.02	X	0.45	X	1 NO	=	3.16	SQ.MT.	
67	4.52	X	2.60	X	1 NO	=	11.75	SQ.MT.	
68	2.50	X	0.98	X	1 NO	=	2.45	SQ.MT.	
69	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT.	
70	0.33	X	0.53	X	1 NO	=	0.17	SQ.MT.	
				TOTAL DEDUCTION		=	1373.27	SQ.MT.	Y1
REFUGE AREA CALCULATION									
TYPICAL FLOOR									
R1	4.25	X	1.58	X	1 NO	=	6.72	SQ.MT.	
R2	0.77	X	0.35	X	1 NO	=	0.27	SQ.MT.	
R3	0.35	X	0.45	X	1 NO	=	0.16	SQ.MT.	
R4	0.30	X	1.38	X	1 NO	=	0.41	SQ.MT.	
R5	2.60	X	0.42	X	1 NO	=	1.09	SQ.MT.	
R6	4.55	X	1.37	X	1 NO	=	6.23	SQ.MT.	
R7	8.35	X	0.45	X	1 NO	=	3.76	SQ.MT.	
R8	9.90	X	2.60	X	1 NO	=	25.74	SQ.MT.	
R9	1.72	X	2.30	X	1 NO	=	3.96	SQ.MT.	
R10	0.20	X	0.30	X	1 NO	=	0.06	SQ.MT.	
R11	1.24	X	0.20	X	1 NO	=	0.25	SQ.MT.	
R12	1.73	X	2.30	X	1 NO	=	3.98	SQ.MT.	
R13	0.20	X	0.30	X	1 NO	=	0.06	SQ.MT.	
R14	0.98	X	0.20	X	1 NO	=	0.20	SQ.MT.	
R15	10.87	X	0.25	X	1 NO	=	2.72	SQ.MT.	
R16	10.20	X	0.53	X	1 NO	=	5.41	SQ.MT.	
R17	4.58	X	4.25	X	2 NOS	=	38.93	SQ.MT.	
R17	18.35	X	3.27	X	1 NO	=	60.00	SQ.MT.	
R18	0.45	X	0.70	X	1 NO	=	0.32	SQ.MT.	
R19	0.45	X	0.70	X	1 NO	=	0.32	SQ.MT.	
R22	4.45	X	6.15	X	2 NOS	=	54.74	SQ.MT.	
R23	4.85	X	4.08	X	2 NOS	=	39.58	SQ.MT.	
R24	8.05	X	4.68	X	1 NO	=	37.67	SQ.MT.	
R25	7.75	X	0.68	X	1 NO	=	5.27	SQ.MT.	
R26	0.30	X	0.10	X	1 NO	=	0.03	SQ.MT.	
R27	10.87	X	0.20	X	1 NO	=	2.17	SQ.MT.	
TOTAL REFUGE AREA						=	300.05	SQ.MT.	Y2
TOTAL BUILT UP AREA [X - (Y1+Y2)]						=	938.97	SQ.MT.	X1
LIFT AREA CALCULATION									
TYPICAL FLOOR									
L1	10.20	X	3.35	X	1 NO	=	34.17	SQ.MT.	
L2	0.15	X	0.70	X	1 NO	=	0.11	SQ.MT.	
L3	9.90	X	3.35	X	1 NO	=	33.17	SQ.MT.	
L4	0.30	X	3.20	X	1 NO	=	0.96	SQ.MT.	
L5	3.08	X	2.88	X	1 NO	=	8.87	SQ.MT.	
L6	0.30	X	2.88	X	1 NO	=	0.86	SQ.MT.	
TOTAL LIFT AREA PER FL. (TYPICAL FLOOR)						=	78.14	SQ.MT.	Y3
STAIRCASE AREA CALCULATION									
TYPICAL FLOOR									
ST1	7.18	X	4.73	X	1 NO	=	33.96	SQ.MT.	
ST2	2.63	X	0.15	X	1 NO	=	0.39	SQ.MT.	
ST3	6.83	X	4.73	X	1 NO	=	32.31	SQ.MT.	
ST4	2.28	X	0.15	X	1 NO	=	0.34	SQ.MT.	
TOTAL STAIRCASE AREA PER FL. (TYPICAL FLOOR)						=	67.00	SQ.MT.	Y4
LIFT LOBBY AREA CALCULATION									
TYPICAL FLOOR									
LL1	3.53	X	2.23	X	1 NO	=	7.87	SQ.MT.	
LL2	3.38	X	0.42	X	1 NO	=	1.42	SQ.MT.	
LL3	1.42	X	1.20	X	1 NO	=	1.70	SQ.MT.	
LL4	3.38	X	2.53	X	1 NO	=	8.55	SQ.MT.	
LL5	6.83	X	2.73	X	1 NO	=	18.65	SQ.MT.	
LL6	2.95	X	3.17	X	1 NO	=	9.35	SQ.MT.	
LL7	2.60	X	2.70	X	1 NO	=	7.02	SQ.MT.	
LL8	2.75	X	2.03	X	1 NO	=	5.58	SQ.MT.	
LL9	0.15	X	0.65	X	1 NO	=	0.10	SQ.MT.	
LL10	2.60	X	0.60	X	1 NO	=	1.56	SQ.MT.	
LL11	6.48	X	2.72	X	1 NO	=	17.63	SQ.MT.	
LL12	3.07	X	1.32	X	1 NO	=	4.05	SQ.MT.	
LL13	3.37	X	1.50	X	1 NO	=	5.06	SQ.MT.	
LL14	1.43	X	1.20	X	1 NO	=	1.72	SQ.MT.	
LL15	2.60	X	5.95	X	1 NO	=	15.47	SQ.MT.	
LL16	0.35	X	0.45	X	1 NO	=	0.16	SQ.MT.	
LL17	0.30	X	2.03	X	1 NO	=	0.61	SQ.MT.	
TOTAL LIFT LOBBY AREA PER FL. (TYPICAL FLOOR)						=	106.50	SQ.MT.	Y5
DUCT AREA CALCULATION									
TYPICAL FLOOR									
D1	0.38	X	1.52	X	2 NOS	=	1.16	SQ.MT.	
D2	1.52	X	0.30	X	2 NOS	=	0.91	SQ.MT.	
D3	1.52	X	0.30	X	2 NOS	=	0.91	SQ.MT.	
ED	6.48	X	0.45	X	1 NO	=	2.92	SQ.MT.	
FD	6.48	X	0.45	X	1 NO	=	2.92	SQ.MT.	
TOTAL DUCT AREA PER FL. (TYPICAL FLOOR)						=	8.82	SQ.MT.	Y6
NET BUILT UP AREA [X1 - (Y3+Y4+Y5+Y6)]						=	678.51	SQ.MT.	
EXCESS REFUGE AREA						=	21.65		
BUA+ REFUGE AREA						=	700.16	SQ.MT.	

REFUGE AREA STATEMENT (TOWER-1)

REFUGE AREA AT 15th, 22nd FLOOR	=	4% OF ABOVE HABITABLE AREA		
	=	4%	X	6550.65
REFUGE REQUIRED	=	262.03		SQ.MT
REFUGE PROVIDED	=	300.05		SQ.MT
WITHIN 4.25 % REFUGE AREA NOT COUNTED IN FSI	=	278.40		SQ.MT
EXCESS REFUGE AREA COUNTED IN FSI	=	21.65		SQ.MT

TYPICAL FLOOR									
A	60.85	X	42.93	X	1 NO	=	2612.29	SQ.MT	
				TOTAL ADDITION		=	2612.29	SQ.MT	X
DEDUCTIONS									
1	9.50	X	1.45	X	1 NO	=	13.78	SQ.MT	
2	3.97	X	3.07	X	2 NOS	=	24.38	SQ.MT	
3	0.65	X	1.72	X	1 NO	=	1.12	SQ.MT	
4	2.80	X	5.22	X	1 NO	=	14.62	SQ.MT	
5	5.42	X	1.23	X	1 NO	=	6.67	SQ.MT	
6	7.10	X	0.45	X	1 NO	=	3.20	SQ.MT	
7	4.60	X	2.60	X	1 NO	=	11.96	SQ.MT	
8	2.50	X	0.98	X	2 NOS	=	4.90	SQ.MT	
9	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT	
10	0.33	X	0.60	X	1 NO	=	0.20	SQ.MT	
11	0.37	X	4.72	X	1 NO	=	1.75	SQ.MT	
12	18.78	X	5.43	X	1 NO	=	101.98	SQ.MT	
13	16.67	X	4.25	X	2 NOS	=	141.70	SQ.MT	
14	17.10	X	6.15	X	1 NO	=	105.17	SQ.MT	
15	4.90	X	2.08	X	1 NO	=	10.19	SQ.MT	
17	3.88	X	0.80	X	2 NOS	=	6.21	SQ.MT	
18	0.30	X	0.70	X	2 NOS	=	0.42	SQ.MT	
19	3.87	X	0.80	X	2 NOS	=	6.19	SQ.MT	
20	4.90	X	2.08	X	1 NO	=	10.19	SQ.MT	
21	17.10	X	6.15	X	2 NOS	=	210.33	SQ.MT	
22	16.68	X	4.25	X	2 NOS	=	141.78	SQ.MT	
23	18.70	X	5.43	X	1 NO	=	101.54	SQ.MT	
24	0.38	X	4.73	X	1 NO	=	1.80	SQ.MT	
25	4.60	X	2.60	X	1 NO	=	11.96	SQ.MT	
26	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT	
27	0.33	X	0.60	X	1 NO	=	0.20	SQ.MT	
28	7.10	X	0.45	X	1 NO	=	3.20	SQ.MT	
29	5.43	X	1.23	X	1 NO	=	6.68	SQ.MT	
30	4.65	X	0.35	X	1 NO	=	1.63	SQ.MT	
31	4.93	X	1.82	X	1 NO	=	8.97	SQ.MT	
32	0.35	X	1.37	X	1 NO	=	0.48	SQ.MT	
33	4.40	X	1.82	X	1 NO	=	8.01	SQ.MT	
34	0.15	X	1.37	X	1 NO	=	0.21	SQ.MT	
35	0.65	X	1.72	X	1 NO	=	1.12	SQ.MT	
36	9.50	X	1.45	X	1 NO	=	13.78	SQ.MT	
37	3.68	X	3.20	X	2 NOS	=	23.55	SQ.MT	
38	5.53	X	1.68	X	2 NOS	=	18.58	SQ.MT	
39	0.15	X	0.85	X	2 NOS	=	0.26	SQ.MT	
40	0.15	X	0.85	X	2 NOS	=	0.26	SQ.MT	
41	3.40	X	1.67	X	1 NO	=	5.68	SQ.MT	
42	1.60	X	2.90	X	1 NO	=	4.64	SQ.MT	
43	5.43	X	1.67	X	1 NO	=	9.07	SQ.MT	
44	1.68	X	0.45	X	2 NOS	=	1.51	SQ.MT	
45	4.61	X	2.60	X	1 NO	=	11.99	SQ.MT	
46	2.50	X	0.98	X	1 NO	=	2.45	SQ.MT	
47	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT	
48	0.33	X	0.53	X	1 NO	=	0.17	SQ.MT	
49	0.37	X	3.57	X	1 NO	=	1.32	SQ.MT	
50	18.78	X	3.60	X	1 NO	=	67.61	SQ.MT	
51	4.90	X	2.08	X	1 NO	=	10.19	SQ.MT	
52	4.90	X	2.08	X	1 NO	=	10.19	SQ.MT	
53	17.10	X	6.15	X	1 NO	=	105.17	SQ.MT	
54	18.77	X	3.60	X	1 NO	=	67.57	SQ.MT	
55	3.48	X	1.68	X	1 NO	=	5.85	SQ.MT	
56	1.52	X	2.90	X	1 NO	=	4.41	SQ.MT	
57	0.37	X	3.75	X	1 NO	=	1.39	SQ.MT	
58	0.33	X	0.53	X	1 NO	=	0.17	SQ.MT	
59	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT	
60	2.50	X	0.98	X	1 NO	=	2.45	SQ.MT	
61	4.60	X	2.60	X	1 NO	=	11.96	SQ.MT	
62	5.42	X	1.68	X	1 NO	=	9.11	SQ.MT	
63	4.65	X	0.35	X	1 NO	=	1.63	SQ.MT	
64	4.93	X	1.83	X	1 NO	=	9.02	SQ.MT	
65	0.35	X	1.38	X	1 NO	=	0.48	SQ.MT	
66	4.40	X	1.83	X	1 NO	=	8.05	SQ.MT	
				TOTAL DEDUCTION		=	1374.93	SQ.MT	Y1
REFUGE AREA CALCULATION									
TYPICAL FLOOR									
R1	0.35	X	0.45	X	1 NO	=	0.16	SQ.MT	
R2	0.77	X	0.35	X	1 NO	=	0.27	SQ.MT	
R3	4.25	X	1.58	X	1 NO	=	6.72	SQ.MT	
R4	0.30	X	1.38	X	1 NO	=	0.41	SQ.MT	
R5	2.60	X	0.42	X	1 NO	=	1.09	SQ.MT	
R6	4.55	X	1.37	X	1 NO	=	6.23	SQ.MT	
R7	8.35	X	0.45	X	1 NO	=	3.76	SQ.MT	
R8	9.90	X	2.60	X	1 NO	=	25.74	SQ.MT	
R9	1.72	X	2.30	X	1 NO	=	3.96	SQ.MT	
R10	0.20	X	0.30	X	1 NO	=	0.06	SQ.MT	
R11	13.35	X	0.20	X	1 NO	=	2.67	SQ.MT	
R12	0.20	X	0.30	X	1 NO	=	0.06	SQ.MT	
R13	1.73	X	2.30	X	1 NO	=	3.98	SQ.MT	
R14	4.58	X	4.25	X	1 NO	=	19.47	SQ.MT	
R15	18.35	X	3.27	X	1 NO	=	60.00	SQ.MT	
R16	10.87	X	0.25	X	1 NO	=	2.72	SQ.MT	
R17	10.20	X	0.53	X	1 NO	=	5.41	SQ.MT	
R18	4.58	X	4.25	X	1 NO	=	19.47	SQ.MT	
R19	0.37	X	0.70	X	1 NO	=	0.26	SQ.MT	
R20	0.37	X	0.70	X	1 NO	=	0.26	SQ.MT	
R21	4.40	X	6.15	X	1 NO	=	27.06	SQ.MT	
R22	4.90	X	4.08	X	1 NO	=	19.99	SQ.MT	
R23	8.05	X	4.68	X	1 NO	=	37.67	SQ.MT	
R24	7.75	X	0.68	X	1 NO	=	5.27	SQ.MT	
R25	0.30	X	0.10	X	1 NO	=	0.03	SQ.MT	
R26	4.90	X	4.08	X	1 NO	=	19.99	SQ.MT	
R27	4.40	X	6.15	X	1 NO	=	27.06	SQ.MT	
TOTAL REFUGE AREA						=	299.77	SQ.MT	Y2
TOTAL BUILT UP AREA [X - (Y1+Y2)]						=	937.59	SQ.MT	X1
LIFT AREA CALCULATION									
TYPICAL FLOOR									
L1	10.20	X	3.35	X	1 NO	=	34.17	SQ.MT	
L2	0.15	X	0.70	X	1 NO	=	0.11	SQ.MT	
L3	9.90	X	3.35	X	1 NO	=	33.17	SQ.MT	
L4	0.30	X	3.20	X	1 NO	=	0.96	SQ.MT	
L5	3.08	X	2.88	X	1 NO	=	8.87	SQ.MT	
L6	0.30	X	2.88	X	1 NO	=	0.86	SQ.MT	
TOTAL LIFT AREA PER FL. (TYPICAL FLOOR)						=	78.14	SQ.MT	Y3
STAIRCASE AREA CALCULATION									
TYPICAL FLOOR									
ST1	7.18	X	4.73	X	1 NO	=	33.96	SQ.MT	
ST2	2.63	X	0.15	X	1 NO	=	0.39	SQ.MT	
ST3	6.83	X	4.73	X	1 NO	=	32.31	SQ.MT	
ST4	2.28	X	0.15	X	1 NO	=	0.34	SQ.MT	
TOTAL STAIRCASE AREA PER FL. (TYPICAL FLOOR)						=	67.00	SQ.MT	Y4
LIFT LOBBY AREA CALCULATION									
TYPICAL FLOOR									
LL1	3.53	X	2.23	X	1 NO	=	7.87	SQ.MT	
LL2	3.38	X	0.42	X	1 NO	=	1.42	SQ.MT	
LL3	1.42	X	1.20	X	1 NO	=	1.70	SQ.MT	
LL4	3.38	X	2.53	X	1 NO	=	8.55	SQ.MT	
LL5	6.83	X	2.73	X	1 NO	=	18.65	SQ.MT	
LL6	2.95	X	3.17	X	1 NO	=	9.35	SQ.MT	
LL7	2.60	X	2.70	X	1 NO	=	7.02	SQ.MT	
LL8	2.75	X	2.03	X	1 NO	=	5.58	SQ.MT	
LL9	0.15	X	0.65	X	1 NO	=	0.10	SQ.MT	
LL10	2.60	X	0.60	X	1 NO	=	1.56	SQ.MT	
LL11	6.48	X	2.72	X	1 NO	=	17.63	SQ.MT	
LL12	3.07	X	1.32	X	1 NO	=	4.05	SQ.MT	
LL13	3.37	X	1.50	X	1 NO	=	5.06	SQ.MT	
LL14	1.43	X	1.20	X	1 NO	=	1.72	SQ.MT	
LL15	2.60	X	5.95	X	1 NO	=	15.47	SQ.MT	
LL16	0.35	X	0.45	X	1 NO	=	0.16	SQ.MT	
LL17	0.30	X	2.03	X	1 NO	=	0.61	SQ.MT	
TOTAL LIFT LOBBY AREA PER FL. (TYPICAL FLOOR)						=	106.50	SQ.MT	Y5
DUCT AREA CALCULATION									
TYPICAL FLOOR									
D1	0.38	X	1.52	X	2 NOS	=	1.16	SQ.MT	
D2	1.52	X	0.30	X	2 NOS	=	0.91	SQ.MT	
D3	1.52	X	0.30	X	2 NOS	=	0.91	SQ.MT	
ED	6.48	X	0.45	X	1 NO	=	2.92	SQ.MT	
FD	6.48	X	0.45	X	1 NO	=	2.92	SQ.MT	
TOTAL DUCT AREA PER FL. (TYPICAL FLOOR)						=	8.82	SQ.MT	Y6
NET BUILT UP AREA [X1 - (Y3+Y4+Y5+Y6)]						=	677.13	SQ.MT	
EXCESS REFUGE AREA						=	21.88	SQ.MT	
BUA+ REFUGE AREA						=	699.01	SQ.MT	

REFUGE AREA STATEMENT (TOWER-1)

REFUGE AREA AT 29th, 36th, 43rd, FLOOR	=	4% OF ABOVE HABITABLE AREA		
	=	4%	X	6538.53
REFUGE REQUIRED	=	261.54		SQ.MT
REFUGE PROVIDED	=	299.77		SQ.MT
WITHIN 4.25 % REFUGE AREA NOT COUNTED IN FSI	=	277.89		SQ.MT
EXCESS REFUGE AREA COUNTED IN FSI	=	21.88		SQ.MT

PROFORMA -B | 14 / 26

CONTENTS OF SHEET

15TH, 22ND, 29TH, 36TH, 43RD TYPICAL REFUGE FLOOR PLAN. LINE AREA DIAGRAM, AREA CALCULATION, REFUGE AREA STATEMENT. (WING - 1)

STAMP AND DATE OF APPROVAL OF PLAN

STAMP AND DATE OF RECEIPT OF PLAN

FILE NO.
P-17708/2023/(124 AND OTHER)/R/S WARD/AKURLI-R/S

NOTE:-
1) THIS DRAWING SHALL BE READ IN CONJUNCTION WITH INTIMATION OF DISAPPROVAL ISSUED UNDER SECTION 346 OF MMC ACT 1888 UNDER NO.P-17708/2023/(124 AND OTHER)/R/S WARD/AKURLI-R/S NEW SIGNED ON EVEN DATE.
2) THIS IS DIGITALLY SIGNED & ISSUED.

PLAN FOR APPROVAL

S.E.B.P(R-2)	A.E.B.P(R/S)	E.E.(B.P)WS-II 'R'-1
ROHIT SURESHCHANDRA SONAR	Shivshant Sudhakarrao Doke	HANUMANT SADASHIVRAO BURE

DESCRIPTION OF PROPOSAL & PROPERTY

PROPOSED DEVELOPMENT ON PROPERTY BEARING CTS NO. 124, 125,126,127, 127/1, 128, 146, 146/1, 146/2, 146/3, 146/4, 146/5,146/6, 146/7 OF VILLAGE AKURLI , R/S WARD, MUMBAI-400101.

NORTH	JOB. NO.	DRG. NO.	DRAWN BY
	573	14 / 26	Prachi
	SCALE	DATE	CHECKED BY
	1:100	-	Ninad

REVISIONS	DESCRIPTION :
R-0	


NAME AND ADDRESS OF DESIGN ARCHITECT

KAPADIA ASSOCIATES
DESIGN LLP, PAREL(E),
MUMBAI - 400012.

NAME OF THE OWNER	SIGNATURE
M/S. GODREJ PROPERTIES LIMITED	Avaneesh Arya

NAME AND ADDRESS OF LICENSED SURVEYOR (L.S)	SIGNATURE
SPACEAGE CONSULTANTS, B-106, Natraj Building, Mulund Goregaon Link Road Mulund (w), Mumbai : 4000 080	Shashikant Laxman Jadhav

WING - 1



48th, 49th and 51st TYPICAL FLOOR. (WING- 1)
SCALE - 1:100

TYPICAL FLOOR								
A	80.85	X	42.83	X	1 NO	=	3612.29	SQ.MT.
					TOTAL ADDITION	=	3612.29	SQ.MT. X

DEDUCTIONS								
1	9.50	X	1.45	X	1 NO	=	13.78	SQ.MT.
2	3.07	X	3.07	X	2 NOS	=	18.38	SQ.MT.
3	0.65	X	1.72	X	1 NO	=	1.12	SQ.MT.
4	2.80	X	5.22	X	1 NO	=	14.62	SQ.MT.
5	5.42	X	1.23	X	1 NO	=	6.67	SQ.MT.
6	7.10	X	0.45	X	1 NO	=	3.20	SQ.MT.
7	4.60	X	2.80	X	1 NO	=	11.96	SQ.MT.
8	2.58	X	0.86	X	2 NOS	=	4.90	SQ.MT.
9	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT.
10	0.33	X	0.60	X	1 NO	=	0.20	SQ.MT.
11	0.37	X	4.72	X	1 NO	=	1.75	SQ.MT.
12	16.78	X	5.45	X	1 NO	=	191.98	SQ.MT.
13	30.67	X	4.25	X	2 NOS	=	141.79	SQ.MT.
14	17.10	X	6.15	X	1 NO	=	105.17	SQ.MT.
15	4.90	X	2.86	X	1 NO	=	10.19	SQ.MT.
16	3.88	X	0.80	X	2 NOS	=	6.21	SQ.MT.
17	0.50	X	8.50	X	2 NOS	=	8.42	SQ.MT.
18	3.87	X	0.80	X	2 NOS	=	6.19	SQ.MT.
19	4.90	X	2.86	X	1 NO	=	10.19	SQ.MT.
20	17.10	X	6.15	X	2 NOS	=	210.35	SQ.MT.
21	16.68	X	4.25	X	2 NOS	=	141.78	SQ.MT.
22	16.78	X	5.45	X	1 NO	=	183.54	SQ.MT.
23	0.58	X	4.75	X	1 NO	=	1.80	SQ.MT.
24	4.60	X	2.80	X	1 NO	=	11.96	SQ.MT.
25	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT.
26	0.33	X	8.60	X	1 NO	=	0.20	SQ.MT.
27	7.10	X	0.45	X	1 NO	=	3.20	SQ.MT.
28	5.43	X	1.23	X	1 NO	=	6.68	SQ.MT.
29	6.65	X	8.35	X	1 NO	=	1.65	SQ.MT.
30	4.93	X	1.82	X	1 NO	=	8.97	SQ.MT.
31	0.35	X	1.37	X	1 NO	=	0.48	SQ.MT.
32	4.48	X	1.82	X	1 NO	=	8.01	SQ.MT.
33	0.13	X	1.37	X	1 NO	=	0.21	SQ.MT.
34	0.65	X	3.72	X	1 NO	=	1.11	SQ.MT.
35	9.50	X	1.45	X	1 NO	=	13.78	SQ.MT.
36	3.68	X	1.20	X	2 NOS	=	23.55	SQ.MT.
37	5.53	X	1.66	X	2 NOS	=	18.38	SQ.MT.
38	0.13	X	8.85	X	2 NOS	=	0.26	SQ.MT.
39	3.68	X	1.67	X	1 NO	=	5.68	SQ.MT.
40	5.43	X	1.67	X	1 NO	=	9.07	SQ.MT.
41	1.68	X	8.45	X	2 NOS	=	1.51	SQ.MT.
42	4.61	X	2.80	X	1 NO	=	11.99	SQ.MT.
43	5.43	X	1.67	X	1 NO	=	9.07	SQ.MT.
44	1.68	X	8.45	X	2 NOS	=	1.51	SQ.MT.
45	4.61	X	2.80	X	1 NO	=	11.99	SQ.MT.
46	2.58	X	0.86	X	1 NO	=	2.45	SQ.MT.
47	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT.
48	0.33	X	8.53	X	1 NO	=	0.17	SQ.MT.
49	0.37	X	3.57	X	1 NO	=	1.32	SQ.MT.
50	16.78	X	3.80	X	1 NO	=	67.61	SQ.MT.
51	4.90	X	2.88	X	1 NO	=	10.19	SQ.MT.
52	4.90	X	2.88	X	1 NO	=	10.19	SQ.MT.
53	17.10	X	6.15	X	1 NO	=	105.17	SQ.MT.
54	16.77	X	3.80	X	1 NO	=	67.57	SQ.MT.
55	3.48	X	1.68	X	1 NO	=	5.85	SQ.MT.
56	1.52	X	2.90	X	1 NO	=	4.41	SQ.MT.
57	0.37	X	3.75	X	1 NO	=	1.39	SQ.MT.
58	0.33	X	8.53	X	1 NO	=	0.17	SQ.MT.
59	1.24	X	0.78	X	1 NO	=	0.97	SQ.MT.
60	2.58	X	0.86	X	1 NO	=	2.45	SQ.MT.
61	4.60	X	2.60	X	1 NO	=	11.96	SQ.MT.
62	5.42	X	1.68	X	1 NO	=	9.11	SQ.MT.
63	0.65	X	8.35	X	1 NO	=	1.61	SQ.MT.
64	4.93	X	1.83	X	1 NO	=	9.02	SQ.MT.
65	0.35	X	1.38	X	1 NO	=	0.48	SQ.MT.
66	4.48	X	1.83	X	1 NO	=	8.05	SQ.MT.
					TOTAL DEDUCTION	=	1374.93	SQ.MT. Y1
TOTAL BUILT UP AREA [X - Y1]						=	2237.36	SQ.MT. X1


LIFT AREA CALCULATION								
TYPICAL FLOOR								
L1	10.20	X	3.35	X	1 NO	=	34.17	SQ.MT.
L2	0.15	X	0.70	X	1 NO	=	0.11	SQ.MT.
L3	9.80	X	3.35	X	1 NO	=	33.17	SQ.MT.
L4	0.30	X	3.20	X	1 NO	=	0.96	SQ.MT.
L5	3.88	X	2.48	X	1 NO	=	9.87	SQ.MT.
L6	0.30	X	2.48	X	1 NO	=	0.88	SQ.MT.
TOTAL LIFT AREA PER FL. (TYPICAL FLOOR)						=	79.14	SQ.MT. V2

STAIRCASE AREA CALCULATION								
TYPICAL FLOOR								
ST1	7.38	X	4.73	X	1 NO	=	35.06	SQ.MT.
ST2	2.63	X	0.15	X	1 NO	=	0.39	SQ.MT.
ST3	6.83	X	4.73	X	1 NO	=	32.31	SQ.MT.
ST4	2.28	X	0.13	X	1 NO	=	0.34	SQ.MT.
TOTAL STAIRCASE AREA PER FL. (TYPICAL FLOOR)						=	67.08	SQ.MT. V3


LIFT LOBBY AREA CALCULATION								
TYPICAL FLOOR								
LL1	3.53	X	2.23	X	1 NO	=	7.87	SQ.MT.
LL2	3.36	X	0.42	X	1 NO	=	1.42	SQ.MT.
LL3	1.42	X	1.20	X	1 NO	=	1.70	SQ.MT.
LL4	3.16	X	2.33	X	1 NO	=	9.33	SQ.MT.
LL5	6.85	X	2.73	X	1 NO	=	18.68	SQ.MT.
LL6	2.85	X	3.17	X	1 NO	=	9.35	SQ.MT.
LL7	2.60	X	2.70	X	1 NO	=	7.02	SQ.MT.
LL8	2.35	X	2.03	X	1 NO	=	5.58	SQ.MT.
LL9	0.15	X	0.65	X	1 NO	=	0.10	SQ.MT.
LL10	2.60	X	0.60	X	1 NO	=	1.56	SQ.MT.
LL11	6.46	X	2.72	X	1 NO	=	17.63	SQ.MT.
LL12	3.07	X	1.32	X	1 NO	=	4.05	SQ.MT.
LL13	3.27	X	1.30	X	1 NO	=	3.98	SQ.MT.
LL14	1.43	X	1.20	X	1 NO	=	1.72	SQ.MT.
LL15	2.40	X	5.95	X	1 NO	=	15.47	SQ.MT.
LL16	0.15	X	0.65	X	1 NO	=	0.16	SQ.MT.
LL17	0.30	X	2.03	X	1 NO	=	0.82	SQ.MT.
TOTAL LIFT LOBBY AREA PER FL. (TYPICAL FLOOR)						=	106.50	SQ.MT. V4

DUCT AREA CALCULATION								
TYPICAL FLOOR								
D1	0.38	X	1.52	X	2 NOS	=	1.16	SQ.MT.
D2	1.52	X	0.30	X	2 NOS	=	0.91	SQ.MT.
D3	1.52	X	0.30	X	2 NOS	=	0.91	SQ.MT.
D4	6.48	X	0.43	X	1 NO	=	2.92	SQ.MT.
D5	6.48	X	0.45	X	1 NO	=	2.92	SQ.MT.
TOTAL DUCT AREA PER FL. (TYPICAL FLOOR)						=	8.82	SQ.MT. V5

NET BUILT UP AREA								
[X1 - (V2+V3+V4+V5)]						=	950.98	SQ.MT.



30th TO 35th, 37th TO 42nd, 44th TO 47th TYPICAL FLOOR. (WING- 1)
SCALE - 1:100



LINE AREA DIA. FOR 30th TO 35th, 37th TO 42nd, 44th TO 49th, 51st TO 52nd TYPICAL FLOOR. (WING- 1)
SCALE - 1:100

PROFORMA -B | 15 /26

CONTENTS OF SHEET

30th TO 35th, 37th TO 42nd, 44th TO 48th TYPICAL FLOOR. 49th, 51st TYPICAL FLOOR, LINE AREA DIAGRAM, AREA CALCULATION, (WING - 1)

STAMP AND DATE OF APPROVAL OF PLAN

STAMP AND DATE OF RECEIPT OF PLAN

FILE NO.
P-27500/2023/1324 AND OTHER(S)'S WARD:AKURLI-R/S

NOTE:
1) THIS DRAWING SHALL BE READ IN CONJUCTION WITH INTIMATION OF DISAPPROVAL ISSUED UNDER SECTION 346 OF MMC ACT 1888 UNDER NO.P-27500/2023/1324 AND OTHER(S)'S WARD:AKURLI-R/S VIDE SECNED ON EVEN DATE.
2) THIS IS DIGITALLY SIGNED & ISSUED.

PLAN FOR APPROVAL

ROHIT SURESHCHANDRA MAGNAI	Shrishant Sudhakar Rao Doke	HANUMANT SADASHIVRAO RUPNI
S.E.B.(P/R-2)	A.E.B.P(R/S)	E.E.(B.P)(W/S-II 'R'-1

DESCRIPTION OF PROPOSAL & PROPERTY

PROPOSED DEVELOPMENT ON PROPERTY BEARING CTS NO. 124, 125,126,127, 127/1, 128, 146, 146/1, 146/2, 146/3, 146/4, 146/5,146/6, 146/7 OF VILLAGE AKURLI , R/S WARD, MUMBAI-400101.

NORTH	JOB. NO.	DRG. NO.	DRAWN BY
	573	13/20	Prachi
	SCALE	DATE	CHECKED BY
	1:100		Nimal

REVISIONS	DESCRIPTION :
R-0	

NAME AND ADDRESS OF DESIGN ARCHITECT

KAPADIA ASSOCIATES
DESIGN LLP, PAREL(E),
MUMBAI - 400012.

NAME OF THE OWNER	SIGNATURE
M/S. GODREJ PROPERTIES LIMITED	Avaneesh Arya


NAME AND ADDRESS OF LICENSED SURVEYOR (L.S)

B-106, Natraj Building,
Mulund Goregaon Link Road
Mulund (w), Mumbai - 4000 080


SIGNATURE

Shashikant Laxman Jadhav

WING - 1



50TH TYPICAL REFUGE FLOOR . (WING 1)
SCALE - 1:100



LINE AREA DIA. FOR 50TH REFUGE FLOOR . (WING 1)
SCALE - 1:100

BUILT UP AREA CALCULATION

TYPICAL FLOOR						
A	40.03	X	42.93	X 1 NO	=	2612.29 SQ.MT.
			TOTAL ADDITION		=	2612.29 SQ.MT. Y1
DEDUCTIONS						
1	9.50	X	1.45	X 1 NO	=	13.78 SQ.MT.
2	3.97	X	3.97	X 2 NOS	=	24.36 SQ.MT.
3	0.65	X	1.75	X 1 NO	=	1.11 SQ.MT.
4	3.90	X	5.25	X 1 NO	=	16.82 SQ.MT.
5	1.63	X	1.25	X 1 NO	=	4.67 SQ.MT.
6	7.55	X	0.45	X 1 NO	=	3.28 SQ.MT.
7	4.90	X	2.80	X 1 NO	=	11.06 SQ.MT.
8	2.50	X	0.98	X 2 NOS	=	4.89 SQ.MT.
9	1.24	X	0.76	X 1 NO	=	0.97 SQ.MT.
10	0.53	X	0.60	X 1 NO	=	0.28 SQ.MT.
11	8.55	X	4.75	X 1 NO	=	1.76 SQ.MT.
12	0.75	X	5.45	X 1 NO	=	03.96 SQ.MT.
13	16.07	X	4.25	X 2 NOS	=	141.79 SQ.MT.
14	13.41	X	5.71	X 1 NO	=	185.11 SQ.MT.
15	4.00	X	2.86	X 1 NO	=	10.13 SQ.MT.
16	3.88	X	0.98	X 2 NOS	=	6.21 SQ.MT.
17	0.50	X	0.70	X 2 NOS	=	0.62 SQ.MT.
18	3.67	X	0.88	X 2 NOS	=	6.19 SQ.MT.
19	4.90	X	2.80	X 1 NO	=	03.19 SQ.MT.
20	17.95	X	6.15	X 2 NOS	=	220.53 SQ.MT.
21	16.05	X	4.25	X 2 NOS	=	141.78 SQ.MT.
22	18.70	X	5.45	X 1 NO	=	101.54 SQ.MT.
23	0.58	X	4.75	X 1 NO	=	1.68 SQ.MT.
24	4.00	X	2.68	X 1 NO	=	11.06 SQ.MT.
25	1.24	X	0.76	X 1 NO	=	0.97 SQ.MT.
26	0.53	X	0.60	X 1 NO	=	0.28 SQ.MT.
27	7.55	X	0.45	X 1 NO	=	3.28 SQ.MT.
28	3.85	X	1.25	X 1 NO	=	0.68 SQ.MT.
29	4.05	X	0.35	X 1 NO	=	1.63 SQ.MT.
30	4.05	X	1.82	X 1 NO	=	0.97 SQ.MT.
31	0.55	X	1.75	X 1 NO	=	0.68 SQ.MT.
32	4.40	X	1.82	X 1 NO	=	8.01 SQ.MT.
33	0.63	X	1.75	X 1 NO	=	1.11 SQ.MT.
34	9.80	X	1.45	X 1 NO	=	14.78 SQ.MT.
35	3.68	X	3.28	X 2 NOS	=	23.55 SQ.MT.
36	1.53	X	1.88	X 2 NOS	=	11.54 SQ.MT.
37	0.13	X	0.05	X 2 NOS	=	0.26 SQ.MT.
38	0.13	X	0.43	X 1 NOS	=	0.56 SQ.MT.
39	3.80	X	1.87	X 1 NO	=	7.10 SQ.MT.
40	1.60	X	2.90	X 1 NO	=	4.64 SQ.MT.
41	8.63	X	1.87	X 1 NO	=	9.07 SQ.MT.
42	1.68	X	0.45	X 2 NOS	=	1.51 SQ.MT.
43	4.68	X	2.68	X 1 NO	=	11.09 SQ.MT.
44	2.50	X	0.98	X 1 NO	=	2.45 SQ.MT.
45	1.24	X	0.76	X 1 NO	=	0.97 SQ.MT.
46	0.53	X	0.53	X 1 NO	=	0.17 SQ.MT.
47	0.75	X	5.57	X 1 NO	=	1.32 SQ.MT.
48	16.70	X	5.40	X 1 NO	=	97.91 SQ.MT.
49	4.90	X	2.80	X 1 NO	=	03.19 SQ.MT.
50	4.90	X	2.80	X 1 NO	=	03.19 SQ.MT.
51	17.95	X	6.15	X 1 NO	=	107.17 SQ.MT.
52	16.55	X	5.40	X 1 NO	=	97.91 SQ.MT.
53	3.88	X	1.88	X 1 NO	=	5.85 SQ.MT.
54	1.53	X	1.88	X 1 NO	=	5.43 SQ.MT.
55	0.75	X	0.79	X 1 NO	=	1.19 SQ.MT.
56	0.93	X	0.93	X 1 NO	=	0.17 SQ.MT.
57	1.24	X	0.76	X 1 NO	=	0.97 SQ.MT.
58	2.50	X	0.98	X 1 NO	=	2.45 SQ.MT.
59	4.68	X	2.68	X 1 NO	=	11.06 SQ.MT.
60	5.82	X	1.88	X 1 NO	=	5.11 SQ.MT.
61	0.63	X	0.75	X 1 NO	=	1.63 SQ.MT.
62	4.50	X	1.85	X 1 NO	=	9.03 SQ.MT.
63	0.55	X	1.38	X 1 NO	=	0.68 SQ.MT.
64	0.80	X	1.85	X 1 NO	=	0.89 SQ.MT.
			TOTAL DEDUCTION		=	1374.19 SQ.MT. Y2

REFUGE AREA CALCULATION

TYPICAL FLOOR						
R1	0.55	X	0.65	X 1 NO	=	0.36 SQ.MT.
R2	0.75	X	0.55	X 1 NO	=	0.27 SQ.MT.
R3	0.25	X	1.50	X 1 NO	=	0.75 SQ.MT.
R4	0.50	X	1.50	X 1 NO	=	0.41 SQ.MT.
R5	1.22	X	0.42	X 1 NO	=	0.51 SQ.MT.
R6	4.10	X	0.45	X 1 NO	=	1.85 SQ.MT.
R7	0.87	X	2.93	X 1 NO	=	12.66 SQ.MT.
R8	1.72	X	2.93	X 1 NO	=	3.96 SQ.MT.
R9	0.50	X	0.55	X 1 NO	=	0.66 SQ.MT.
R10	6.60	X	0.93	X 1 NO	=	1.10 SQ.MT.
R11	5.36	X	0.25	X 1 NO	=	1.34 SQ.MT.
R12	5.82	X	0.53	X 1 NO	=	2.66 SQ.MT.
R13	9.07	X	2.27	X 1 NO	=	20.66 SQ.MT.
R14	4.50	X	4.25	X 1 NO	=	18.47 SQ.MT.
R15	0.77	X	0.53	X 1 NO	=	0.20 SQ.MT.
R16	1.48	X	0.53	X 1 NO	=	27.86 SQ.MT.
R17	4.96	X	4.09	X 1 NO	=	19.90 SQ.MT.
R18	3.91	X	0.66	X 1 NO	=	18.49 SQ.MT.
R19	1.95	X	0.60	X 1 NO	=	2.69 SQ.MT.
TOTAL REFUGE AREA					=	148.34 SQ.MT. Y2
TOTAL BUILT UP AREA (A +Y1+Y2)					=	1087.81 SQ.MT. Y3

LIFT AREA CALCULATION

TYPICAL FLOOR						
L1	10.20	X	3.35	X 1 NO	=	34.17 SQ.MT.
L2	0.35	X	0.70	X 1 NO	=	0.11 SQ.MT.
L3	0.90	X	3.55	X 1 NO	=	32.17 SQ.MT.
L4	0.50	X	3.20	X 1 NO	=	0.86 SQ.MT.
L5	1.80	X	2.00	X 1 NO	=	8.85 SQ.MT.
L6	0.95	X	2.00	X 1 NO	=	8.06 SQ.MT.
TOTAL LIFT AREA PER FL. (TYPICAL FLOOR)					=	78.10 SQ.MT. Y4

STAIRCASE AREA CALCULATION

TYPICAL FLOOR						
ST1	7.46	X	4.75	X 1 NO	=	10.86 SQ.MT.
ST2	2.63	X	8.15	X 1 NO	=	8.39 SQ.MT.
ST3	6.83	X	4.75	X 1 NO	=	32.11 SQ.MT.
ST4	2.28	X	4.15	X 1 NO	=	8.34 SQ.MT.
TOTAL STAIRCASE AREA PER FL. (TYPICAL FLOOR)					=	67.89 SQ.MT. Y5

LIFT LOBBY AREA CALCULATION

TYPICAL FLOOR						
LL1	3.25	X	2.23	X 1 NO	=	7.87 SQ.MT.
LL2	3.50	X	0.42	X 1 NO	=	1.42 SQ.MT.
LL3	1.42	X	1.33	X 1 NO	=	1.70 SQ.MT.
LL4	5.75	X	2.53	X 1 NO	=	8.51 SQ.MT.
LL5	6.83	X	2.73	X 1 NO	=	18.65 SQ.MT.
LL6	2.90	X	3.17	X 1 NO	=	9.91 SQ.MT.
LL7	2.60	X	2.75	X 1 NO	=	7.01 SQ.MT.
LL8	2.75	X	2.03	X 1 NO	=	5.58 SQ.MT.
LL9	0.75	X	8.65	X 1 NO	=	6.30 SQ.MT.
LL10	2.40	X	8.65	X 1 NO	=	1.56 SQ.MT.
LL11	6.48	X	2.72	X 1 NO	=	17.62 SQ.MT.
LL12	3.97	X	1.72	X 1 NO	=	1.68 SQ.MT.
LL13	3.97	X	1.91	X 1 NO	=	3.66 SQ.MT.
LL14	1.43	X	1.20	X 1 NO	=	1.72 SQ.MT.
LL15	2.40	X	3.95	X 1 NO	=	13.45 SQ.MT.
LL16	0.75	X	8.65	X 1 NO	=	6.30 SQ.MT.
LL17	1.56	X	2.03	X 1 NO	=	4.61 SQ.MT.
TOTAL LIFT LOBBY AREA PER FL. (TYPICAL FLOOR)					=	106.48 SQ.MT. Y5

DUCT AREA CALCULATION

TYPICAL FLOOR						
D1	0.58	X	1.52	X 2 NOS	=	1.10 SQ.MT.
D2	1.52	X	0.30	X 2 NOS	=	0.91 SQ.MT.
D3	1.91	X	0.93	X 2 NOS	=	0.91 SQ.MT.
D4	6.48	X	8.65	X 1 NO	=	2.81 SQ.MT.
D5	6.48	X	8.65	X 1 NO	=	2.81 SQ.MT.
TOTAL DUCT AREA PER FL. (TYPICAL FLOOR)					=	8.82 SQ.MT. Y6
NET BUILT UP AREA (M - (Y3+Y4+Y5+Y6+Y7))					=	827.30 SQ.MT.
SECTION WISE AREA					=	53.34 SQ.MT.
RGA= REFUGE AREA					=	858.72 SQ.MT.

REFUGE AREA STATEMENT (WING-1)

REFUGE AREA AT 50th FLOOR	=	4% OF ABOVE MARTIABLE AREA	
		4% X 2700.10	
REFUGE REQUIRED	=	**113.15**	**SQ.MT.**
REFUGE PROVIDED	=	**119.34**	**SQ.MT.**
WITHIN 4.25 % REFUGE AREA NOT COUNTED IN FSI	=	119.34	SQ.MT.
EXCESS REFUGE AREA COUNTED IN FSI	=	31.34	SQ.MT.

PROFORMA -B 16 /20

CONTENTS OF SHEET

50TH REFUGE FLOOR PLAN, LINE AREA DIAGRAM, AREA CALCULATION, REFUGE AREA STATEMENT. (WING - 1)

STAMP AND DATE OF APPROVAL OF PLAN

STAMP AND DATE OF RECEIPT OF PLAN

FILE NO.
P1170120251124 AND OTHERS (CS WARD AK/H/E/140/S

NOTE:-
1) THIS DRAWING AREA & DESIGN IS EXCLUSIVE PROTECTED UNDER PROVISIONS OF COPYRIGHT ACT. 1957 UNDER SECTION 2(C) OF SEC. 2(C) AND UNDER SECTION 2(D) OF THE COPYRIGHT ACT. 1957 AND ANY VIOLATION WILL BE LEGALLY PURSUED & PUNISHED.
2) THIS IS DIGITALLY SIGNED & DATED.

PLAN FOR APPROVAL

SUNIT SURESH GHAVE 16/5/2025	Structural Consultant Date:	Architect

S.E.(B.P.D.-2) A.E.(B.P.D.WS) E.E.(B.P.D.WS) 'E' W-1

DESCRIPTION OF PROPOSAL & PROPERTY

PROPOSED DEVELOPMENT ON PROPERTY BEARING CTS NO. 124, 125,126,127, 127/1, 128, 146, 146/1, 146/2, 146/3, 146/4, 146/5,146/6, 146/7 OF VILLAGE AKURLI, R/S WARD, MUMBAI-400101.

NORTH	JOB. NO.	DRG. NO.	DRAWN BY
	24-25		Pranit
	SCALE	DATE	CHECKED BY
	1:100		Nimal

REVISIONS DESCRIPTION :
NIL

NAME AND ADDRESS OF DESIGN ARCHITECT

KAPADIA ASSOCIATES
DESIGN LLP, PAREL(E),
MUMBAI - 400012.


NAME OF THE OWNER — SIGNATURE

M/S. GODREJ PROPERTIES LIMITED


NAME AND ADDRESS OF LICENSED SURVEYOR (L.S) — SIGNATURE

B-106, Nirlraj Building,
Mulund Goregaon Link Road
Mulund (w), Mumbai - 400 080

WING - 4



15TH & 22ND TYPICAL REFUGE FLOOR PLAN. (WING- 4)
SCALE - 1:100



LINE AREA DIA. FOR 15TH & 22ND TYPICAL REFUGE FLOOR. (WING- 4)
SCALE - 1:100

BUILT UP AREA CALCULATION FOR 15TH & 22ND REFUGE TYPICAL FLOOR (WING-4)

BUILT UP AREA CALCULATION

TYPICAL FLOOR								
A	43.08	X	39.10	X	1 NO	=	1684.43	SQ.MT.
					TOTAL ADDITION	=	1684.43	SQ.MT. X

DEDUCTIONS								
1	8.58	X	8.45	X	1 NO	=	72.50	SQ.MT.
2	13.15	X	0.30	X	1 NO	=	3.95	SQ.MT.
3	9.95	X	8.45	X	1 NO	=	84.08	SQ.MT.
4	3.25	X	4.32	X	1 NO	=	14.04	SQ.MT.
5	3.65	X	3.60	X	1 NO	=	13.14	SQ.MT.
6	5.33	X	3.67	X	1 NO	=	19.56	SQ.MT.
7	2.03	X	1.58	X	1 NO	=	3.21	SQ.MT.
8	0.45	X	3.71	X	1 NO	=	1.67	SQ.MT.
9	3.68	X	2.45	X	1 NO	=	9.02	SQ.MT.
10	1.23	X	0.45	X	2 NOS	=	1.11	SQ.MT.
11	2.71	X	6.72	X	1 NO	=	18.21	SQ.MT.
12	5.65	X	1.50	X	1 NO	=	8.48	SQ.MT.
13	0.75	X	1.38	X	2 NOS	=	2.07	SQ.MT.
14	3.25	X	4.33	X	1 NO	=	14.07	SQ.MT.
15	3.65	X	3.60	X	1 NO	=	13.14	SQ.MT.
16	5.33	X	3.68	X	1 NO	=	19.61	SQ.MT.
17	2.03	X	1.58	X	1 NO	=	3.21	SQ.MT.
18	0.45	X	3.71	X	1 NO	=	1.67	SQ.MT.
19	3.68	X	2.78	X	1 NO	=	10.23	SQ.MT.
20	1.08	X	0.45	X	1 NO	=	0.49	SQ.MT.
21	4.56	X	3.60	X	1 NO	=	16.42	SQ.MT.
22	1.15	X	2.98	X	1 NO	=	3.43	SQ.MT.
23	9.88	X	6.78	X	1 NO	=	66.99	SQ.MT.
24	11.70	X	2.27	X	1 NO	=	26.56	SQ.MT.
25	3.60	X	0.60	X	1 NO	=	2.16	SQ.MT.
26	13.15	X	0.90	X	1 NO	=	11.84	SQ.MT.
27	3.60	X	0.60	X	1 NO	=	2.16	SQ.MT.
28	10.33	X	2.27	X	1 NO	=	23.45	SQ.MT.
29	8.50	X	6.78	X	1 NO	=	57.63	SQ.MT.
30	1.08	X	0.45	X	1 NO	=	0.49	SQ.MT.
31	0.87	X	2.45	X	1 NO	=	2.13	SQ.MT.
32	2.65	X	3.55	X	1 NO	=	9.41	SQ.MT.
33	1.45	X	9.15	X	1 NO	=	13.27	SQ.MT.
34	0.45	X	3.68	X	1 NO	=	1.66	SQ.MT.
35	2.47	X	5.23	X	1 NO	=	12.92	SQ.MT.
36	0.49	X	1.22	X	1 NO	=	0.60	SQ.MT.
37	1.50	X	1.51	X	1 NO	=	2.27	SQ.MT.
38	5.58	X	0.81	X	1 NO	=	4.52	SQ.MT.
39	1.23	X	3.25	X	2 NOS	=	8.00	SQ.MT.
40	0.50	X	3.05	X	1 NO	=	1.53	SQ.MT.
41	0.22	X	6.80	X	1 NO	=	1.50	SQ.MT.
42	0.50	X	3.05	X	1 NO	=	1.53	SQ.MT.
43	5.58	X	0.80	X	1 NO	=	4.46	SQ.MT.
44	1.50	X	1.50	X	1 NO	=	2.25	SQ.MT.
45	2.48	X	0.69	X	1 NO	=	1.71	SQ.MT.
46	4.98	X	0.69	X	1 NO	=	3.44	SQ.MT.
47	7.98	X	3.68	X	1 NO	=	29.37	SQ.MT.
48	0.49	X	2.07	X	1 NO	=	1.01	SQ.MT.
49	1.98	X	0.85	X	1 NO	=	1.68	SQ.MT.
50	5.80	X	2.13	X	1 NO	=	12.35	SQ.MT.
51	0.82	X	1.59	X	1 NO	=	1.30	SQ.MT.
52	1.87	X	0.05	X	1 NO	=	0.09	SQ.MT.
					TOTAL DEDUCTION	=	641.59	SQ.MT. Y1

REFUGE AREA CALCULATION

TYPICAL FLOOR								
R1	3.88	X	2.00	X	1 NO	=	7.76	SQ.MT.
R2	3.45	X	2.33	X	1 NO	=	8.04	SQ.MT.
R3	3.55	X	2.15	X	1 NO	=	7.63	SQ.MT.
R4	0.88	X	2.33	X	1 NO	=	2.05	SQ.MT.
R5	9.60	X	0.45	X	1 NO	=	4.32	SQ.MT.
R6	0.45	X	0.70	X	2 NOS	=	0.63	SQ.MT.
R7	24.70	X	6.78	X	1 NO	=	167.47	SQ.MT.
R8	3.90	X	1.68	X	2 NOS	=	12.10	SQ.MT.
R9	0.35	X	2.27	X	1 NO	=	0.79	SQ.MT.
R10	13.15	X	1.37	X	1 NO	=	18.02	SQ.MT.
R11	0.35	X	2.27	X	1 NO	=	0.79	SQ.MT.
TOTAL REFUGE AREA						=	229.80	SQ.MT. Y2
TOTAL BUILT UP AREA [X - (Y1+Y2)]						=	813.24	SQ.MT. X1

LIFT AREA CALCULATION

TYPICAL FLOOR								
L1	2.85	X	3.33	X	1 NO	=	9.49	SQ.MT.
L2	9.55	X	1.00	X	1 NO	=	28.65	SQ.MT.
L3	0.30	X	2.85	X	1 NO	=	0.86	SQ.MT.
L4	3.75	X	3.72	X	1 NO	=	13.95	SQ.MT.
L5	3.55	X	2.98	X	1 NO	=	10.58	SQ.MT.
L6	3.40	X	0.15	X	1 NO	=	0.51	SQ.MT.
L7	3.70	X	6.73	X	1 NO	=	24.90	SQ.MT.
L8	3.55	X	0.17	X	1 NO	=	0.60	SQ.MT.
TOTAL LIFT AREA PER FL. (TYPICAL FLOOR)						=	89.54	SQ.MT. Y3

STAIRCASE AREA CALCULATION

TYPICAL FLOOR								
ST1	4.85	X	6.90	X	1 NO	=	33.47	SQ.MT.
ST2	0.97	X	0.15	X	1 NO	=	0.15	SQ.MT.
ST3	0.70	X	3.10	X	1 NO	=	2.17	SQ.MT.
ST4	4.55	X	7.05	X	1 NO	=	32.08	SQ.MT.
ST5	0.70	X	3.10	X	1 NO	=	2.17	SQ.MT.
ST6	0.20	X	1.15	X	1 NO	=	0.23	SQ.MT.
TOTAL STAIRCASE AREA PER FL. (TYPICAL FLOOR)						=	70.27	SQ.MT. Y4


LIFT LOBBY AREA CALCULATION

TYPICAL FLOOR								
LL1	3.30	X	0.50	X	1 NO	=	1.65	SQ.MT.
LL2	2.80	X	3.12	X	1 NO	=	8.74	SQ.MT.
LL3	2.60	X	3.10	X	1 NO	=	8.06	SQ.MT.
LL4	1.45	X	2.95	X	1 NO	=	4.28	SQ.MT.
LL5	16.25	X	2.60	X	1 NO	=	42.25	SQ.MT.
LL6	1.15	X	0.15	X	1 NO	=	0.17	SQ.MT.
LL7	2.71	X	2.92	X	1 NO	=	7.91	SQ.MT.
LL8	2.60	X	3.10	X	1 NO	=	8.06	SQ.MT.
LL9	2.80	X	3.63	X	1 NO	=	10.16	SQ.MT.
LL10	0.50	X	0.50	X	1 NO	=	0.25	SQ.MT.
LL11	2.85	X	2.57	X	1 NO	=	7.32	SQ.MT.
LL12	0.78	X	0.05	X	1 NO	=	0.04	SQ.MT.
TOTAL LIFT LOBBY AREA PER FL. (TYPICAL FLOOR)						=	98.89	SQ.MT. Y5


DUCT AREA CALCULATION

TYPICAL FLOOR								
D1	0.20	X	1.05	X	1 NO	=	0.21	SQ.MT.
D2	0.20	X	1.05	X	1 NO	=	0.21	SQ.MT.
DD	0.45	X	3.12	X	1 NO	=	1.40	SQ.MT.
FD	0.45	X	3.13	X	1 NO	=	1.41	SQ.MT.
TOTAL DUCT AREA PER FL. (TYPICAL FLOOR)						=	3.23	SQ.MT. Y6
NET BUILT UP AREA [X1 - (Y3+Y4+Y5+Y6)]						=	551.31	SQ.MT.
EXCESS REFUGE AREA						=	7.07	SQ.MT.
RGA= REFUGE AREA						=	558.38	SQ.MT.

REFUGE AREA STATEMENT (WING-4)		
REFUGE AREA AT 15TH & 22ND FLOOR	=	4% OF ABOVE HABITABLE AREA
	=	4% X 5236.11
REFUGE REQUIRED	=	209.44 SQ.MT.
REFUGE PROVIDED	=	229.60 SQ.MT.
WITHIN 4.25 % REFUGE AREA NOT COUNTED IN FSI	=	222.53 SQ.MT.
EXCESS REFUGE AREA COUNTED IN FSI	=	7.07 SQ.MT.



9th TO 14th, 16th TO 21st, 23rd TO 28th TYPICAL FLOOR. (WING- 4)
SCALE - 1:100



LINE AREA DIA. FOR 9th TO 14th, 16th TO 21st, 23rd TO 28th TYPICAL FLOOR. (WING- 4)
SCALE - 1:100

BUILT UP AREA CALCULATION FOR 9TH TO 14TH, 16TH TO 21ST, 23RD TO 28TH TYPICAL FLOOR (WING-4)

TYPICAL FLOOR								
A	43.08	X	39.10	X	1 NO	=	1684.43	SQ.MT.
					TOTAL ADDITION	=	1684.43	SQ.MT. X

DEDUCTIONS								
1	8.58	X	8.45	X	1 NO	=	72.50	SQ.MT.
2	13.15	X	0.30	X	1 NO	=	3.95	SQ.MT.
3	9.95	X	8.45	X	1 NO	=	84.08	SQ.MT.
4	3.25	X	4.32	X	1 NO	=	14.04	SQ.MT.
5	3.65	X	3.60	X	1 NO	=	13.14	SQ.MT.
6	5.33	X	3.67	X	1 NO	=	19.56	SQ.MT.
7	2.03	X	1.58	X	1 NO	=	3.21	SQ.MT.
8	0.45	X	3.71	X	1 NO	=	1.67	SQ.MT.
9	3.68	X	2.45	X	1 NO	=	9.02	SQ.MT.
10	1.23	X	0.45	X	2 NOS	=	1.11	SQ.MT.
11	2.71	X	6.72	X	1 NO	=	18.21	SQ.MT.
12	5.68	X	1.50	X	1 NO	=	8.52	SQ.MT.
13	0.75	X	1.38	X	2 NOS	=	2.07	SQ.MT.
14	3.25	X	4.33	X	1 NO	=	14.07	SQ.MT.
15	3.65	X	3.60	X	1 NO	=	13.14	SQ.MT.
16	5.33	X	3.68	X	1 NO	=	19.61	SQ.MT.
17	2.03	X	1.58	X	1 NO	=	3.21	SQ.MT.
18	0.45	X	3.71	X	1 NO	=	1.67	SQ.MT.
19	3.68	X	2.78	X	1 NO	=	10.23	SQ.MT.
20	1.08	X	0.45	X	1 NO	=	0.49	SQ.MT.
21	4.56	X	3.60	X	1 NO	=	16.42	SQ.MT.
22	1.15	X	2.98	X	1 NO	=	3.43	SQ.MT.
23	10.33	X	2.27	X	1 NO	=	23.45	SQ.MT.
24	11.70	X	2.27	X	1 NO	=	26.56	SQ.MT.
25	3.60	X	0.60	X	1 NO	=	2.16	SQ.MT.
26	13.15	X	0.90	X	1 NO	=	11.84	SQ.MT.
27	3.60	X	0.60	X	1 NO	=	2.16	SQ.MT.
28	10.33	X	2.27	X	1 NO	=	23.45	SQ.MT.
29	8.50	X	6.78	X	1 NO	=	57.63	SQ.MT.
30	1.08	X	0.45	X	1 NO	=	0.49	SQ.MT.
31	0.87	X	2.45	X	1 NO	=	2.13	SQ.MT.
32	2.65	X	3.55	X	1 NO	=	9.41	SQ.MT.
33	1.45	X	9.15	X	1 NO	=	13.27	SQ.MT.
34	0.45	X	3.68	X	1 NO	=	1.66	SQ.MT.
35	2.47	X	5.23	X	1 NO	=	12.92	SQ.MT.
36	0.49	X	1.22	X	1 NO	=	0.60	SQ.MT.
37	1.50	X	1.51	X	1 NO	=	2.27	SQ.MT.
38	5.58	X	0.81	X	1 NO	=	4.52	SQ.MT.
39	1.23	X	3.25	X	2 NOS	=	8.00	SQ.MT.
40	0.50	X	3.05	X	1 NO	=	1.53	SQ.MT.
41	0.22	X	6.80	X	1 NO	=	1.50	SQ.MT.
42	0.50	X	3.05	X	1 NO	=	1.53	SQ.MT.
43	5.58	X	0.80	X	1 NO	=	4.46	SQ.MT.
44	1.50	X	1.50	X	1 NO	=	2.25	SQ.MT.
45	2.48	X	0.69	X	1 NO	=	1.71	SQ.MT.
46	4.98	X	0.69	X	1 NO	=	3.44	SQ.MT.
47	8.00	X	3.68	X	1 NO	=	29.44	SQ.MT.
48	0.49	X	2.07	X	1 NO	=	1.01	SQ.MT.
49	1.98	X	0.85	X	1 NO	=	1.68	SQ.MT.
50	5.80	X	2.13	X	1 NO	=	12.35	SQ.MT.
51	0.82	X	1.59	X	1 NO	=	1.30	SQ.MT.
52	1.87	X	0.05	X	1 NO	=	0.09	SQ.MT.
					TOTAL DEDUCTION	=	641.30	SQ.MT. Y1
TOTAL BUILT UP AREA [X - Y1]						=	1042.73	SQ.MT. X1

LIFT AREA CALCULATION

TYPICAL FLOOR								
L1	2.85	X	3.33	X	1 NO	=	9.49	SQ.MT.
L2	9.55	X	1.00	X	1 NO	=	28.65	SQ.MT.
L3	0.30	X	2.85	X	1 NO	=	0.86	SQ.MT.
L4	3.75	X	3.72	X	1 NO	=	13.95	SQ.MT.
L5	3.55	X	2.98	X	1 NO	=	10.58	SQ.MT.
L6	3.40	X	0.15	X	1 NO	=	0.51	SQ.MT.
L7	3.70	X	6.73	X	1 NO	=	24.90	SQ.MT.
L8	3.55	X	0.17	X	1 NO	=	0.60	SQ.MT.
TOTAL LIFT AREA PER FL. (TYPICAL FLOOR)						=	89.54	SQ.MT. Y2

STAIRCASE AREA CALCULATION

TYPICAL FLOOR								
ST1	4.85	X	6.90	X	1 NO	=	33.47	SQ.MT.
ST2	0.97	X	0.15	X	1 NO	=	0.15	SQ.MT.
ST3	0.70	X	3.10	X	1 NO	=	2.17	SQ.MT.
ST4	4.55	X	7.05	X	1 NO	=	32.08	SQ.MT.
ST5	0.70	X	3.10	X	1 NO	=	2.17	SQ.MT.
ST6	0.20	X	1.15	X	1 NO	=	0.23	SQ.MT.
TOTAL STAIRCASE AREA PER FL. (TYPICAL FLOOR)						=	70.27	SQ.MT. Y3

LIFT LOBBY AREA CALCULATION

TYPICAL FLOOR								
LL1	3.30	X	0.50	X	1 NO	=	1.65	SQ.MT.
LL2	2.80	X	3.12	X	1 NO	=	8.74	SQ.MT.
LL3	2.60	X	3.10	X	1 NO	=	8.06	SQ.MT.
LL4	1.45	X	2.95	X	1 NO	=	4.28	SQ.MT.
LL5	16.25	X	2.60	X	1 NO	=	42.25	SQ.MT.
LL6	1.15	X	0.15	X	1 NO	=	0.17	SQ.MT.
LL7	2.71	X	2.92	X	1 NO	=	7.91	SQ.MT.
LL8	2.60	X	3.10	X	1 NO	=	8.06	SQ.MT.
LL9	2.80	X	3.63	X	1 NO	=	10.16	SQ.MT.
LL10	0.50	X	0.50	X	1 NO	=	0.25	SQ.MT.
LL11	2.85	X	2.57	X	1 NO	=	7.32	SQ.MT.
LL12	0.78	X	0.05	X	1 NO	=	0.04	SQ.MT.
TOTAL LIFT LOBBY AREA PER FL. (TYPICAL FLOOR)						=	98.89	SQ.MT. Y4

DUCT AREA CALCULATION

TYPICAL FLOOR								
D1	0.20	X	1.05	X	1 NO	=	0.21	SQ.MT.
D2	0.20	X	1.05	X	1 NO	=	0.21	SQ.MT.
DD	0.45	X	3.12	X	1 NO	=	1.40	SQ.MT.
FD	0.45	X	3.13	X	1 NO	=	1.41	SQ.MT.
TOTAL DUCT AREA PER FL. (TYPICAL FLOOR)						=	3.23	SQ.MT. Y5
NET BUILT UP AREA [X1 - (Y2+Y3+Y4+Y5)]						=	780.00	SQ.MT.

PROFORMA -B | 17/26

CONTENTS OF SHEET

9TH TO 14TH, 16TH TO 21ST, 23RD TO 28TH TYPICAL FLOOR. 15TH & 22ND TYPICAL REFUGE FLOOR PLAN, LINE AREA DIAGRAM, AREA CALCULATION, REFUGE AREA STATEMENT. (WING - 4)

STAMP AND DATE OF RECEIPT OF PLAN

FILE NO.
P-17708/2023/124 AND OTHER/R/S WARD/AKURLI-R/S

NOTE:-
1) THIS DRAWING SHALL BE READ IN CONJUCNTION WITH INTIMATION OF DISAPPROVAL ISSUED UNDER SECTION 346 OF MMC ACT 1888 UNDER NO.P-17708/2023/124 AND OTHER/R/S WARD/AKURLI-R/S NEW SIGNED ON HYEN DATE.
2) THIS IS DIGITALLY SIGNED & ISSUED.

PLAN FOR APPROVAL

ROHIT SURESHCHAND WA SONAR	Shivshant Sudhakarrao Doke	HANUMANT SADASHIVRAO BURE
S.E.B.(P/R-2)	A.E.B.(P/R/S)	E.E.(B.P.)/WS-II 'R'-1

DESCRIPTION OF PROPOSAL & PROPERTY

PROPOSED DEVELOPMENT ON PROPERTY BEARING CTS NO. 124, 125,126,127, 127/1, 128, 146, 146/1, 146/2, 146/3, 146/4, 146/5,146/6, 146/7 OF VILLAGE AKURLI , R/S WARD, MUMBAI-400101.

NORTH	JOB. NO.	DRG. NO.	DRAWN BY
	573	17/26	Prachi
	SCALE	DATE	CHECKED BY
	1:100	-	Nimad
REVISIONS	DESCRIPTION :		
R-0			

NAME AND ADDRESS OF DESIGN ARCHITECT

KAPADIA ASSOCIATES
DESIGN LLP, PAREL(E),
MUMBAI - 400012.

NAME OF THE OWNER	SIGNATURE
M/S. GODREJ PROPERTIES LIMITED	Avane. esh Arya

NAME AND ADDRESS OF LICENSED SURVEYOR (L.S) | SIGNATURE

STAIRCASE ASSOCIATES CONSULTANTS
B-106, Natraj Building, Mulund Goregaon Link Road Mulund (w), Mumbai.: 4000 080
Shashik ant Laxman Jadhav