

AMENITY SPACE KEY PLAN
SCALE 1:1000

OPEN SPACE KEY PLAN
SCALE 1:1000

OPEN SAPCE AREA STATEMENT

ADDITIONS							
1	0.50	X	36.18	X	4.70	=	84.72 SQ.M
2	0.50	X	40.53	X	6.79	=	137.62 SQ.M
3	0.50	X	62.32	X	6.39	=	199.11 SQ.M
4	0.50	X	78.78	X	5.53	=	217.83 SQ.M
5	0.50	X	90.28	X	3.34	=	150.77 SQ.M
6	0.50	X	115.15	X	30.25	=	1741.64 SQ.M
7	0.50	X	42.67	X	12.72	=	271.36 SQ.M
8	0.50	X	32.87	X	14.06	=	231.06 SQ.M
9	0.50	X	115.15	X	19.43	=	1118.68 SQ.M
10	0.50	X	98.90	X	22.51	=	1113.12 SQ.M
11	0.50	X	87.90	X	6.246	=	274.51 SQ.M
12	0.50	X	81.02	X	13.50	=	546.76 SQ.M
13	0.50	X	77.83	X	33.29	=	1295.46 SQ.M
14	0.50	X	77.83	X	12.42	=	483.32 SQ.M
15	0.67	X	9.48	X	1.35	=	8.53 SQ.M
	TOTAL					=	7855.96 SQ.M
DEDUCTION							
16	0.67	X	18.73	X	2.62	=	32.72 SQ.M
	TOTAL		-			=	7823.64 SQ.M

7822.64 SQ.M

AMENITY SPACE KEY PLAN
SCALE 1:1000

AMENITY SAPCE AREA STATEMENT

ADDITIONS							
1	0.50	X	36.18	X	4.70	=	84.72 SQ.M
2	0.50	X	40.53	X	6.79	=	137.62 SQ.M
3	0.50	X	62.32	X	6.39	=	199.11 SQ.M
4	0.50	X	78.78	X	5.53	=	217.83 SQ.M
5	0.50	X	90.28	X	3.34	=	150.77 SQ.M
6	0.50	X	115.15	X	30.25	=	1741.64 SQ.M
7	0.50	X	42.67	X	12.72	=	271.36 SQ.M
8	0.50	X	32.87	X	14.06	=	231.06 SQ.M
9	0.50	X	115.15	X	19.43	=	1118.68 SQ.M
10	0.50	X	98.90	X	22.51	=	1113.12 SQ.M
11	0.50	X	87.90	X	6.246	=	274.51 SQ.M
12	0.50	X	81.02	X	13.50	=	546.76 SQ.M
13	0.50	X	77.83	X	33.29	=	1295.46 SQ.M
14	0.50	X	77.83	X	12.42	=	483.32 SQ.M
15	0.67	X	9.48	X	1.35	=	8.53 SQ.M
	TOTAL					=	7855.96 SQ.M
DEDUCTION							
16	0.67	X	18.73	X	2.62	=	32.72 SQ.M
	TOTAL		-			=	7823.64 SQ.M



SITE SECTION A-A



F.S.I. STATEMENT FOR TOWER 'A' (P1+P2+21 ST FLOOR)

SR. NO.	FLOORS	FSI AREA (SQ.M.)	PERMISSIBLE BALCONY (SQ.M.)	PROPOSED BALCONY (SQ.M.)	FIRE LIFT (SQ.M.)	FIRE LIFT MACHINE ROOM (SQ.M.)	LIFT (SQ.M.)	LIFT MACHINE ROOM (SQ.M.)	FIRE STAIRCASE (SQ.M.)	STAIRCASE (SQ.M.)	LOBBY/ PASSAGE (SQ.M.)	20% PERMISSIBLE TERRACE (SQ.M.)	TERRACE (SQ.M.)	REFUGE (SQ.M.)	TENEMENT
1	FIRST	467.60	70.14	70.10						17.08	17.08	84.41	83.52	76.50	8
2	SECOND	467.60	70.14	72.10						17.08	17.08	84.41	83.52	82.60	8
3	THIRD	467.60	70.14	72.10						17.08	17.08	84.41	83.52	82.60	8
4	FOURTH	467.60	70.14	72.10						17.08	17.08	84.41	83.52	88.40	8
5	FIFTH	467.60	70.14	72.10						17.08	17.08	84.41	83.52	76.50	8
6	SIXTH	467.60	70.14	72.10						17.08	17.08	84.41	83.52	88.40	8
7	SEVENTH (REFUGE)	468.63	70.29	70.10						17.08	17.08	86.33	83.72	76.50	24.18	8
8	EIGHTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
9	NINTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	76.50	8
10	TENTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
11	ELEVENTH	467.60	70.14	70.10	3.90	16.18	9.95	31.63		17.08	17.08	84.41	83.52	76.50	8
12	TWELFTH (REFUGE)	468.62	70.29	70.10						17.08	17.08	86.33	83.72	76.50	24.18	8
13	THIRTEENTH (REFUGE)	554.69	83.80	83.91						17.08	17.08	84.41	83.52	76.50	24.18	9
14	FOURTEENTH	555.67	83.38	83.91						17.08	17.08	84.41	83.52	88.60	9
15	FIFTEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	9
16	SIXTEEN	555.67	83.38	83.98						17.08	17.08	84.41	83.52	88.60	9
17	SEVENTEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	9
18	EIGHTEEN (REFUGE)	554.81	83.79	83.98						17.08	17.08	84.41	83.52	76.50	24.18	9
19	NINETEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	88.60	9
20	TWENTY	555.67	83.38	83.98						17.08	17.08	84.41	83.52	76.50	9
21	TWENTY ONE	555.04	83.38	83.91						17.08	17.08	84.41	83.52	88.60	9
22	TOTAL	11682.27	1752.34	1764.27	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	1764.53	1749.50	72.54	168

TAKEN IN FSI =FSI+LIFT+LMR+SAIRCASE+LOBBY/PASSAGE =11682.27+9.95+31.63+358.68+1778.37 =13901.29 SQ.M.

F.S.I. STATEMENT FOR TOWER 'B' (P1+P2+21 ST FLOOR)

SR.NO.	FLOORS	FSI AREA (SQ.M.)	PERMISSIBLE BALCONY (SQ.M.)	PROPOSED BALCONY (SQ.M.)	FIRE LIFT (SQ.M.)	FIRE LIFT MACHINE ROOM (SQ.M.)	LIFT (SQ.M.)	LIFT MACHINE ROOM (SQ.M.)	FIRE STAIRCASE (SQ.M.)	STAIRCASE (SQ.M.)	LOBBY/ PASSAGE (SQ.M.)	20% PERMISSIBLE TERRACE (SQ.M.)	TERRACE (SQ.M.)	REFUGE (SQ.M.)	TENEMENT
1	FIRST	555.04	83.35	83.91						17.08	17.08	84.41	83.52	76.50	8
2	SECOND	555.67	83.38	87.98						17.08	17.08	84.41	83.52	88.60	8
3	THIRD	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	8
4	FOURTH	555.67	83.38	83.98						17.08	17.08	84.41	83.52	88.60	8
5	FIFTH	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	8
6	SIXTH	555.67	83.38	83.98						17.08	17.08	84.41	83.52	88.60	8
7	SEVENTH	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	8
8	EIGHTH (REFUGE)	554.81	83.79	83.98						17.08	17.08	84.41	83.52	76.50	24.18	8
9	NINTH	555.04	83.38	83.91						17.08	17.08	84.41	83.52	88.60	8
10	TENTH	555.67	83.38	83.98						17.08	17.08	84.41	83.52	76.50	8
11	ELEVENTH	555.04	83.38	83.91	3.90	16.18	9.95	31.63		17.08	17.08	84.41	83.52	88.60	8
12	TWELFTH	555.67	83.38	83.98						17.08	17.08	84.41	83.52	76.50	8
13	THIRTEENTH (REFUGE)	554.69	83.80	83.91						17.08	17.08	84.41	83.52	76.50	24.18	9
14	FOURTEENTH	555.67	83.38	83.98						17.08	17.08	84.41	83.52	88.60	9
15	FIFTEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	9
16	SIXTEEN	555.67	83.38	83.98						17.08	17.08	84.41	83.52	88.60	9
17	SEVENTEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	9
18	EIGHTEEN (REFUGE)	554.81	83.79	83.98						17.08	17.08	84.41	83.52	76.50	24.18	9
19	NINETEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	88.60	9
20	TWENTY	555.67	83.38	83.98						17.08	17.08	84.41	83.52	76.50	9
21	TWENTY ONE	555.04	83.38	83.91						17.08	17.08	84.41	83.52	88.60	9
22	TOTAL	11682.27	1752.34	1764.27	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	1764.53	1749.50	72.54	168

TAKEN IN FSI =FSI+LIFT+LMR+SAIRCASE+LOBBY/PASSAGE =11682.27+9.95+31.63+358.68+1778.37 =13901.29 SQ.M.

TOTAL F.S.I. STATEMENT RESIDENATIAL (TOWER 'A+B+C+D')

SR.NO.	BUILDING	FLOOR /HEIGHT	FSI AREA (SQ.M.)	PERMISSIBLE BALCONY (SQ.M.)	PROPOSED BALCONY (SQ.M.)	FIRE LIFT (SQ.M.)	FIRE LIFT MACHINE ROOM (SQ.M.)	LIFT (SQ.M.)	LIFT MACHINE ROOM (SQ.M.)	FIRE STAIRCASE (SQ.M.)	STAIRCASE (SQ.M.)	LOBBY/ PASSAGE (SQ.M.)	TERRACE (SQ.M.)	REFUGE (SQ.M.)	TENEMENT
1	TOWER A	P1+P2+21 HT. 69.95M.	9822.66	1473.40	1472.10	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	1749.50	72.54	168
2	TOWER B	P1+P2+21ST HT. 69.95M.	11682.27	1752.33	1750.21	3.90	16.18	9.95	31.63	358.68	----	----	1749.50	72.54	168
3	TOWER C	P1+P2+21 HT. 69.95M.	9822.66	1473.40	1472.10	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	1749.50	72.54	168
4	TOWER D	P1+P2+21 HT. 69.95M.	9822.66	1473.40	1472.10	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	1749.50	72.54	168
	TOTAL		41150.25	6172.53	6166.51	15.60	64.72	39.80	126.52	1434.72	1076.04	5335.11	6998.00	290.16	672

TAKEN IN FSI = FSI+LIFT+LMR+SAIRCASE+LOBBY/PASSAGE = 41150.25 + 39.80 + 126.52 + 1076.04 + 5335.11 = 47727.72 SQ.M.

TOTAL F.S.I. STATEMENT RESIDENATIAL (TOWER 'A+B+C+D')+COMMERCIAL+CLUBHOUSE

SR.NO.	BUILDING	FLOOR /HEIGHT	FSI AREA (SQ.M.)	PERMISSIBLE BALCONY (SQ.M.)	PROPOSED BALCONY (SQ.M.)	FIRE LIFT (SQ.M.)	FIRE LIFT MACHINE ROOM (SQ.M.)	LIFT (SQ.M.)	LIFT MACHINE ROOM (SQ.M.)	FIRE STAIRCASE (SQ.M.)	STAIRCASE (SQ.M.)	LOBBY/ PASSAGE (SQ.M.)	ARMUN (SQ.M.)	TERRACE (SQ.M.)	REFUGE (SQ.M.)	TENEMENT
1	TOWER A	P1+P2+21 HT. 69.95M.	9822.66	1473.40	1472.10	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	----	1749.50	72.54	168
2	TOWER B	P1+P2+21ST HT. 69.95M.	11682.27	1752.33	1750.21	3.90	16.18	9.95	31.63	358.68	----	----	----	1748.50	72.54	168
3	TOWER C	P1+P2+21 HT. 69.95M.	9822.66	1473.40	1472.10	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	----	1749.50	72.54	168
4	TOWER D	P1+P2+21 HT. 69.95M.	9822.66	1473.40	1472.10	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	----	1749.50	72.54	168
5	CLUBHOUSE	G/PODIUM+FIRST HT. 7.00M.	403.04	69.46	69.45	----	----	----	----	----	----	----	----	----	----	----
	TOTAL		41613.29	6241.39	6235.96	15.60	64.72	39.80	126.52	1434.72	1076.04	5335.11	----	6998.00	290.16	672
TAKEN IN FSI = FSI+LIFT+LMR+SAIRCASE+LOBBY/PASSAGE = 41613.29+39.80+126.52+1076.04+5335.11= 48190.76																
6	TOWER A,B,C,D & CLUB HOUSE		----	48190.76	6241.39	6235.96	15.60	64.72	----	-	1434.72	----	-	----	6998.00	290.16	672
7	COMMERCIAL	B2+B1+GF+1 ST TO 7TH FL	7770.81	1165.62	----	3.80	----	26.71	----	215.56	584.12	-	42.53	----	----	----
GRAND TOTAL		-	55961.57	7407.61	6235.96	19.40	64.72	26.71	----	1650.28	584.12	-	42.53	6998.00	290.16	672

SECURITY'S CABIN & DRIVER ROOM NOT TO BE COUNTED IN F.S.I		
DRIVER'S ROOM	=	12.11 SQ.M
SECURITY'S CABIN-1	=	5.00 SQ.M
SECURITY'S CABIN-2	=	19.61 SQ.M
TOTAL	=	36.68 SQ.M

F.S.I. STATEMENT FOR TOWER 'C' (P1+P2+21 ST FLOOR)

SR.NO.	FLOORS	FSI AREA (SQ.M.)	PERMISSIBLE BALCONY (SQ.M.)	PROPOSED BALCONY (SQ.M.)	FIRE LIFT (SQ.M.)	FIRE LIFT MACHINE ROOM (SQ.M.)	LIFT (SQ.M.)	LIFT MACHINE ROOM (SQ.M.)	FIRE STAIRCASE (SQ.M.)	STAIRCASE (SQ.M.)	LOBBY/ PASSAGE (SQ.M.)	20% PERMISSIBLE TERRACE (SQ.M.)	TERRACE (SQ.M.)	REFUGE (SQ.M.)	TENEMENT
1	FIRST	467.60	70.14	70.10						17.08	17.08	84.41	83.52	76.50	8
2	SECOND	467.60	70.14	70.10						17.08	17.08	84.41	83.52	82.60	8
3	THIRD	467.60	70.14	70.10						17.08	17.08	84.41	83.52	82.60	8
4	FOURTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.40	8
5	FIFTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	76.50	8
6	SIXTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.40	8
7	SEVENTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	76.50	8
8	EIGHTH (REFUGE)	468.62	70.29	70.10						17.08	17.08	86.33	83.72	76.50	24.18	8
9	NINTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
10	TENTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	76.50	8
11	ELEVENTH	467.60	70.14	70.10	3.90	16.18	9.95	31.63		17.08	17.08	84.41	83.52	88.60	8
12	TWELFTH (REFUGE)	468.62	70.29	70.10						17.08	17.08	86.33	83.72	76.50	24.18	8
13	THIRTEENTH (REFUGE)	554.69	83.80	83.91						17.08	17.08	84.41	83.52	76.50	24.18	9
14	FOURTEENTH	555.67	83.38	83.98						17.08	17.08	84.41	83.52	88.60	9
15	FIFTEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	9
16	SIXTEEN	555.67	83.38	83.98						17.08	17.08	84.41	83.52	88.60	9
17	SEVENTEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	76.50	9
18	EIGHTEEN (REFUGE)	554.81	83.79	83.98						17.08	17.08	84.41	83.52	76.50	24.18	9
19	NINETEEN	555.04	83.38	83.91						17.08	17.08	84.41	83.52	88.60	9
20	TWENTY	555.67	83.38	83.98						17.08	17.08	84.41	83.52	76.50	9
21	TWENTY ONE	555.04	83.38	83.91						17.08	17.08	84.41	83.52	88.60	9
22	TOTAL	11682.27	1752.34	1764.27	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	1764.53	1749.50	72.54	168

TAKEN IN FSI =FSI+LIFT+LMR+SAIRCASE+LOBBY/PASSAGE =11682.27+9.95+31.63+358.68+1778.37 =13901.29 SQ.M.

F.S.I. STATEMENT FOR TOWER 'D' (P1+P2+21 ST FLOOR)

SR. NO.	FLOORS	FSI AREA (SQ.M.)	PERMISSIBLE BALCONY (SQ.M.)	PROPOSED BALCONY (SQ.M.)	FIRE LIFT (SQ.M.)	FIRE LIFT MACHINE ROOM (SQ.M.)	LIFT (SQ.M.)	LIFT MACHINE ROOM (SQ.M.)	FIRE STAIRCASE (SQ.M.)	STAIRCASE (SQ.M.)	LOBBY/ PASSAGE (SQ.M.)	20% PERMISSIBLE TERRACE (SQ.M.)	TERRACE (SQ.M.)	REFUGE (SQ.M.)	TENEMENT
1	FIRST	467.60	70.14	70.10						17.08	17.08	84.41	83.52	76.50	8
2	SECOND	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
3	THIRD	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
4	FOURTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
5	FIFTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
6	SIXTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
7	SEVENTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
8	EIGHTH (REFUGE)	468.62	70.29	70.10						17.08	17.08	86.33	83.72	76.50	24.18	8
9	NINTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
10	TENTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
11	ELEVENTH	467.60	70.14	70.10	3.90	16.18	9.95	31.63		17.08	17.08	84.41	83.52	88.60	8
12	TWELFTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
13	THIRTEENTH (REFUGE)	468.62	70.29	70.10						17.08	17.08	86.33	83.72	76.50	24.18	8
14	FOURTEENTH	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
15	FIFTEEN	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
16	SIXTEEN	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
17	SEVENTEEN	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
18	EIGHTEEN (REFUGE)	468.62	70.29	70.10						17.08	17.08	86.33	83.72	76.50	24.18	8
19	NINETEEN	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
20	TWENTY	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
21	TWENTY ONE	467.60	70.14	70.10						17.08	17.08	84.41	83.52	88.60	8
22	TOTAL	9822.66	1473.40	1472.10	3.90	16.18	9.95	31.63	358.68	358.68	1778.37	1764.53	1749.50	72.54	168

TAKEN IN FSI =FSI+LIFT+LMR+SAIRCASE+LOBBY/PASSAGE =9822.66+9.95+31.63+358.68+1778.37 =13901.29 SQ.M.

FSI STATEMENT COMMERCIAL BUILDING

FLOORS	F.S.I.	PERMISSIBLE BALCONY (SQ.M.)	OPEN BALCONY (SQ.M.)	STAIRCASE (SQ.M.)	FIRE STAIRCASE TOWER (SQ.M.)	ARMUN (SQ.M.)	LIFT (SQ.M.)	FIRE LIFT (SQ.M.)	PROPOSED REFUGE AREA (SQ.M.)
BASEMENT-2	----	----	----	53.20	----	----	----	----	----
BASEMENT-1	----	----	----	159.56	----	----	----	----	----
GROUND FLOOR	759.27	113.89	----	159.54	29.36	8.45	42.53	17.08	----
1ST FLOOR	1218.19	152.72	----	30.28	26.80	8.26	----	9.95	3.80
2ND FLOOR	1517.40	152.61	----	30.28	26.80	8.26	----	----	----
3RD FLOOR	1217.40	152.61	----	30.28	26.80	8.26	----	----	----
4TH FLOOR	1217.40	152.61	----	30.28	26.80	8.26	----	----	----
5TH FLOOR	1217.40	152.61	----	30.28	26.80	8.26	----	----	----
6TH (P) FLOOR	906.44	135.97	----	30.28	26.80	8.26	----	----	110.96
7TH FLOOR	1017.40	152.61	----	30.28	26.80	8.26	----	----	----
TOTAL	7770.81	1165.62	-	584.12	215.56	66.27	42.53	26.71	3.80	110.96

TOTAL PARKING AREA CALCULATION

PARKING REQUIRED		PARKING REQUIRED				PARKING PROVIDED			
		BIC CARS	SMALL CARS	SCOOTERS	CYCLES	BIC CARS	SMALL CARS	SCOOTERS	CYCLES
RESIDENTIAL		168	168	1008	1008	189	484	1008	1008
COMMERCIAL		41	42	255	255				
COMMERCIAL 400 METROPOLITAN PARKING SIZE		21	21	118	118	258	27	845	845
TOTAL		231	231	1381	1381	427	511	1853	1853
AREA REQUIRED PER		12.50	10.25	2.00	0.70	12.50	10.25	2.00	0.70
TOTAL AREA	2881.50	2890.50	2722.00	966.70	5337.50	5288.65	3 (106.00) 291.00		
	5605.00					5609.45			

WATER CALCULATION (A,B,C,D BLDG.)

BUILDING	TENEMENT	NO.OF PERSONS	WATER REQUIRED PER PERSON PER DAY	D.W.T. CAPCITY REQUIRED (LTRS.)	FIRE D.W.T. CAPCITY REQUIRED (LTRS.)	TOTAL D.W.T. CAPCITY REQUIRED (LTRS.)	D.W.T. CAPCITY PROVIDED (LTRS.)	U.G.T. CAPCITY REQUIRED (LTRS.)	FIRE U.G.T. CAPCITY REQUIRED (LTRS.)	TOTAL U.G.T. CAPCITY REQUIRED (LTRS.)	U.G.T. CAPCITY PROVIDED (LTRS.)
TOWER-A	168	05	135	113400	25000.00	138400.00	138400.00	113400 X 1.5	50000.00	220700.00	220700.00
TOWER-B	168	05	135	113400	25000.00	138400.00	138400.00	113400 X 1.5	50000.00	220700.00	220700.00
TOWER-C	168	05	135	113400	25000.00	138400.00	138400.00	113400 X 1.5	50000.00	220700.00	220700.00
TOWER-D	168	05	135	113400	25000.00	138400.00	138400.00	113400 X 1.5	50000.00	220700.00	220700.00
TOTAL	672	05	135	453600	100000.00	553600.00	553600.00	453600 X 1.5	200000.00	882400.00	882400.00

WATER CALCULATION (COMMERCIAL+RESTAURANT)

BUILDING	TOTAL NO.OF PERSONS		WATER REQUIRED PER PERSON PER DAY	TOTAL WATER (LTRS.)	D.W.T. CAPCITY REQUIRED (LTRS.)	TOTAL D.W.T. CAPCITY PROVIDED (LTRS.)	FIRE PARKING	D.W.T. CAPCITY REQUIRED (LTRS.)	U.G.T. CAPCITY REQUIRED (LTRS.)	FIRE U.G.T. CAPCITY PROVIDED (LTRS.)	TOTAL U.G.T. CAPCITY REQUIRED (LTRS.)	U.G.T. CAPCITY PROVIDED (LTRS.)
COMMERCIAL	1358	X	45	61110.00	61110.00	+ 25000.00	61110.00	61110.00 X 1.50	91665.00	100000.00	191665.00	191665.00
RESTAURANT	64	X	70	4480.00	4480.00	+ -	4480.00	4480.00	4480.00 X 1.50	6720.00	6720.00	6720.00
				REQUIRED				65590.00				198385.00
				PROPOSED				65590.00				198385.00

OCCUPANT LOAD CALCULATION COMMERCIAL

FLOOR	RESTAURANT	COMMERCIAL AREA	TOTAL B/UP AREA
BASEMENT-1	-	-	-
BASEMENT-2	-	-	-
GROUND FLOOR	193.29	566.98	759.27
FIRST	-	1018.10	1018.10
SECOND	-	1017.40	1017.40
THIRD	-	1017.40	1017.40
FOURTH	-	1017.40	1017.40
FIFTH	-	1017.40	1017.40
GR. (N)	-	906.44	906.44
SEVEN	-	1017.40	1017.40
TOTAL	193.29	7578