

WING :-E



NORTH WEST SIDE ELEVATION



SOUTH WEST SIDE ELEVATION

The Rain Water Harvesting is required to be provided as per Director of Govt. of Maharashtra No. TPB 432001/2130/CR - 230/ 01/UD-11, dated 10th March, 2003 as per schedule for every 300 squires. built-up area. The system may be by open well 1 mtr. dia 6 mtrs. deep with filteration chamber for every 500 sq.mtr. built-up area. Other options mentioned in the schedule may be adopted a) The authority may impose a levy of Rs. 1000/- per annum for every 100 sq.mts. of built-up area, for failure of the owner of the building.

Provisions For Solar Water Heating System


Solar Water Heating System should be installed in the building for the following uses at the per capita capacity mentioned as under :

Type of Buildings	Per Capita Capacity Recommended
1) Hospitals	—100 Ltrs./day/person.
2) Hotels	—150 Ltrs./day/person.
3) Hostel & other such buildings	—25 Ltrs./day/person.
4) Resident	—25 Ltrs./day/person.

If the provisions as above is not made, the occupancy certificate will not be issued from NMC

SESMIC ANALYSIS OF THE BUILDING FOR EARTHQUAKE RE SUBMITTED WITHSTRUCTURAL DESIGN & DRAWING DULY CHECKED FROM VNIT FOR NMC RECORD, BEFORE ONE MONTH OF COMMENCEMENT OF CONSTRUCTION OR AFTER THREE MONTHS FROM THE SANCTION OF BUILDING PLANS WHICHEVER IS EARLIER

OFFICE OF THE NAGPUR MUNICIPAL CORPORATION, NAGPUR
Building Permit No. ... Date ...
SANCTIONED
Subject to conditions mentioned in the enclosed BUILDING Permit
By.
Dy. Engineer
Town Planning Deptt.
Nagpur Municipal Corporation



SECTION Y-Y'

SECTION X-X'

A) AREA STATEMENT			SQ.M.
1. AREA OF PLOT			1787.56
2. DEDUCTIONS FOR			
(a) ROAD SET-BACK (RW)			0.00
(b) PROPOSED ROAD (DP)			0.00
(c) RESERV AREA			0.00
(d) ENCROACHMENT AREA			0.00
(e) NOZ AREA			000.00
TOTAL (a+b+c+d+e)			0.00
3. BALANCE AREA OF PLOT (1-2)			1787.56
4. DEDUCTIONS FOR			
(a) AMENITY SPACE (IF DEDUCTABLE)			0.00
(b) RECREATIONAL GROUND (IF DEDUCTABLE)			0.00
PHYSICAL RG PROVIDED	000.00		
5. NET BALANCE PLOT AREA OF PLOT (3-4)			1787.56
6. ADDITION FOR NET PLOT			
(a) ROAD-1 SET-BACK	000.00		000.00
(b) ROAD-2 SET-BACK	000.00		000.00
(c) ROAD-3 SET-BACK	000.00		000.00
(d) ROAD-4 SET-BACK	000.00		000.00
(e) PROPOSED ROAD (DP)			0.00
(f) AMENITY SPACE			0.00
(f) NOZ AREA			000.00
(g) OTHER (ORZ AREA ETC.)			0.00
TOTAL (a+b+c+d+e+f+g)			0.00
7. NET PLOT AREA (5+6)			1787.56
8. PERMISSIBLE FSI			1.2500
PERM. BUILT UP AREA (7 x 8)			2234.45
9. TDR AREA			1226.00
10. SPECIAL CASES FSI			0.00
11. TOTAL PERM. BUILT UP AREA (8+9+10)			3460.45
12. PROPOSED AREAS			
(a) PROPOSED RESIDENTIAL AREA			2870.88
(b) PROPOSED COMMERCIAL AREA			409.34
(c) PROPOSED INDUSTRIAL AREA			0.00
(d) PROPOSED SPECIAL USE AREA			0.00
TOTAL PROPOSED AREA (a+b+c+d)			3280.21
13. SUB STRUCTURE AREA ADDITION (FOR FSI)			0.00
14. SUB STRUCTURE AREA DEDUCTION (FOR TDR)			0.00
15. EXCESS BALCONY AREA TAKEN IN F.S.I.			168.07
16. EXISTING BUILT UP AREA			0.00
17. SURRENDERED AREA			000.00
18. TOTAL BUILT UP AREA PROPOSED			3448.28
19. CONSUMED FSI			1.93
B) BALCONY STATEMENT			
(i) PERMISSIBLE BALCONY AREA			430.65
(ii) PROPOSED BALCONY AREA			598.70
(iii) EXCESS BALCONY AREA			168.07
C) TENEMENT STATEMENT			
(i) PROPOSED AREA (12)			3280.21
(ii) LESS NON_RESIDENTIAL AREA			409.34
(iii) AREA AVAILABLE FOR TENEMENTS (i - ii)			2870.88
(iv) TENEMENTS OF RMO@SIZE	250.00/Hec.		35.0000
(v) TENEMENTS PROPOSED			29
(vi) TENEMENTS EXISTING			0
(vii) TOTAL TENEMENTS ON THE PLOT (v+vi)			29

D) PARKING STATEMENT	CAR-L	CAR-S	VISITORS
(i) PARKING REQUIRED	17	16	0
(ii) PARKING PROVIDED	17	16	0.00
(iii) PARKING PROPOSED	212.50	165.60	00

SPECIFICATIONS

CERTIFICATE OF AREA

PROPOSED RESIDENTIAL BUILDING "SHREE SWAMI PURAM-II" CONSTRUCTION ON CITY SURVEY No. 411, KHASRA No. 237,MOUZA CHINCHBHUWAN, NAGPUR

SIGN OF ARCHITECT/ENGINEER/SUPERVISOR

LEGEND

PLOT BOUNDARY SHOWN THICK BLACK
PROPOSED WORK SHOWN RED FILLED IN
DRAINAGE LINE SHOWN RED DOTTED
WATERLINE SHOWN BLUE DOTTED
EXISTING TO BE RETAINED HATCHED
DEMO. SHOW SHOWN HATCHED YELLOW

OWNER'S NAME : AAPPA SWAMI INFRASTRUCTURE — OWNER'S SIGN

PROJECT:
F. Plot No. :
Survey No. : 411
NAGPUR.
CTS No. :
Mauza No.:

ARCHITECT: ANANAD SARDA **Anand N. Sarda** Architect & Liasinor Designer C.O.A. Reg. No. - CA /98 /24614 N. I. T. L. S. No. - 1196 M. C. L. No. - 6335 — ARCHITECT'S SIGN

JOB NO.	ORD NO.	SCALE	DRAWN BY	CHECKED BY
		1:100		
INWARD NO.	0017/CAN/TP/NMC	DATE	11-05-2012	
KEY NO.		SHEET NO.	Model	

BUILDING WISE FSI STATEMENT


BUILDING	FSI AREA				FINE BALCONY		BALCONY			PASSAGE	STAIR	LIFT	LIFT MC ROOM	TENEMENTS	TOTAL FSI AREA
	COMM.	RESI.	IND.	SPEC.	COMM.	RESI.	PERM.	PROP.	EXCESS	PRES OF FSI	PRES OF FSI	PRES OF FSI			
A (1 BLOCK)	409.34	2870.46	0.00	0.00	0.00	168.70	0.00	0.00	430.65	598.70	168.07	1857.47	1857.47	29	3280.21 + 168.07
Total	409.34	2870.46	0.00	0.00	0.00	168.70	0.00	0.00	430.65	598.70	168.07	1857.47	1857.47	29	3280.21 + 168.07


FLOOR WISE FSI STATEMENT: A (BUILD)


FLOORS	FSI AREA				ENC. BAL CONV.				BALCONY			PASSAGE	STAIR	LIFT	LIFT MC ROOM	TENEMENTS	TOTAL FSI AREA
	COMM.	RESI.	IND.	SPEC.	COMM.	RESI.	IND.	SPEC.	PERM.	PROP.	EXCESS	PRES OF FSI	PRES OF FSI	PRES OF FSI			
BASEMENT FLOOR	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00				
GROUND FLOOR	409.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24.31	28.05	1.742		0	0.00
FIRST FLOOR	0.00	410.13	0.00	0.00	0.00	23.01	0.00	0.00	61.32	79.55	17.50	62.13	28.05	1.742		4	0.00
SECOND FLOOR	0.00	410.13	0.00	0.00	0.00	34.36	0.00	0.00	61.32	84.96	23.40	62.13	28.05	1.742		4	0.00
THIRD FLOOR	0.00	410.13	0.00	0.00	0.00	18.34	0.00	0.00	61.32	84.96	26.12	62.13	28.05	1.742		4	0.00
FOURTH FLOOR	0.00	410.13	0.00	0.00	0.00	34.36	0.00	0.00	61.32	84.96	23.40	62.13	28.05	1.742		4	0.00
FIFTH FLOOR	0.00	410.13	0.00	0.00	0.00	60.27	0.00	0.00	61.32	88.76	26.77	62.13	28.05	1.742		4	0.00
SIXTH FLOOR	0.00	410.13	0.00	0.00	0.00	64.58	0.00	0.00	61.32	84.96	23.40	62.13	28.05	1.742		4	0.00
SEVENTH FLOOR	0.00	410.13	0.00	0.00	0.00	64.58	0.00	0.00	61.32	88.76	26.77	62.13	28.05	1.742		4	0.00
TERRACE FLOOR	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		0	0.00
Total	409.34	2870.46	0.00	0.00	0.00	298.70	0.00	0.00	430.65	598.70	168.07	463.84	196.35	12.20		29	3280.21 + 168.07

SHEET NO. 2/3

WING :-E








OFFICE OF THE NAGPUR MUNICIPAL CORPORATION, NAGPUR

SANCTIONED

Subject to conditions mentioned in the enclosed BUILDING PERMIT

Dy. Engineer
Town Planning Deptt.
Nagpur Municipal Corporation



BASEMENT PARKING PLAN

The Rain Water Harvesting is required to be provided as per Direction of Govt. of Maharashtra No. TPB 432001/2133-CR-230/01/UD-11, dated 10th March, 2005 as per schedule for every 300 sq.mtrs. built-up area. The system may be by open well 1 mtr. dia 6 mtrs. deep with filteration chamber for every 300 sq.mtr. built-up area. Other options mentioned in the schedule may be adopted.
a) The authority may impose a levy of Rs. 1000/- per annum for every 100 sq.mts. of built-up area, for failure of the owner of the building.


Provisions for Solar Water Heating Systems

Solar Water Heating System should be installed in the building for the following uses at the per capita capacity mentioned as under.


Type of Buildings	Per Capita Capacity Recommended
1) Hospitals	---100 Ltrs./day/person.
2) Hotels	---150 Ltrs./day/person.
3) Hostel & other such buildings	---25 Ltrs./day/person.
4) Resident	---25 Ltrs./day/person.

If the provisions as above is not made, the occupancy certificate will not be issued from NMC

SESMIC ANALYSIS OF THE BUILDING FOR EARTHQUAKE BE SUBMITTED WITH STRUCTURAL DESIGN & DRAWING DULY CHECKED FROM VNIT FOR NMC RECORD, BEFORE ONE MONTH OF COMMENCEMENT OF CONSTRUCTION OR AFTER THREE MONTHS FROM THE SANCTION OF BUILDING PLAN WHICHEVER IS EARLIER.



GROUND FLOOR BUILT UP AREA KEY PLAN



FIRST FLOOR PLAN

A) AREA STATEMENT		SQ.M.
1. AREA OF PLOT		1787.56
2. DEDUCTIONS FOR		
(a) ROAD SET-BACK (R/W)		0.00
(b) PROPOSED ROAD (DP)		0.00
(c) RESERV AREA		0.00
(d) ENCROACHMENT AREA		0.00
(e) NDZ AREA		000.00
TOTAL (a+b+c+d+e)		0.00
3. BALANCE AREA OF PLOT (1-2)		1787.56
4. DEDUCTIONS FOR		
(a) AMENITY SPACE (IF DEDUCTABLE)		0.00
(b) RECREATIONAL GROUND (IF DEDUCTABLE)		0.00
PHYSICAL RG PROVIDED	000.00	
5. NET BALANCE PLOT AREA OF PLOT (3-4)		1787.55
6. ADDITION FOR NET PLOT		
(a) ROAD-1 SET-BACK	000.00	000.00
(b) ROAD-2 SET-BACK	000.00	000.00
(c) ROAD-3 SET-BACK	000.00	000.00
(d) ROAD-4 SET-BACK	000.00	000.00
(e) PROPOSED ROAD (DP)		0.00
(f) AMENITY SPACE		0.00
(f) NDZ AREA		000.00
(g) OTHER (CRZ AREA ETC.)		0.00
TOTAL (a+b+c+d+e+f+g)		0.00
7. NET PLOT AREA (5+6)		1787.56
8. PERMISSIBLE FSI		1.2500
PERM. BUILT UP AREA (7 x 8)		2234.45
9. TDR AREA		1226.00
10. SPECIAL CASES FSI		0.00
11. TOTAL PERM. BUILT UP AREA (8+9+10)		3460.45
12. PROPOSED AREAS		
(a) PROPOSED RESIDENTIAL AREA		2870.88
(b) PROPOSED COMMERCIAL AREA		409.34
(c) PROPOSED INDUSTRIAL AREA		0.00
(d) PROPOSED SPECIAL USE AREA		0.00
TOTAL PROPOSED AREA (a+b+c+d)		3280.21
13. SUB STRUCTURE AREA ADDITION (FOR FSI)		0.00
14. SUB STRUCTURE AREA DEDUCTION (FOR FSI)		0.00
15. EXCESS BALCONY AREA TAKEN IN F.S.I		168.07
16. EXISTING BUILT UP AREA		0.00
17. SURRENDERED AREA		000.00
18. TOTAL BUILT UP AREA PROPOSED		3446.28
19. CONSUMED FSI		1.93
B) BALCONY STATEMENT		
(i) PERMISSIBLE BALCONY AREA		430.63
(ii) PROPOSED BALCONY AREA		598.70
(iii) EXCESS BALCONY AREA		168.07
C) TENEMENT STATEMENT		
(i) PROPOSED AREA (12)		3280.21
(ii) LESS NON_RESIDENTIAL AREA		409.34
(iii) AREA AVAILABLE FOR TENEMENTS (i-ii)		2870.88
(iv) TENEMENTS PERMISSIBLE	250.00/Hec.	35.0000
(v) TENEMENTS PROPOSED		28
(vi) TENEMENTS EXISTING		0
(vii) TOTAL TENEMENTS ON THE PLOT (v+vi)		28

D) PARKING STATEMENT	CAR-L	CAR-S	VISITORS
(i) PARKING REQUIRED	17	16	0
(ii) PARKING PROVIDED	17	16	0.00
(iii) PARKING PROPOSED	212.50	165.60	00

SPECIFICATIONS

CERTIFICATE OF AREA

PROPOSED RESIDENTIAL BUILDING 'SHREE SWAMI PURAM-4' CONSTRUCTION ON CITY SURVEY No. 411, KHASRA No. 237, MOUZA CHINCHBHUWAN, NAGPUR

SIGN OF ARCHITECT/ENGINEER/SUPERVISOR

LEGEND

PLOT BOUNDARY SHOWN THICK BLACK
PROPOSED WORK SHOWN RED FILLED IN
DRAINAGE LINE SHOWN RED DOTTED
WATERLINE SHOWN BLUE DOTTED
EXISTING TO BE RETAINED HATCHED
DEMOLISHION SHOWN HATCHED YELLOW

OWNER'S NAME:	OWNER'S SIGN
AAPPA SWAMI INFRASTRUCTURE	

PROJECT:
F Plot No.: CTS No.
Survey No. 411 Mauza No.
NAGPUR


ARCHITECT	ARCHITECT'S SIGN
ANANAD SARDA — Anand N. Sarda, Architect & Interior Designer, C.O.A. Reg. No. - CA/99/26514, N.I.T. L.S. No. - 1196	

JOB NO.	DRG NO.	SCALE	DRAWN BY	CHECKED BY
		1:100		
INWARD NO.	0017/CAN/TP/NMC	DATE	11-05-2012	
KEY NO.		SHEET NO.	Model	

REPRINTED AT - TRUE COPY CENTRE PVT LTD NAGPUR PH# 2424644 6612203


SHEET NO. 3/3

WING :-E



TYPICAL - 2, 4, 6 FLOOR PLAN

TYPICAL SECOND, FOURTH & SIXTH FLOOR PLAN



THIRD, FIFTH & SEVENTH FLOOR PLAN

Provision For Storage Water heating system:-

Solar Water heating system should be installed in the building for the following type of use as per capita capacity mentioned as under.

Type of Buildings	Per Capita Capacity Recommended
1) Hospitals	—100 Ltrs./day/person.
2) Hotels	—150 Ltrs./day/person.
3) Hostel & other such buildings	—25 Ltrs./day/person.
4) Residen.	—25 Ltrs./day/person.

If the provisions as above is not made, the occupancy certificate will not be issued from MMC

OFFICE OF THE NAGPUR MUNICIPAL CORPORATION, NAGPUR
Building Permit No. ...
Date ...
GRANTED
Subject to conditions mentioned in the enclosed BUILDING PERMIT
Dy. Engineer
Asst. Town Planning Deptt.
Nagpur Municipal Corporation

SEISMIC ANALYSIS OF THE BUILDING FOR EARTHQUAKE BE SUBMITTED WITH STRUCTURAL DESIGN & DRAWING DULY CERTIFIED FROM VJIT FOR MMC RECORD, REPORT ONE MONTH BE COMMENCEMENT OF CONSTRUCTION FOR AFTER THREE MONTHS FROM D... SANCTION OF BUILDING PLAN WHICHEVER IS EARLIER.


The Rain Water Harvesting is required to be provided as per Direction of Govt. of Maharashtra No. UPA 2400/2435/CR-27/01/UD-11, dated 15th March, 2003 as per schedule given here. All newly built-up area. The system may be proper well / bore well / dug well / filtration chamber etc. each 300 square meter built-up area. Other provisions mentioned in the schedule may be adopted.
a) The Authority may impose a levy of Rs. 1000/- per annum for every 100 sq. mt. of built-up area, for failure of the owner of the building.

TYPICAL - 3, 5, 7 FLOOR PLAN

Polygon	Area
A-Block	903.28
01	8.62
02	69.97
03	10.67
04	10.67
05	6.02
06	11.52
07	157.76
L1	3.30
L2	3.13
LW1	0.29
LW2	0.19
LW3	0.66
VS1	29.11
VS2	43.08
P1	82.76
S1	10.88
S2	7.12
Total	410.12

Area of Plot by Triangulation : PLOT

Triangle	Area
Tota (PLOT)	1797.56



SITE PLAN

Polygon	Area
A-Block	903.28
P	8.62
02	69.97
03	10.67
04	10.67
05	6.02
06	11.52
07	157.76
L1	3.30
L2	3.13
LW1	0.29
LW2	0.19
LW3	0.66
VS1	29.11
VS2	43.08
P1	82.76
S1	10.88
S2	7.12
Total	410.12

A) AREA STATEMENT		SQ.M.
1. AREA OF PLOT		1797.56
2. DEDUCTIONS FOR		
(a) ROAD SET-BACK (R/W)		0.00
(b) PROPOSED ROAD (DP)		0.00
(c) RESERVATION		0.00
(d) ENCROACHMENT AREA		0.00
(e) NALA AREA		000.00
TOTAL (a+b+c+d+e)		0.00
3. BALANCE AREA OF PLOT (1-2)		1797.56
4. DEDUCTIONS FOR		
(a) AMENITY SPACE (IF REQUIRED)		0.00
(b) RECREATIONAL GROUND (IF REQUIRED)		0.00
PHYSICAL (IF PROVIDED)	000.00	
5. NET BALANCE PLOT AREA (3-4)		1797.56
6. ADDITION FOR NET PLOT		
(a) ROAD / SET BACK	000.00	000.00
(b) SLOPED METEROCK	000.00	000.00
(c) ROAD & SET BACK	000.00	000.00
(d) ROAD & METEROCK	000.00	000.00
(e) PROPOSED ROAD (DP)		0.00
(f) AMENITY SPACE		0.00
(g) NALA AREA		000.00
(h) OTHER (IF ANY AREA ETC.)		0.00
TOTAL (a+b+c+d+e+f+g+h)		0.00
7. NET PLOT AREA (5+6)		1797.56
8. PERMISSIBLE FSI		1.25/65
PERM. BUILT UP AREA (1.25)		2234.45
9. FSI AREA		1226.00
10. SPECIAL CASES FSI		0.00
11. TOTAL PERM. BUILT UP AREA (8+9+10)		3460.45
12. PROPOSED AREAS		
(a) PROPOSED RESIDENTIAL AREA		2870.58
(b) PROPOSED COMMERCIAL AREA		409.24
(c) PROPOSED INDUSTRIAL AREA		0.00
(d) PROPOSED SPECIAL USE AREA		0.00
TOTAL PROPOSED AREA (a+b+c+d)		3280.21
13. S.B STRUCTURE AREA ADDITION (FOR FSI)		0.00
14. S.B STRUCTURE AREA DEDUCTION (FOR FSI)		0.00
15. EXCESS BALCONY AREA TAKEN IN F.S.I.		168.67
16. EXISTING BUILT UP AREA		0.00
17. SURRENDERED AREA		000.00
18. TOTAL BUILT UP AREA PROPOSED		3448.88
19. CONSUMED FSI		1.920
B) BALCONY STATEMENT		
(a) PERMISSIBLE BALCONY AREA		430.63
(b) PROVIDED BALCONY AREA		598.70
(c) EXCESS BALCONY AREA		168.67
C) TENEMENT STATEMENT		
(i) PROPOSED AREA (SQ.)		3280.21
(ii) LESS NON RESIDENTIAL AREA		409.24
(iii) AREA AVAILABLE FOR TENEMENTS (i - ii)		2870.98
(iv) TENEMENTS PERMISSIBLE	265.00/Hec.	33.0000
(v) TENEMENTS PROPOSED		39
(vi) TENEMENTS EXISTING		0
(vii) TOTAL TENEMENTS ON THE PLOT (v+vi)		39

D) PARKING STATEMENT	CARS	CAR-S	VISITORS
(i) PARKING REQUIRED	17	16	0
(ii) PARKING PROVIDED	17	16	0.00
(iii) PARKING PROPOSED 212.00	168.63		00

SPECIFICATIONS

CERTIFICATE OF AREA

PROPOSED RESIDENTIAL BUILDING SHREE SWAMI PURAM-II CONSTRUCTION ON CITY SURVEY No. 411, KHASRA No. 237 MOUZA CHINCHBHUWAN, NAGPUR

WITH OF MCR TECHNOCRAT SUPERVISION

LEGEND

PLOT BOUNDARY SHOWN THICK BLACK
PROPOSED WORK SHOWN RED FILLED IN
DRAINAGE LINE SHOWN RED DOTTED
MATERIAL TO BE DEMOLISHED DOTTED
EXISTING TO BE RETAINED HATCHED
EXISTING HIGH BRICK HATCHED YELLOW

OWNER'S NAME: AARPA SWAMI INFRASTRUCTURE

OWNER'S SIGN.

PROJECT:

F. Plot No. : CTS No. :
Survey No. : 41 Village : Mouza No. :
NAGPUR.

ARCHITECT: ANAMIKA SARDA Assistant Professor, Architecture & Planning Division, V.N.I.T., Nagpur-440 010. Ph. No. (0712) 2223355 Extn. 3355

ARCHITECT'S SIGN

JOB NO.	DRG NO.	SCALE	DRAWN BY	CHECKED BY
		1:100		
INWARD NO.	007/DCA/TYN/MCGBRTE			11-05-2012
KEY NO.	Ref. Plan	SHEET NO.		FROM

FLOOR WISE F.S.I STATEMENT:- A BLOCK

FLOORS	FS. AREA				ENC. BALCONY				BALCONY			PASSAGE/ LIFT	STAIR	LIFT	LIFT M/C ROOM	STAIR/CUPT	TOTAL
	COMM	RESI.	IND.	SPECL.	COMM.	RESI.	IND.	SPEC.	TOTAL	PASS.	EXCESS	EXCESS	FREE STAIR	FREE LIFT			FS. AREA
BASEMENT FLOOR	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	27.97	0.00		00	0.00
GROUND FLOOR	486.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	24.51	22.05	27.97	0.00		00	460.51
FIRST FLOOR	0.00	459.10	0.00	0.00	0.00	79.88	0.00	0.00	79.88	0.00	17.92	16.13	27.97	0.00		01	410.13
SECOND FLOOR	0.00	418.10	0.00	0.00	0.00	64.92	0.00	0.00	64.92	0.00	23.86	20.75	22.05	0.00		01	410.13
THIRD FLOOR	0.00	418.10	0.00	0.00	0.00	64.92	0.00	0.00	64.92	0.00	23.86	20.75	27.97	0.00		01	410.13
FORTH FLOOR	0.00	418.10	0.00	0.00	0.00	56.29	0.00	0.00	56.29	0.00	23.86	20.75	22.05	0.00		01	410.13
FIFTH FLOOR	0.00	418.10	0.00	0.00	0.00	56.29	0.00	0.00	56.29	0.00	23.86	20.75	22.05	0.00		01	410.13
SIXTH FLOOR	0.00	418.10	0.00	0.00	0.00	56.29	0.00	0.00	56.29	0.00	23.86	20.75	27.97	0.00		01	410.13
SEVENTH FLOOR	0.00	418.10	0.00	0.00	0.00	56.29	0.00	0.00	56.29	0.00	23.86	20.75	22.05	0.00		01	410.13
TERRACE FLOOR	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	00	0.00
Total	486.56	2967.80	0.00	0.00	0.00	534.80	0.00	0.00	534.80	0.00	165.83	143.69	199.05	0.00	0.00	07	3260.21

BUILDING WISE FSI STATEMENT

BUILDING	FS. AREA				ENC. BALCONY				BALCONY			PASSAGE/ LIFT	STAIR	LIFT	LIFT M/C ROOM	TENEMENTS	TOTAL
	COMM.	RESI.	IND.	SPEC.	COMM.	RESI.	IND.	SPEC.	RESI.	PASS.	EXCESS	FREE ST. FS.	FREE LIFT FS.				FS. AREA
A / BLOCK	486.56	2967.80	0.00	0.00	0.00	534.80	0.00	0.00	534.80	0.00	165.83	199.05	0.00	0.00	0.00	39	3260.21 = 181.67
Total	486.56	2967.80	0.00	0.00	0.00	534.80	0.00	0.00	534.80	0.00	165.83	199.05	0.00	0.00	0.00	39	3260.21 = 181.67

PARKING CALCULATION

Type	Tenement (Nos.)		Carpet Area (Sq.m.)		Parking (Nos.)				Cycle (Nos.)	
	Permissible	Unit	Permissible	Proposed	Required	Proposed	Cars	Car-S	Two Wheeler	Visitors
Residential	0 - 45	4	-	409.24	4	4	4	4	4	4
Residential	46 - 80	2	-	-	4	4	4	4	4	4
Residential	81 - 120	33	25	21	2	42	42	4	42	4
Commercial	0 to 30	409	0	0	0	0	0	0	0	0
Total					10	50	50	8	50	8
Grand Total							58		58	

SCHEDULE OF OPENING:- A BLOCK

NAME	LENGTH	HEIGHT	NOS.
D	0.90	2.10	49
D1	0.80	2.10	69
D2	0.75	2.10	4
D3	0.60	1.20	07
D4	0.61	1.20	08
D5	0.70	2.10	01
V	1.50	1.20	22
V1	1.20	1.20	01
V2	1.35	1.20	11
V3	1.80	1.20	01
V4	1.65	1.20	01
V5	1.95	1.20	11
V6	1.98	1.20	01
V7	2.25	1.20	01
V8	2.40	1.20	01
W	0.60	1.20	01
W1	0.75	1.20	01
W2	0.90	1.20	01
W3	1.20	1.20	01
W4	1.50	1.20	01
W5	1.65	1.20	01
W6	1.80	1.20	01
W7	1.95	1.20	01
W8	2.25	1.20	01
W9	2.40	1.20	01
W10	2.70	1.20	01
W11	3.00	1.20	01

SCHEDULE OF OPENING:- A BLOCK

NAME	LENGTH	HEIGHT	NOS.
D	0.90	2.10	49
D1	0.80	2.10	69
D2	0.75	2.10	04
D3	0.60	1.20	07
D4	0.61	1.20	08
D5	0.70	2.10	01
V	1.50	1.20	22
V1	1.20	1.20	01
V2	1.35	1.20	11
V3	1.80	1.20	01
V4	1.65	1.20	01
V5	1.95	1.20	11
V6	1.98	1.20	01
V7	2.25	1.20	01
V8	2.40	1.20	01
W	0.60	1.20	01
W1	0.75	1.20	01
W2	0.90	1.20	01
W3	1.20	1.20	01
W4	1.50	1.20	01
W5	1.65	1.20	01
W6	1.80	1.20	01
W7	1.95	1.20	01
W8	2.25	1.20	01
W9	2.40	1.20	01
W10	2.70	1.20	01
W11	3.00	1.20	01

BALCONY CALCULATIONS:- A, B, C

FLOOR	NOT	AREA	EXT. AREA
FIFTH FLOOR	1.20 X 0.75 X 6	21.60	98.29
	1.20 X 0.75 X 1	3.60	
	1.20 X 1.50 X 1	17.80	
	1.20 X 2.30 X 1	27.60	
	1.20 X 2.50 X 1	30.00	
	1.20 X 3.00 X 1	36.00	
	1.20 X 3.30 X 1	39.60	
	1.20 X 3.45 X 1	41.40	
	1.20 X 3.60 X 1	43.20	
	1.20 X 3.90 X 1	46.80	
FIRST FLOOR	1.20 X 0.75 X 6	21.60	98.29
	1.20 X 0.75 X 1	3.60	
	1.20 X 1.50 X 1	17.80	
	1.20 X 2.30 X 1	27.60	
	1.20 X 2.50 X 1	30.00	
	1.20 X 3.00 X 1	36.00	
	1.20 X 3.30 X 1	39.60	
	1.20 X 3.45 X 1	41.40	
	1.20 X 3.60 X 1	43.20	
	1.20 X 3.90 X 1	46.80	
SECOND FLOOR	1.20 X 0.75 X 6	21.60	98.29
	1.20 X 0.75 X 1	3.60	
	1.20 X 1.50 X 1	17.80	
	1.20 X 2.30 X 1	27.60	
	1.20 X 2.50 X 1	30.00	
	1.20 X 3.00 X 1	36.00	
	1.20 X 3.30 X 1	39.60	
	1.20 X 3.45 X 1	41.40	
	1.20 X 3.60 X 1	43.20	
	1.20 X 3.90 X 1	46.80	
THIRD FLOOR	1.20 X 0.75 X 6	21.60	98.29
	1.20 X 0.75 X 1	3.60	
	1.20 X 1.50 X 1	17.80	
	1.20 X 2.30 X 1	27.60	
	1.20 X 2.50 X 1	30.00	
	1.20 X 3.00 X 1	36.00	
	1.20 X 3.30 X 1	39.60	
	1.20 X 3.45 X 1	41.40	
	1.20 X 3.60 X 1	43.20	
	1.20 X 3.90 X 1	46.80	
Total		1068.10	

REPRINTED AT :- TRUE COPY CENTRE PVT. LTD NAGPUR PH# 2426644,46512203