






IMPORTANT:

- Smoke detectors shall confirm to IS 11360 both ionization and optical type.
- For smoke detectors, the sensing element should not be less than 25mm and not more than 600mm below the ceiling /roof level except as necessary by site test.
- Fast fire growth rate (based value) shall be considered along with temperature change of the order of 33.5 C.



TYPICAL ARRANGEMENT OF UG SUMPS

PLATE: VII

SCHEDULE OF OPENING

MKD	PARTICULARS	SIZE	REMARK
MD	MAIN DOOR	1.50x2.10m	T.W.FULLY GLAZED DOOR
D1	DOOR	1.00x2.10m	T.W.PANNELED DOOR
D2	DOOR	0.750x2.10m	T.W.PANNELED DOOR
W	WINDOW	2.00x1.50m	ALUMINIUM GLAZZED WINDOW
W1	WINDOW	1.00x1.50m	— DO —
V	VENTILATOR	0.60x0.60	— DO —
G	GLAZING	As per site	— DO —

OFFICE OF THE CORPORATION OF THE CITY NAGPUR.
Building Permit No. 1576/mnc/DNCP/07 Date 08/12/06
SANCTIONED
subject to conditions mentioned in the building permit
Assistant Director
Town Planning
Nagpur Municipal Corporation

NOTE –

- ALL DIMENSIONS ARE GIVEN IN METER
- WRITTEN DIMENSIONS TO BE PREFERED

REVISIONS:

S.No	REMARKS	DATE	DONE BY

OWNER / CLIENT:
PARDESI CONSTRUCTION PVT. LTD. NAGPUR

SIGNATURE
For PARDESI CONSTRUCTIONS PVT. LTD

PROJECT :
PROPOSED COMMERCIAL COMPLEX ON
COMMERCIAL COMPLEX, ON PLOT No. 1068, & 1068 A NASAB AREA PRINCIT, (Civil Station Expansion Scheme) OF NIT, Division 8,Circle No. 20, Gorepeth, Amravati road, NAGPUR

NORTH : DIRECTION

VIRENDRA KHARE
ARCHITECT, PLANNER, INTERIOR DESIGNER
MEZZANINE FLOOR, 'ARADHANA'
GOKULPETH, NAGPUR 440010 (M.S.)

REGISTRATION No. CA/78/5142

JOB No.	DRAWING No.	ARCHITECT'S SIGN
2003/C-77	SD/No.7	

SCALE:	DATE:	CHECKED:
1:100	02/09/06	VIRENDRA KHARE B.ARCH., M.TECH (URP) ARCHITECT, PLANNER INTERIOR DESIGNER REGD. NO. CA/78/5142

pc02\c\my documents\pardesi\submission