

आ नकशानुसार खोजीत वरीलचा खोलेन सधून
संरचनात्मक विचाराने करण्यात येत आहे

1) मुलाखती वेळ व माहिती तसेच जागेचे स्थान
निश्चित करणे

2) या बांधकामाचे विभागाधिकार दिवलेला
दि. 25/11/17, ये मंजुरीनुसार त्याचा अंमलबजावणी नसतो
0-260-2 मधील इतर अटीचा अटीन सधून
दि. 02/12/2017

The Rain Water Harvesting is required to be provided as per Direction of Govt. of Maharashtra No. 779 (2009)/2133 CR-230/21/UD-II, dated 14th March, 2005 as per schedule for every 300 sq.mts. built-up area. The system may be by open well 1 mtr. dia x 1 mtr. deep with filtration chamber for every 300 sq.mtr. built-up area. Other options mentioned in the schedule may be adopted. a) The authority may impose a levy of Rs. 1000/- per annum for every 300 sq.mts. of built-up area, for failure of the owner of the building.

Requirements For Solar Water Heating Systems:
Solar Water Heating Systems shall be installed in the building for the following rates at the per capita capacity mentioned as under:
Type of buildings Per Capita Capacity
1) Hospitals - 250 ltrs./day
2) Hotels - 250 ltrs./day/person
3) Hostels & other such buildings - 40 ltrs./day/person
4) Resident - 40 ltrs./day/person
If the population as above is not available, the occupancy certificate shall be used from NMC.

[Signature]
Assistant Director
Town Planning
Nagpur Municipal Corporation

[Signature]
Town Planner
Town Planning Deptt.
N.M.C., Nagpur

[Signature]
Deputy Engineer
Depts. N.M.C.

SIDE ELEVATION (SCALE 1:200)

FRONT ELEVATION (SCALE 1:200)

TERRACE
+30.00 M.L.V.L.
SEISMIC ZONE II
FOR EXISTING BUILDING
WITH STRUCTURAL DESIGN & DRAWING
DULY CHECKED FROM NMT FOR NMC
RECORD, BEFORE COMMENCEMENT OF
CONSTRUCTION
BANQUET FLOOR
+22.80 M.L.V.L.
IN THE
SANCHEZ
WHICHEVER IS EARLIER

STAMP OF APPROVAL
For Removal of HDP
[Signature]
[Signature]
[Signature]

Sl. No.	Description	Amount
1	Survey	1000
2	Design	2000
3	Construction	5000
4	Material	1000
5	Labour	1000
6	Transport	500
7	Tools & Equipment	500
8	Other	500
9	Contingency	500
10	Grand Total	12000