



TYPICAL PLAN FOR IV, VI AND VIII FLOOR



PROPOSED PLAN FOR IX FLOOR

OFFICE OF THE CORPORATION OF THE CITY NAGPUR.
Building Permit No. 1991/2/Corrected
Dated 23/12/21
SANCTIONED
Subject to conditions mentioned in the building permit
Assistant Director
Town Planning
Nagpur Municipal Corporation

REVISED PLAN SHOWING EXISTING & PROPOSED CONSTRUCTION ON PLOT NO 6, KH. NO159/3, 159/11B, CITY SURVEY NO 594, ABHINAV CO-OP HSG. SOCIETY LTD. MOUZA - SOMALWADA, NAGPUR.

BELONGING TO :- Raghukul Constructions Pvt. Ltd
THROUGH DIRECTOR
DILIP BHARADE

CONTENTS:-
TYPICAL FLOOR PLAN FOR IV ,VI , VIII & IX

SCALE:-1:100

PREVIOUS SANCTION NO:
B.E (WEST)/Case No.AB-120180327319/Tracking No.201803289/2314/902. Date. 19/8/19

SCHEDULE OF OPENINGS		
D	1.0 X 2.10	FLUSH DOOR
D1	0.90 X 2.10	FLUSH DOOR
D2	0.75 X 2.10	FLUSH DOOR
D3	1.8 X 2.10	SLIDING DOOR
W1	1.80 X 1.50	AL.GLAZED WINDOW
W2	1.50 X 1.50	AL.GLAZED WINDOW
W3	1.2 X 1.5	AL.GLAZED WINDOW
W3	0.9 X 1.00	AL.GLAZED WINDOW
V	0.60 X 0.60	VENTILATOR

S. B. Shelgaonkar
B. E. T. L. S. No. 608
M. M. C. L. S. No. 1392
8188, Central Avenue, Bhawsar Chowk
Gandhibagh, NAGPUR-2
ARCHITECT :

Provisions For Solar Water Heating System:
Solar Water Heating System should be installed in the hotel floor for the following uses at the per capita capacity mentioned as under.

Type of building	Per capita Capacity Recommended
1) Hospitals	...150 Ltrs./day/person.
2) Hotels	...150 Ltrs./day/person.
3) Hostel & other such buildings	...25 Ltrs./day/person.
4) Resident	...25 Ltrs./day/person.

If the provisions as above is not made, the occupancy certificate will not be issued from NMC.

DATE : - 08-03-2021

The Rain Water Harvesting is required to be provided as per Directon of Govt. of Maharashtra No. WP-2003/2133 CR - 236/ 01/UD-II, dated 10th March, 2005 as per schedule for every 500 sq.mtrs. built-up area. The system may be by open well / bore-hole / filter-pit. Minimum capacity shall be 1000 ltrs. for 300 sq.mtr. built-up area. Other options mentioned in the schedule may be adopted.
a) The authority may impose a levy of Rs. 1000/- per annum for every 100 sq.mts. of built-up area, for failure of the owner of the building.

SHEET NO. 4/7
IV ,VI , VIII & IX PLAN