

- 1). 5,7,9,11,13,15 & 17TH FLOOR PLAN
2). 6,10 & 14TH FLOOR PLAN

OFFICE OF THE CORPORATION OF
THE CITY NAGPUR.
Building Permit No. 413/BP/Wadpakha
to NMC/124 Date 05/12/2022
SANCTIONED
Subject to conditions mentioned in the building permit.

Assistant Director
Town Planning
Nagpur Municipal Corporation

PLAN SHOWING PROPOSED RESIDENTIAL
MULTIFAMILY DWELLING UNIT, ON NAZUL PLOT
NO. 04, CITY SURVEY NO. 92, SHEET
NO.208/7, C.H.NO. 931, WARD NO.63, MECOSABAGH,
MOUZA -WADPAKAD, TAHSIL & DISTRICT NAGPUR.

BELONGING TO :-

Mr. ABHINN S/O. PRATEEK VISHWANATH RAI

The Rain Water Harvesting is required to be provided as per direction of Govt. of Maharashtra No. T-432001/213/CR-230/01/B7 dated 10th March, 2005 as per schedule for every 100 sq.m. built-up area. The rain water may be open well or dia 100 mm with 100 mm dia 100 mm for every 100 sq.m. built-up area. Other options mentioned in the schedule may be adopted. The authority may impose a levy of Rs. 100/- per annum for every 100 sq.m. of built-up area, for failure of the owner of the building.

Provisions for Solar Water Heating Systems
Solar Water Heating System should be installed in the building for the following uses at the per capacity mentioned as under:
Type of Building Per Capita Capacity
Residential 25 Ltrs./day/person
Hospitals 200 Ltrs./day/person
Schools 150 Ltrs./day/person
Hostels & other such buildings 25 Ltrs./day/person
If the provisions above is not made, the occupancy certificate will not be issued from NMC.

C.O.A. REG. NO CA /2007/ 39381	N.I.T. REG. NO 2140	N.M.C. REG. NO R-402
SCALE 1 : 100 & 1 : 200		
DATE 17-08-2020	DEALT BY RK	CHECKED BY

Note - ALL DIMENSIONS ARE IN MM.

DRAWING TITLE
SUBMISSION DWG.

Architect's Sign.

Client's Sign.

Ar. LOKESH W. KADU
CA/2007/39381
NMC-R-402, N.I.T.

Ar. LOKESH W. KADU
C.O.A. No : CA /2007/ 39381

Mr. ABHINN S/O. PRATEEK VISHWANATH RAI

Ar. LOKESH W. KADU
Architecture, Planning, Interior's
Block No. 11, 11A, 12, A- Wing (J.B Wing), Mangalwari Complex,
Sadar, Nagpur - 440010. (M.S.), India.
call: +91 9823872384, +91 7276384238,
mail us: emanatedesign9@gmail.com, web: www.emanatedesign.in

