FRONT ELEVATION
SCALE 1:100

SECTION A'-A'
SCALE 1:100

SECTION B'-B'
SCALE 1:100

N.M.R.D.A.
L.S. No. 03/2021/3845
L.S. Valid
Up to 31/12/2028

Necessary arrangement for rain water harvesting shall be done.



FOR RECHARGING OPEN WELLS



SOLAR WATER HEATING SYSTEM



PLOT DIMENSION AS PER SANCTION LAYOUT PLAN AND OTHER REFERENCE DOCUMENTS

This sanction is subject to conditions of N.A. order Dt. 28/05/2021
N.A.T.P. order Dt. —

OFFICE OF THE CORPORATION OF THE CITY OF NAGPUR.
(FIRE SERVICE)
No Objection Certificate hereby issued by Fire Service Deptt. for the proposed constructions.
The scope of this approval is Restricted to Fire Protection arrangements only.
Please See conditions mentioned 1 to 36 in N.O.C. Certificate No. G.A. / 024 /F.B.dated 07/09/2022
Chief Fire Officer
Fire Service N.M.C. Nagpur

This Sanction Is Subject To Conditions Mentioned In Release Letter Of N.M.R.D.A. Dt 06/01/2022

SUBJECT TO THE PROVISIONS OF STRUCTURAL DESIGN SUFFICIENCY CERTIFICATE DATED ... STRUCTURAL DESIGNER AND APPLICANT

Subject to the Conditions laid down by Fire Brigade Deptt. Nagpur Mpl. Corporation Vide Letter No. MFS/NMC/FES/024/2022 dt - 7/9/2022

This Sanction is Subject to Conditions Mentioned in Development Agreement Dt. 30/06/2021

Subject to the condition that Developer/Applicant shall construct sewage treatment plant (STP) as per the required norms of Maharashtra Pollution Control Board and shall submit the NOC from MPCB without compliance of same occupation permission not be issued

Subject to terms and condition of Government circular dated 30-01-2016 that Developer have to construct the temporary sheds, toilet and arrangement o drinking water for the labours.

OFFICE OF THE NAGPUR METROPOLITAN REGION DEVELOPMENT AUTHORITY
Building Permit No. B.P.(NMRDA)/... No. 040520221 0/20220504135/2863 /542
SANCTIONED
Assistant Engineer
Nagpur Metropolitan Region Development Authority



9 MT WIDE

GROUND FLOOR PLAN
SCALE 1:100



1ST FLOOR PLAN
SCALE 1:100

STATION OFFICER
FIRE & EMERGENCY SERVICE
TRIMURTI NAGAR,
N.M.C. NAGPUR



TYPICAL 2ND TO 7TH FLOOR PLAN
SCALE 1:100

PROPOSED MULTIFAMILY RESIDENTIAL UNIT ON PLOT NO- 18,KH.NO -145/A , PH.NO - 38 , MOUZA -PIPLA, TAH-DIST -NAGPUR
BELONGING TO :-
M/S ARYA PLANNERS & BUILDERS
THROUGH PARTNERS
1)SHRI.PAWANKUMAR WAMANRAO KALBANDE
2)SHRI.VISHAL KEWALKUMAR GUNDHARE
3)SHRI. T. NILKHANTH RAO T . RAJENDRA RAO
4)SHRI.VIVEK BABANRAO HUSUKLE
5)ABHAY SHRIDHAR JOSHI

Ar. Priyanka Meghe
Architect, Interior & Landscape Designer
CA/2007/39468, N.I.T. L.S. No. 22/5, NMC/BA/...

1)SHRI.PAWANKUMAR WAMANRAO KALBANDE
2)SHRI.VISHAL KEWALKUMAR GUNDHARE
3)SHRI. T. NILKHANTH RAO T . RAJENDRA RAO
4)SHRI.VIVEK BABANRAO HUSUKLE
5) ABHAY SHRIDHAR JOSHI

SCHEDULE OF OPENINGS:

DOORS	
D : 1.800 x 2.200	AUTOMATIC DOOR
D1: 1.200 x 2.200	DOUBLE PANELLED DOOR
D2: 0.900 x 2.200	SINGLE PANELLED FLUSH DOOR
D3: 0.750 x 2.200	SINGLE PANELLED FLUSH DOOR
WINDOWS	
W : 2.200 x 1.200	ALUMINIUM SLIDING WINDOW
W1 : 1.800 x 1.200	ALUMINIUM SLIDING WINDOW
W2 : 1.200 x 1.200	ALUMINIUM SLIDING WINDOW
W3 : 0.900 x 1.200	ALUMINIUM SLIDING WINDOW
V : 0.600 x 0.600	LOUVERED VENTILATOR

LEGEND
PLOT BOUNDARY -
EXISTING CONSTRUCTION TO BE RETAINED
PROPOSED CONSTRUCTION -

DRAWING TITLE:
SUBMISSION DRAWING

DATE - MAY 2022	SH.NO. - 01/02
SCALE - 1:100,1:200	DRAWN BY - NIKHIL
NORTH	CHECKED BY - PRIYANKA

LEGENDS -

- FIRE DOOR
- ABC FIRE EXTINGUISHER
- FIRE PUMP
- FIRE ALARM CONTROL PANEL
- FIRE MANUAL CALL POINT
- FIRE HOOTER WITH PA TALK BACK
- FIRE HYDRANT VALVE
- HR-HOSE REEL
- HB-HOSE BOX
- SD-SMOKE DETECTOR
- AIR RELEASE VALVE
- BUTTERFLY VALVE
- BALL VALVE
- FIRE SERVICE INLET
- BUTTERFLY VALVE
- NON RETURN VALVE
- 100 NB PIPE LINE - HYDRANT

FIRE CONSULTANT -

M/S AMEYA AGENCIES
ADD-215, CHHATRAPATI NAGAR, NEAR MSEB POWER STATION, OPP. CHHATRAPATI HALL, RING ROAD, NAGPUR
MB : 9372072043.
EMAIL : ameya.fire@yahoo.com

LICENCE NO - MFS - LA/RF-173
LICENCE NO - MFS - LA/RD-323
LICENCE NO - MFS - LA/RP-26

FIRE CONSULTANT SEAL & SIGN-

AUTHORISED SIGNATORY

DRAWN BY - SHUBHAM R.	DESIGNED BY - SHUBHAM R.	SHEET -
DATE - 09/07/2022	CHECKED BY - ARVIND SIR	FF-REV-0-01 OF 02
SCALE - 1:100	APPROVED BY- ARVIND K.	