

NAGPUR METROPOLITAN REGION DEVELOPMENT AUTHORITY

Division Office (South), Krida Square, Hanuman Nagar, Nagpur-24

Ph. No. 0712-2744524

No. A.E.(South)/NMRDA/Test/ 44

Dated:-

98/3/2024

To,

M/s Metrocity Developers through its Partner

1) Shri. Prashant Manoharrao Bhongirwar,

2) Smt. Vrushali Prashantrao Bhongirwar

3) Shri. Vishal Vasant Gandehwar

4) Shri. Vedant Prashant Bongirwar

R/o 11/A, Kare Twon, Dharpeth, Nagpur-10

Subject :- Specification of various Development Works in Khasara No. 30/2/A, of Mouza Gawasi (Manapur) Tah. Nagpur (Gramin) Dist. Nagpur.

Reference :- Letter No. E.E. (NMRDA)/DPC/Agree/1529, Date.07/03/2024.

With reference to above cited subject, it is to inform you that, you have to submit the following test report of various materials which are to be use for above said works.

Sr.No.	Material	Required Test
1	Grade-I Metal	Impact value, Water absorption, Gradation
2	Grade-II Metal	Impact value, Water absorption, Gradation, Fiakiness index
3	Grade-III Metal/20mm Metal	Impact value, Water absorption, Gradation, Fiakiness index
4	Hard Murrum	Liquid limit, Plastic limit, Plasticity index
5	Brick	Water absorption, Compressive strength
6	Interlocking Block(M-40 Grade) /Flooring Tiles	Compressive strength / Water absorption
7	Concrete (Cube) M-15 & M-20, M35	Compressive strength
8	Cement Morter	Compressive strength
9	Bitumen	Penetration, Ductality Fire / flash
10	Steel Bars	6 mm dia. 8 mm dia. 10 mm dia. 12 mm dia. 25 mm dia. 32 mm dia. Ultimate tensile strength, Weight / Meter

Note:-

1) The number of test report should be proportionate to volume of work and in conformity with I.S.Code.

2) Test should be allowed only at the following laboratories.

A) Geo Tech Services, X-18, M.I.D.C. Hingna Industrial Estate, Nagpur-16

B) V.N.I.T. South Ambazari Road, Nagpur.

C) P.W.D., Nagpur

D) Government Engineering College, Nagpur

Assistant Engineer-I (South)

Nagpur Metropolitan Region
Development Authority